

CARDIFF Effects of mechanical load on cytoskeletal protein arrangement in scleral fibroblasts

¹School of Biosciences, Cardiff University; ²School of Optometry and Vision Sciences, Cardiff University; ³School of Engineering, Cardiff University; ⁴Department of Biomedical Engineering, National University of Singapore

Purpose

- Glaucoma: Second most prevalent cause of blindness, with nearly 80 million affected and expected to reach 112 million by 2040¹:
- Peripapillary sclera (PPS): Main contributor of force transfer from fluid intraocular pressure (IOP) and eye movements to the optic nerve head – implying a role in glaucoma².
- Cytoskeleton: Composed of 3 different protein networks, which provide biomechanical stability and signal transduction to the cell.
- Previous research: Extensive study of the extracellular component of the PPS connective tissue, while the cellular biomechanics require further elucidation.
- This study: We investigated the effects of cyclic tensile strain (CTS), mimicking IOP, on cultured scleral fibroblasts and associated alterations in the cytoskeletal fiber architecture.

Methods

- Cells: Scleral fibroblasts from PPS explants from young adult cattle.
- Seeding: 0.4x10⁶/well onto type I collagen coated **BioFlex™(FlexCell International)** 6-well culture plates.
- Load: Equibiaxial CTS mimicking physiological IOP (0.26-1.8%, 1Hz), pathological IOP (0.6-4%, 1Hz) or unloaded state, applied to the cells for 1h using an FX 3000 tensile system (FlexCell International):

$ \sigma = \frac{pr}{r}$	$\sigma = \text{in-wall stress} (18.2 \text{kPa}); p = \text{IOP} (3.6 \text{kPa})^3;$
$0 = \frac{1}{2t}$	r = eye radius (16.2mm);
σ	<i>t</i> = eye tunic thickness (1.6mm).
$\mathfrak{E} = \frac{1}{F}$	<mark>ε = strain; <i>E</i> = Young's modulus (1-7MPa)</mark> ⁴ .

- Fixation: 2% Paraformaldehyde for 15min, 1h, 6h or 24h after CTS.
- Immunocytochemistry:

F-Actin – Alexa-488[®] phalloidin (1:40; Sigma-Aldrich). Primary mouse E7 antibody (1:500; • β-Tubulin – DSHB); Secondary goat anti-mouse IgG Alexa-594[®] antibody (1:400; Invitrogen). Primary mouse V9 antibody (1:100; • Vimentin – Sigma-Aldrich); Secondary goat anti-mouse IgG

Alexa-594[®] antibody (1:400; Invitrogen).

- Imaging: Zeiss LSM 880 confocal microscope with Airyscan in Fast mode.
- Image analysis: ImageJ (FibrilTool).

Statistics:

- Distribution: Anderson-Darling test.
- Location: One-way ANOVA.
- Dispersion: Two-sample F-test.
- Post-hoc: Tukey's test.





Time	
1h	
6h	

24h

Table1: Effects of physiological (normal) and pathological (glaucomatous) cyclic tensile strain (CTS) on bovine scleral fibroblasts. Comparison of changes of fiber alignment, cell eccentricity (width/length) and area against unloaded group.

Note: Arrow size correlates the amount of alterations. – Increase; – Decrease; – No Significant Change.

Unloaded: Low alignment, high eccentricity, small area. No exhibited changes as time progresses.

Petar Markov^{1,2,3}, Craig Boote^{2,4}, Hanxing Zhu³, Emma Blain¹

Figure 1: F-Actin cytoskeleton remodels 1h after physiological cyclic tensile strain (CTS) and at 24h after pathological CTS. Box plots of cytoskeletal fiber anisotropy assessed by FibrilTool. Results are grouped by applied CTS and relaxation time.



Study Outcomes



Figure 2: Vimentin cytoskeleton remodels 1h after physiological cyclic tensile strain (CTS). Box plots of cytoskeletal fiber anisotropy assessed by FibrilTool. Results are grouped by applied CTS and relaxation time.

			A REAL PROPERTY OF A REAL PROPER			A REAL PROPERTY AND ADDRESS OF			
		Eccentricity [a.u.]				Area [µm ²]			
	Time	Phys	Path	Unl	Phys	Path	Unl	🛞 Pł	
	1h	0.441 ±0.131	0.553 ±0.121	0.586 ±0.157	4430 ±1476	3966 ±1336	2021 ±934	CY CT	
	6h	0.495 ±0.166	0.561 ±0.148	0.648 ±0.129	3994 ±1872	4529 ±1641	2129 ±967	🋞 Pa	
	24h	0.604 ±0.154	0.492 ±0.168	0.633 ±0.149	3554 ±1589	4840 ±2331	1944 ±883	or ph	
	Table2 : Cell eccentricity (width/height) and area of bovine scleral fibroblasts. Measurements taken with ImageJ.								
	Results are grouped by applied CTS and relaxation time.								
3	Acknowledgements								
	EPSR Engineering and Ph Research Council		I	DS	нв	\cap	and of Biosciences	meta-a 2. Pijan Boote (glaucor	
	Disclaimer								
	The authors declare that there is no conflict of interest.								



Figure 3: β-Tubulin cytoskeleton remodels 1h after physiological cyclic tensile strain (CTS). Box plots of cytoskeletal fiber anisotropy assessed by FibrilTool. Results are grouped by applied CTS and relaxation time.

Conclusions

hysiological CTS/IOP: Causes high alignment of the ytoskeleton, specifically the actin stress fibers. 24h after TS the effect has not completely disappeared.

athological CTS/IOP: Inhibitory influence on protein rientation. 24h the fibers reorganize to the initial hysiological phenotype.

uture work: Incorporation of cytoskeletal protein rganization in finite element models to study glaucoma.

References

Im Y-C, Li X, Wong TY, Quigley HA, Aung T, Cheng C-Y (2014). Global prevalence of oma and projections of glaucoma burden through 2040: A systematic review and analysis. Ophthalmology 121(11): 2081-2090.

inka JK, Coudrillier B, Ziegler K, Sorensen T, Meek KM, Nhugyen TD, Quigley HA, C (2012). Quantitative mapping of collagen fiber orientation in non-glaucoma and oma posterior human sclerae. *Invest Ophthalmol Vis Sci* 53(9): 5258-5270.

m G, Gelatt K, Miller D, Mackay E (1998). Intraocular pressure in normal dairy cattle. ohthalmol **1**: 159-161.

viller DV, Lee SJ, Kolipaka A, Mariappan YK, Glaser KJ, Pulido JS, Ehman RL (2010). MR graphy of the ex vivo bovine globe. J Magn Reson Imaging 32: 44-51.