

Online Research @ Cardiff

This is an Open Access document downloaded from ORCA, Cardiff University's institutional repository: <http://orca.cf.ac.uk/75189/>

This is the author's version of a work that was submitted to / accepted for publication.

Citation for final published version:

Gao, Min 2013. Thermoelectric module design under a given thermal input: theory and example. *Journal of Electronic Materials* 42 (7) , pp. 2239-2242. 10.1007/s11664-013-2591-2 file

Publishers page: <http://dx.doi.org/10.1007/s11664-013-2591-2> <<http://dx.doi.org/10.1007/s11664-013-2591-2>>

Please note:

Changes made as a result of publishing processes such as copy-editing, formatting and page numbers may not be reflected in this version. For the definitive version of this publication, please refer to the published source. You are advised to consult the publisher's version if you wish to cite this paper.

This version is being made available in accordance with publisher policies. See <http://orca.cf.ac.uk/policies.html> for usage policies. Copyright and moral rights for publications made available in ORCA are retained by the copyright holders.



Journal of Electronic Materials

TE Module Design under Given Thermal Input: Theory and Design Example

--Manuscript Draft--

Manuscript Number:	
Full Title:	TE Module Design under Given Thermal Input: Theory and Design Example
Article Type:	S.I.: ICT2012
Keywords:	Thermoelectrics; Thermoelectric generator; Thermoelectric energy conversion
Corresponding Author:	MIn Gao, PhD Cardiff University Cardiff, UNITED KINGDOM
Corresponding Author Secondary Information:	
Corresponding Author's Institution:	Cardiff University
Corresponding Author's Secondary Institution:	
First Author:	MIn Gao, PhD
First Author Secondary Information:	
Order of Authors:	MIn Gao, PhD
Order of Authors Secondary Information:	
Abstract:	<p>Established TE module theory provides direct calculation of the power output and conversion efficiency of a module if the temperature difference across the module is given. However, in many practical applications such as those using radioisotope or solar radiation as the heat sources, the temperature difference is usually unknown. Instead, only the thermal flux is given. In this paper, theoretical outline for TE module design under given thermal input is presented. It provides a convenient approach for module geometry optimisation based on given thermal input. The usefulness of the theory is demonstrated through a design study, in which an appropriate thermoelement length for solar thermoelectric application is determined through a trade-off between a requirement of longer length for establishing a larger temperature difference and a shorter length to produce a large power output.</p>

TE Module Design under Given Thermal Input: *Theory and Design*

Example

Gao Min

School of Engineering, Cardiff University, Cardiff, UK CF24 3AA

min@cf.ac.uk

Abstract

Established TE module theory provides direct calculation of the power output and conversion efficiency of a module if the temperature difference across the module is given. However, in many practical applications such as those using radioisotope or solar radiation as the heat sources, the temperature difference is usually unknown. Instead, only the thermal flux is given. In this paper, theoretical outline for TE module design under given thermal input is presented. It provides a convenient approach for module geometry optimisation based on given thermal input. The usefulness of the theory is demonstrated through a design study, in which an appropriate thermoelement length for solar thermoelectric application is determined through a trade-off between a requirement of longer length for establishing a larger temperature difference and a shorter length to produce a large power output.

Introduction

Thermoelectric generator is a solid-state energy convertor that can convert heat into electricity. The theory for thermoelectric devices is well established [1-4]. It offers a useful tool for design and evaluation of a thermoelectric generator. In general, the

1 power output and conversion efficiency of a thermoelectric generator can be
2 determined using [1],
3
4
5
6

$$7 \quad P = \frac{s}{(1+s)^2} \cdot \frac{\alpha^2 \cdot \Delta T^2}{R_i} \quad (1)$$

$$8 \quad \phi = \frac{\Delta T}{T_H} \cdot \left(\frac{s}{(1+s) - \Delta T/2T_H + (1+s)^2/ZT_H} \right) \quad (2)$$

9
10
11
12
13
14
15
16
17
18
19
20
21 where $s (= R_L/R_i)$ is the ratio of the load resistance, R_L , to the internal resistance of
22 thermoelectric generator, R_i . α is the Seebeck of coefficient; $\Delta T (= T_H - T_C)$ is the
23 temperature difference across the thermoelectric generator and Z the figure-of-merit
24 of thermoelectric materials. For given thermoelectric materials, equations 1 and 2
25 provide a direct calculation of the performances of a thermoelectric generator if the
26 temperature difference across the generator is known. Generally, the temperature
27 difference across a thermoelectric generator can be readily measured experimentally
28 or assumed as a variable in the design process. As a result, they have been widely
29 employed in the study of thermoelectric generators. An improved theoretical model is
30 also available, which takes into consideration the effects of thermal and electrical
31 contacts [5], providing a more realistic estimate of the generating performances in
32 relation to the device's geometries. Similarly, the improved model also requires the
33 temperature difference to be known or as an input viable. Although in many cases the
34 temperature difference can be known in one way or another, there are other cases
35 where only thermal energy input is given and the temperature difference across the
36 generator needs to be determined based on materials properties, device geometries
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65

1 and operating conditions of the generator. The objective of this work is to provide a
2 theoretical outline that can assist in the design of thermoelectric generators for a given
3 thermal input.
4
5
6

7 8 9 Theoretical Outline

10 A simplified schematic of a thermoelectric generator is shown in Figure 1 (a), where a
11 thermoelectric material is sandwiched between a heater at temperature, T_H , and a heat
12 sink at temperature, T_C . The two ends of the thermoelectric material are electrically
13 connected to an external load, R_L through a switch. Its equivalent electric circuit is
14 shown in Figure 1(b). For a given thermal input, \dot{Q} , and considering an ideal case
15 where the heat loss is neglected, the temperature difference across the generator when
16 operating in an open circuit (i.e., the generator is not connected to the load) can be
17 determined using Fourier's law,
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35

$$36 \quad \Delta T_o = \frac{\dot{Q}}{\lambda \cdot (A/l)} \quad (3)$$

37
38
39
40
41

42 where, λ is the thermal conductivity of the thermoelectric material and A/l is the
43 ratio of the cross-sectional area, A , to the length, l , of the thermoelectric generator.
44 Usually, a thermoelectric generator consists of multiple thermoelements. The cross-
45 sectional area A in this case is the total area of all thermoelements. It is to be noted
46 that the temperature difference determined using equation 3 is only valid for the open
47 circuit condition. When the generator is connected to a load, a close circuit is formed
48 and the temperature difference across the generator will be reduced depending on the
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65

ratio of the load resistance to the internal resistance of the generator, R_L / R_i . Using a relationship reported in [6],

$$\frac{\Delta T_o}{\Delta T} = 1 + ZT_M \quad (4)$$

where,

$$T_M = \frac{(1 + 2s)T_H + T_C}{2(1 + s)^2} \quad (5)$$

Consequently, the temperature difference across the thermoelectric generator under the closed circuit condition can be expressed as,

$$\Delta T = \frac{\dot{Q}}{(1 + ZT_M) \cdot \lambda \cdot (A/l)} \quad (6)$$

Taking into account the effect of thermal and electrical contacts, the power output of a thermoelectric generator can be expressed as [5],

$$P = \frac{s}{(1 + s)^2} \frac{\alpha^2}{\rho} \frac{A \cdot \Delta T^2}{(n + l)(1 + 2rl_c/l)^2} \quad (7)$$

where, l_c is the thickness of ceramic plates (i.e., thermally conducting but electrically insulating layers in the thermoelectric generator. n and l are referred to as electrical

and thermal contact parameters, respectively [7]. Replacing ΔT in equation 7 using equation 6, the power output can be expressed as,

$$P = \frac{s}{(1+s)^2} \cdot \frac{Z}{(1+ZT_M)^2} \cdot \frac{\dot{Q}^2}{\lambda} \cdot \frac{l}{A} \cdot \frac{l}{(n+l)(1+2rl_c/l)^2} \quad (8)$$

The conversion efficiency of the generator can be expressed as,

$$\eta = \frac{P}{\dot{Q}} = \frac{s}{(1+s)^2} \cdot \frac{Z}{(1+ZT_M)^2} \cdot \frac{\dot{Q}}{\lambda} \cdot \frac{l}{A} \cdot \frac{l}{(n+l)(1+2rl_c/l)^2} \quad (9)$$

It can be seen that calculation of the power output and conversion efficiency using equations 8 and 9 does not require the knowledge of the temperature difference. Instead, it is determined from the given thermal input.

Design Example

A schematic solar thermoelectric system is shown in Figure 2. Assume that the solar absorber has an area of 1 m^2 and the thermal power produced under AM1.0 (i.e., 1000 W/m^2) by the absorber that has a efficiency of 60% is 600 W. It is also assumed that the thermal power does not change with the surface temperature of the absorber (strictly speaking, this simplification is not usually valid. Nevertheless, it is employed to focus on the thermoelectric aspect). It can be seen from equation 6 that the temperature difference across the generator will be large if the thermoelectric generator has a small A/l . On the other hand, for a given ΔT , a large A/l is required to obtain a large power output. Clearly, a key task in the design of a thermoelectric generator is to select an appropriate A/l . In Figure 3 is shown the electrical power

1 output generated by thermoelectric generator as a function of l for different A/l . The
2 results were calculated based on Bi_2Te_3 thermoelectric modules, which has a typical
3 Seebeck coefficient of $200 \times 10^{-6} \text{ V/K}$, electrical conductivity of $10^{-5} \Omega \cdot m$, thermal
4 conductivity of $1.5 \text{ W/m} \cdot \text{K}$; the thickness of ceramic layer is 0.7 mm; the electrical
5 and thermal contact parameters are $n = 0.1 \text{ mm}$ and $r = 0.2$ [7], respectively; The
6 thermoelectric generator operates in the maximum power mode (i.e., $s=1$) and there is
7 no heat losses from both the solar absorber and thermoelectric generator. It is
8 interesting to note that the plots of power output v.s. thermoelement length resemble
9 typical I–V characteristics of the transistors. For a given A/l , the power output
10 increases significantly with an increase in l initially but reaching saturation over a
11 longer length. For a given l , the power output increases with a decrease in A/l . For
12 example, selecting $A/l = 2656 \text{ mm}$ will results in a temperature difference of 100 K
13 across the thermoelectric generator. A power output of $\sim 24 \text{ W}$ can be obtained for
14 $l = 7 \text{ mm}$ and a corresponding total cross-sectional area is $A \approx 1.9 \times 10^4 \text{ mm}^2$. This is
15 equivalent to a total area of 36 commercial Bi_2Te_3 modules, each of which has 127
16 thermocouples with a thermoelement cross-sectional area of 1.4 mm x 1.4 mm. If the
17 number of modules is reduced to 18 (i.e. A/l is reduced to 1244 mm), the
18 temperature difference across the thermoelectric generator will be 200 K. This will
19 result in an increase of power output to $\sim 46 \text{ W}$. It is to be noted that this power level
20 may not be achievable in practice due to significant heat losses from the solar
21 absorber at high temperatures. As a result, the power output is a trade-off between a
22 small A/l for obtaining large power output and a large A/l for minimizing heat
23 losses. Nevertheless, this ideal case demonstrates that increasing the number of
24 thermoelectric modules does not necessarily lead to an increase in power output. This
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65

is particularly true for the cases when the temperature difference across thermoelectric generator is determined by the given thermal input.

Conclusion

The theory presented in this paper enables calculation of the power output and conversion efficiency of a thermoelectric generator from a given thermal input. This provides a complementary formulation to the conventional theory, which requires the knowledge of the temperature difference across a thermoelectric generator. The usefulness of this new formulation is demonstrated by a case study of geometrical effect on the power output of the thermoelectric generator in a solar thermoelectric system. Although the example given is based on an ideal case where all heat losses in the system were neglected, the results highlight role of thermoelement geometry in the design of optimized thermoelectric system.

Acknowledgement

The author would like to acknowledge the UK Engineering and Physical Science Research Council (EPSRC) for funding support of this work.

References

- [1] A. F. Ioffe, *Semiconductor Thermoelements and Thermoelectric Cooling*, London, Infosearch, 1957.
- [2] D. M. Rowe and C.M. Bhandari, *Modern Thermoelectrics*, London, Holt, Rinehart and Winston, 1983.
- [3] D. M. Rowe, *CRC Handbook of Thermoelectric*, New York, CRC Press, 1995.
- [4] J. H. Goldsmid, *Electronic Refrigeration*, London, Pion Limited, 1986.

- 1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
- [5] G. Min, “TE Module Design Theories”, In *CRC Handbook of thermoelectrics: Micro to Nano*, pp. 11-1 to 11-15, Rowe, D. M., (eds.), Boca Raton, CRC Press, 2006.
- [6] G. Min, *Journal of Electronic Materials*, 39(9), (2010), p1782
- [7] G. Min, D. M. Rowe, O. Assis, and S.G.K. Williams, *Proc. 11th International Conference on Thermoelectrics*, Arlington, Texas, USA, 1992, p210

Caption of Figures

Figure 1. Schematics of a simplified thermoelectric generator. a) thermoelectric generator with an internal resistance R_i connected to a external load R_L ; b) equivalent circuit for thermoelectric generator connecting to a load.

Figure 2. Schematic solar thermoelectric system. The solar radiation is converted into heat by the absorber and transferred through thermoelectric generators into circulating water for heat and power co-generation.

Figure 3. The power output of thermoelectric generator as a function of thermoelement length, l , for different ratios of the total cross-sectional area to the thermoelement length, A/l .

Figure 1a
[Click here to download high resolution image](#)




Figure 1b
[Click here to download high resolution image](#)




Figure 2
[Click here to download high resolution image](#)




Figure 3
[Click here to download Figure: Fig3.EPS](#)

