

This is an Open Access document downloaded from ORCA, Cardiff University's institutional repository: <https://orca.cardiff.ac.uk/id/eprint/104075/>

This is the author's version of a work that was submitted to / accepted for publication.

Citation for final published version:

Kwak, Dong-Wook, Sanchez Rodrigues, Vasco , Mason, Robert , Pettit, Stephen and Beresford, Anthony 2018. Risk interaction identification in international supply chain logistics: developing a holistic model. *International Journal of Operations and Production Management* 38 (2) , pp. 372-389. 10.1108/IJOPM-03-2016-0121

Publishers page: <http://dx.doi.org/10.1108/IJOPM-03-2016-0121>

Please note:

Changes made as a result of publishing processes such as copy-editing, formatting and page numbers may not be reflected in this version. For the definitive version of this publication, please refer to the published source. You are advised to consult the publisher's version if you wish to cite this paper.

This version is being made available in accordance with publisher policies. See <http://orca.cf.ac.uk/policies.html> for usage policies. Copyright and moral rights for publications made available in ORCA are retained by the copyright holders.





Risk interaction identification in international supply chain logistics: developing a holistic model

Journal:	<i>International Journal of Operations and Production Management</i>
Manuscript ID	IJOPM-03-2016-0121.R4
Manuscript Type:	Research Paper
Keywords:	Supply chain risk management, risk analysis, risk interactions, international logistics, Interpretive Structural Modelling

SCHOLARONE™
Manuscripts

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60

Risk interaction identification in international supply chain logistics: developing a holistic model

Dong-Wook Kwak ¹

Vasco Sanchez Rodrigues ²

Robert Mason ²

Stephen Pettit ^{2*}

Anthony Beresford ²

- 1. School of Strategy and Leadership, Coventry Business School, Coventry University, Coventry, UK.
- 2. Logistics and Operations Management, Cardiff Business School, Cardiff University, Colum Drive, Cardiff, UK.

*** Corresponding Author**

Abstract

Purpose

International supply chains can be severely disrupted by failures in international logistics processes. Therefore, an understanding of international logistics risks, or causes of failure, how these may interact with each other, and how they can be mitigated are imperatives for the smooth operation of international supply chains. This research specifically investigates the interactions between international logistics risks within the prevailing structures of international supply chains and highlights how these risks may be interconnected and amplified. A new dynamic supply chain logistics risk analysis model is proposed which is novel as it provides a holistic understanding of the risk event interactivity.

Design/methodology/approach

The paper applies Interpretive Structural Modelling (ISM) to data collected from a survey of leading supply chain practitioners, in order to analyse their perspectives of risk elements and interactions. The risk elements and their contextual relationship were derived empirically through the use of focus groups and subsequent Delphi study. The two stages of the research rely on experts' views on risk events and clusters and the level of interactions among those clusters.

Findings

A key finding of this research is that supply chain practitioner's perception of risk consists of interconnected four levels; (1) value streams risks, (2) information and relationship risks, (3) risks in international supply chain activities and (4) external environment. In particular, since Level 2 risk creates feedback loops of risks, risk management at Level 2 can dampen the amplification effect and the strength of the interactions.

Practical implications

Several managerial implications are drawn. Firstly, the research guides managers in the identification and evaluation of risk events which can impact on the performance of their international logistics supply chain operations. Secondly, evidence is presented that supports the proposition that the relationships with trading partners and LSPs, and the degree of logistics information exchange, are critical to prevent, or at least mitigate, logistics risks which can substantially affect the responsiveness of the international supply chain.

Originality / Value

The main contribution to knowledge that this study offers to the literature on SCRM is the development of a supply chain logistics risk analysis model which includes both risk elements and interactions. The research demonstrates the importance of taking into account risk interactions in the process of identification and evaluation of risk events.

Keywords – Supply chain risk management, risk analysis, risk interactions, interpretive structural modelling, international logistics

1. Introduction

Supply Chain Management (SCM) at an international scale is more challenging than domestic SCM, primarily because international operations entail additional economic, political, competitive, cultural, operational and infrastructural uncertainties (Prater *et al.*, 2001). International supply chains also invariably include a greater number of inter-organisational relationships (Norrman and Jansson, 2004; Storey *et al.*, 2006), encompass a wider range of flows, nodes, influences, entities and transport modes, and exhibit longer lead times (Craighead *et al.*, 2007). They are consequently more vulnerable (Manuj and Mentzer, 2008) and, hence, the complexities and uncertainties inherent in international supply chain operations can significantly affect logistics control decision-making (Speier *et al.*, 2011). An understanding of international supply chain logistics risks, how these risks interact with each other, and how they can be mitigated is therefore imperative to improve operations.

Over the last three decades, Supply Chain Risk Management (SCRM) has covered three core processes, namely risk identification, risk analysis and risk mitigation. Although risk identification and analysis is considered to be fundamental to SCRM (Zsidisin and Wagner, 2010; Rotaru *et al.*, 2014) previous research has focused mostly on scattered sets of individual risks in isolation rather than taking a holistic approach to identifying and evaluating risks. However, overall risk can be amplified by the interactive combination of multiple risks. Thus contemporary supply chain risks should be analysed and modelled by incorporating the large number of potential interactions between risks generated from different supply chain stages, hierarchies and processes (see, for example, Fayezi *et al.*, 2014). While previous findings provide valuable foundations for this research, they have limited value in identifying and evaluating these multiple risk interactions (Kleindorfer and Saad, 2005; Sanchez Rodrigues *et al.*, 2010).

Furthermore, much of earlier operations management research on SCRM in logistics only examined the dyadic relationships between buyers and suppliers rather than the more complex interactions amongst all the participants in their global networks (Kembro and Selviaridis, 2015). The main contributions of this paper lie in addressing these shortcomings by focusing on the *interactions* between risk events within international supply chains, and then proposing a new logistics risk analysis model. Based on the views of experts who participated in this research, the research question is:

How can international supply chain logistics risks be understood holistically?

To best address this question, the research identifies, and then analyses, the characteristics of international supply chain logistics risks; it then examines the interactions between them. In particular, the paper focuses on the first two stages of risk management: risk identification and risk analysis. Interpretive Structural Modelling (ISM) is used to help develop a more effective understanding of supply chain logistics risks and interactions.

The paper consists of a further four sections. Section two outlines the theoretical background to the study. In section three, the steps followed in the ISM process are explained. The findings derived from the ISM-based model are presented and interpreted in section four and a new supply chain logistics risk analysis model proposed. Conclusions are presented in section five in order to highlight the theoretical and managerial implications of the research, and to suggest future research opportunities.

2. Literature review

Risk identification and analysis are both indispensable stages of risk management. Although there are a wide range of practices underpinning SCRM, most researchers agree that the SCRM process begins with risk identification and risk analysis, followed by risk mitigation (see, for example, Ritchie and Brindley, 2007; Zsidisin and Wagner, 2010; Fayezi *et al.*, 2014). The initial stage of risk management therefore is to identify as many risks as possible that can influence supply chain operations directly or indirectly (Waters, 2011). Several empirical studies have been undertaken to identify risks across various industries (Peck, 2005; Christopher *et al.*, 2011) as well as specific sectors (e.g., Schoenherr *et al.*, 2008). Chopra and Sodhi (2004) identified nine categories of risk driven by particular aspects of risk events. This process of risk identification and categorisation aims to develop a list of risks relating to general business activities as well as supply chain-specific activities, other risk categorisations can be found in, for example, Lavastre *et al.* (2012).

However, various models have been developed with the purpose of identifying and analysing risks more systematically, considering (1) organisational boundaries, (2) risk sources and (3) loss types and these are discussed below. This section categorises the SCRM models developed in the literature in terms whether or not they focus on risk identification and/or analysis and the scope of these models. A literature review was conducted to identify SCRM models published since 1995. Two groups of keywords were used: group 1 - supply chain, logistics, freight transport and supply network - and group 2 - uncertainty and risk. Selected examples of these papers are shown in Table 1.

(1) Organisational Boundaries

SCRM researchers have established classifications commonly based on organisational boundaries, which consist of internal risks, supply chain risks and external risks. From an organisation's perspective, risks are either internal or external to the organisation. Risks interconnected with their own activities are regarded as internal risks, all the rest are external risks. This categorisation is closely related to the controllability of risk events: internal risks are more controllable than external risks. In that sense, this categorisation also relates to who is responsible for mitigating risk events and defining organisational boundaries. However, categorising risks as internal or external may not capture distinctive supply chain risks and other studies such as Schoenherr *et al.* (2008) assess supply chain risks separately.

Table 1 here

(2) Risk Sources

Other models are in accordance with supply chain processes and functions, which is the most common classification as judged by SCRM researchers. These processes and functions are the sources where risks may arise. Mason-Jones and Towill (1998) argue that causes of uncertainty are to be found on the supply side, in manufacturing processes, on the demand side and, most notably, in control systems that overarch the other three areas. An example of

each classification of risk could include supplier bankruptcy (e.g. GT Advanced a main supplier to Apple which filed for bankruptcy in 2014), production problems (e.g. Mars Group in 2016 identified foreign bodies in chocolate stemming from their manufacturing processes, which led them to recall confectionery distributed to 55 countries), the emergence of new channels to market (e.g. the rise of online / omni-channel in the retail sector), and internal corporate governance issues (e.g. Tesco who overstated their profits in 2014 / 2015). As disruption risks, natural disasters and security risks emerged from environmental change and terrorist events Christopher and Peck (2004) added environmental risk to possible risk sources (e.g. Japanese tsunami, 2011). Their model assumes three main parties in the supply chain, namely supplier, focal company and customer, and then demonstrates the location where these five risks will arise. Except for the 'control' systems overarching all SCM activities, each source relates to a distinctive activity area and generates idiosyncratic risks.

(3) Loss Types

Another method of classification categorises the types of loss that supply chain risks can cause. SCM is generally defined as "the management of material, information and financial flows through a network of organisations that aims to produce and deliver products or services for the consumers" (Tang, 2006: 453). From this perspective, disruptions to material, information and finance flows generate risks, thereby threatening and implicitly reducing the value that can be derived from SCM. Focusing on the importance of value in SCM, some researchers classify risks according to types of loss in relation to 'flows' or 'values'. The most common losses, proposed by SCRM researchers are material, financial, information and time (Tang and Musa, 2011).

SCRM research rarely goes beyond exploring risks and providing typologies or taxonomies for identified risks. Despite the fact that a risk event is often triggered by other risks, analysis of the relationships between those sequential risks is seldom carried out. Although studies which focus on risk categorization have provided valuable insights into identifying and understanding risk events, research on risk identification has generally not considered the interactions between risk clusters. Mason-Jones and Towill (1998) also highlight the importance of including interactions among risk events when undertaking risk assessments and argue that effective uncertainty reduction in supply chains can be achieved by understanding and tackling the root causes of risk events in the four identified risk areas. Peck (2005) also suggested that supply chain practitioners struggle to explain risk as multi-dimensional constructs as they are pre-occupied with reacting to, or solving, difficulties rather than examining the intricacies of the causal chain. Similarly, Chopra and Sodhi (2004) expressed the difficulties of SCRM due to the interconnections between individual risks.

In this respect, supply chains offer a holistic risk structure, with hierarchies and interconnections, embracing risk interaction, systematic risk identification, cause-and-effect and failure mode analysis. These can provide clues for strategic risk management once they are understood thoroughly (see, for example: Sanchez-Rodrigues *et al.*, 2010; Ghadge *et al.*, 2013). Elsewhere, Peck (2005) proposed four levels of vulnerability: value stream/product process; assets and infrastructure dependencies; organisations and inter-organisational networks; and environments. This paper uses ISM to develop a dynamic supply chain logistics risk analysis model in order to better understand both risks and their interactions. In particular the research focuses on the root cause of risk amplification within the risk structures that may jeopardise supply chain operations. Supply chain risks often create a risk

1
2
3
4 spiral (Christopher and Lee, 2004), and breaking this spiral requires a holistic understanding
5 of risk structures. In light of this the key questions that guide this research are: which risks in
6 the international logistics supply chain interact with each other; what are the root causes of
7 sequential risk interaction; and, how are risk interaction spirals broken?
8
9

10 11 **3. Methodology and Results**

12 ISM can be used to identify the structure of complex relationships among elements related to
13 a particular research problem. It can help in understanding a complex system by considering
14 the hierarchy and relationships among elements of the system (Sage, 1977). ISM was used in
15 this research to identify and evaluate interactions among the possible risk elements in global
16 supply chain logistics. The findings present a graphical structural map of elements,
17 highlighting the causal connections of elements and solutions for complicated risk issues in
18 global supply chains and the most critical risk areas requiring mitigation. In SCRM research,
19 Faisal *et al.*, (2006) used this method to construct structural models of risk mitigation
20 enablers, and of supply chain risk events respectively. However, the value of previous studies
21 has been limited by the fact that the suggested risk factors were not scientifically derived.
22 This research adopts a more rigorous methodology than these earlier studies by adopting a
23 process to collect empirical data about risk elements and their contextual relationships from
24 industry experts.
25
26
27

28 ISM typically comprises seven steps (Faisal *et al.*, 2006) although Govindan *et al.* (2012)
29 recommend one further step to check whether the ISM model has any conceptual
30 inconsistency requiring modification. This research uses the seven steps and checks the
31 validity and implications in the discussion section.
32
33
34
35

36 ***Step 1. Identifying the Elements for Analysis***

37 The initial stage of the ISM process determines the elements constituting the complex system
38 to be investigated. In this study, the risk elements emerged from the discussions of six parallel
39 focus groups formed from 30 practitioners, each with more than 7-years industry experience,
40 and 6 academics who had previously worked in managerial roles in the industry. The
41 practitioners were purposively selected to incorporate exporters, importers, freight forwarders,
42 and Logistics Service Providers (LSPs) to capture the most significant global supply chain
43 logistics risks from diverse perspectives. The focus group method is an effective way of
44 generating ideas from a group of experts in a specific subject area and of triangulating their
45 perceptions of a specific research phenomenon (Robson, 2002). In SCRM research, Pettit *et al.*
46 (2010) and Sanchez-Rodrigues *et al.* (2010) primarily used this method to identify risks in
47 supply chains and in transport respectively.
48
49

50 Each focus group started with a free discussion about the experiences of participants
51 concerning disruptions to international logistics operations. Participants were then asked to
52 generate a list of international logistics risks and to categorise them into risk clusters. These
53 risk clusters encompassed risks stemming from the external environment, from LSPs, from
54 trade partners and from the control system as well as from issues relating to time, cost and
55 product. For the purpose of undertaking an unbiased analysis each risk element was allocated
56 a number from 1 to 20 (Table 2).
57
58
59
60

1
2
3
4
5
6 **Table 2 here**
7
8

9 ***Step 2. Contextual relationships between Risk Pairs***

10
11 In step 2, the contextual relationships between risk pairs were examined in order to determine
12 the pairwise relationships between risk elements. A two-stage process was followed whereby
13 two groups of participants, selected from the focus groups in consideration of their roles and
14 titles relating to risk management, conducted the first and second stages of this process. The
15 participants were asked to make decisions on the contextual relationships between two risk
16 clusters. The contextual type of “leads to” was selected to constrain the relationship to direct
17 effects. As a unified opinion on the relationship is required to develop an ISM-based model, a
18 Delphi study was adopted as the third stage to refine ideas and to determine a consensus
19 among six participants who each had over 7-years industry experience associated with risk
20 management and customer service. The detailed process of Step 2 is described in Table 3 and
21 shown in Figure 1.
22
23

24
25 **Table 3 here**
26
27

28 **Figure 1 here**
29
30

31 The 20 risk elements generated 190 suggestions for pair-wise relationships. The participants
32 in Group A and Group B discussed the relationships between element i (1 to 20) and element
33 j (1 to 20) on a pairwise basis, and allocated arrows to denote the direction of cause and effect
34 between each pair of elements. In the first round, 96 relationships showed discrepancies
35 between the views of Group A and Group B. The two groups subsequently presented written
36 statements regarding the reasons for their decisions about these discrepancies. After
37 exchanging written statements with each other, the two groups amended their initial ideas
38 with the discrepancies persisting for only 23 relationships. The 23 discrepancies were
39 assessed by four industry experts in a Delphi panel. The experts were requested by email to
40 provide observations about the 23 relationships. The answers were later shared across the
41 panel during four rounds of written responses, after which a consensus among panel members
42 was reached concerning the pairwise interrelationships among the 20 risk elements. In order
43 to address the danger of reflexivity, or the possible influence of the interviewer, or the
44 interview environment, on the interviewee relationship, care was taken to ensure that the
45 operation of the panel was conducted entirely objectively, uninfluenced by the presence of the
46 researcher or other possible extraneous influences (Finlay, 2002).
47
48

49 The study could have suffered from common method bias arising from practitioners taking
50 part in both stages of the two-stage research approach while representing a single
51 organisation and its supply chain, with the results relying to a certain degree on their
52 individual views. In order to avoid this problem the study was run in two stages and data
53 triangulation applied in a sequential fashion. Furthermore, the selection criteria of
54 participants who contributed to the focus group and ISM stages included the experience of
55 participants as a key characteristic. By using a series of Delphi Panels in the initial step of the
56 ISM analysis the potential for bias from the views of individual group members was reduced.
57
58
59
60

Step 3. Developing a Structural Self-Interaction Matrix

The contextual relationships were summarised into one Structural Self-Interaction Matrix (SSIM) by assigning one of the following four symbols to an (i, j) entry.

- V: element i leads to element j ;
- A: element j leads to element i ;
- X: elements i and j cause each other;
- O: elements i and j are not related at all.

Eight industry experts examined the list of contextual relationships between elements and, using the cause and effect arrows of the participants from stage 2, the interconnections were converted to entries in an SSIM matrix as shown in Table 4.

Table 4 here

Step 4. Developing a Reachability Matrix

Given the SSIM, a reachability matrix was developed by filling each (i, j) entry with 0, 1 or 1* according to the following rules:

- 0: element i does not cause element j and there is no transitivity between them;
- 1: element i directly causes element j ;
- 1*: there is transitivity between i and j by the mediation of another element.

After the initial reachability matrix of direct relationships was completed, the final reachability matrix was developed by taking transitivity into consideration. Transitivity can be checked by considering any indirect relationships among elements: if element i causes element j and element j also results in element k , the transitivity is confirmed between element i and element k due to their indirect relationship mediated by element j . In this case, the transitivity was incorporated into the final reachability matrix by assigning 1* to the relationship, and zero values were removed. *Driving power* and *dependence power* can be also computed in this matrix. *Driving power* is the total number of elements (each including itself) which affects other elements, while *dependence* is the total number of elements, which are affected by other elements.

However, the initial reachability matrix had to be refined because several risk elements generated excessive transitivity, leading to the matrix containing too many indirect relationships, which, in turn, led to the driving power and dependence of most elements to be at a maximum. Excessive transitivity, caused by indirect relationships among risk clusters, was found in risk clusters associated with the inter-organisational relationships as well as control systems risks, namely, Conflicts between trade partners (8), Dependency upon LSPs (16), Failure in logistics control (17), and Failure in information exchange (18).

Contrary to other risk elements that have a definite time-frame for their occurrence and realisation, these four elements retain their unique characteristics and can occur at any time during the entire logistics operation, thus making risk situations worse. For these elements the

temporal sequence of risk events sometimes reverses with no clear reason, generating numerous feedback loops and interconnecting a majority of the elements. It was thus decided to eliminate these four elements from the analysis, so that interconnections between the remaining 16 elements could be identified in the reachability matrix, as shown in Table 5. Instead, the four risk elements excluded from Step 4, 5 and 6 were incorporated into the final structural model in Step 7 in order to fully explore their roles in international logistics operations and global SCM.

Table 5 here

Step 5. Level Partitioning

Level partitioning was then conducted given the final reachability matrix. First of all, the reachability set (RS_i), antecedent set (AS_i) and intersection set ($RS_i \cap AS_i$) of each element are found. The elements of the top level, whose reachability set were the same as its intersection set, needed to be found and set aside. The new reachability set, antecedent set and intersection set of each element were then created given the remaining elements. The elements of the 'next top level' were chosen by checking whether the reachability set was equal to the intersection set. This process was continued until all elements were partitioned into levels.

Once Level partitioning had been conducted on the basis of the final reachability matrix of 16 elements, and after checking the reachability set and the intersection set, four risk elements were chosen for the top level: Trade settlement issues (6), Additional costs at destination (13), Cargo loss and damage (19) and Delay (20). After removing these four elements, new reachability, antecedent and intersection sets were generated, and Product discrepancy (9) and Freight rate fluctuation (12) were selected for the second level. It is interesting to note that these six elements were all directly linked to the three types of losses found in the focus groups, although some of them, such as freight rate fluctuation and additional costs at destination, were also associated with risks emanating from trade partners and LSPs.

The subsequent rounds took the 10 remaining elements into account. Faulty equipment (14) was recognised as the sole element of the third level whereas removal of Faulty equipment (14) led to Shortage of space and containers (11) and Inland operational disturbances (15) was assigned to the fourth level. The risk elements associated with trade partner and logistics service provider risks were also partitioned, even though there were several hierarchies among them. The risk elements relating to the external environment, such as Economic instability (1), Export/Import regulations (2), Natural disasters (3) and Human-derived disruptions (4), comprised the lowest level in this partitioning process. The results are shown in Table 6.

Table 6 here

Steps 6 and Step 7. Drawing a directed graph (or digraph) and an ISM-based model

From the reachability matrix and the partitioned levels, a digraph was drawn using nodes and arrows. At this stage, transitivity was not taken into account because a series of arrows can sufficiently represent any indirect relationships. After being arranged vertically and

1
2
3
4 horizontally according to the levels, risk elements were linked by arrows based on the
5 reachability matrix.
6

7 The final ISM-based graph was drawn by replacing the node numbers in the digraph with the
8 original names of the elements. The ISM-based model demonstrates the hierarchical structure
9 of risks in international logistics and highlights their interrelationships with the dependence
10 and driving power of risk elements.
11

12 A digraph was generated by arranging the 16 elements according to the partitioned level and
13 by connecting the elements according to the final reachability matrix. The digraph was later
14 developed into an ISM-based model by substituting element numbers from the final
15 reachability matrix with the original names used to describe risk clusters, as shown in Figure
16 2. The ISM analysis demonstrated that most risk clusters related to types of risk losses
17 interacted with each other except for product discrepancy and freight rate fluctuations. Also,
18 the analysis showed that there was a clear division between trade partner and LSP risks,
19 although these two risk groups eventually interacted at the highest level. The external
20 environment risks occupied the bottom end of this model, since this risk pattern influenced
21 most of risk clusters. In this respect, the final model confirmed that risk clusters had firm
22 contextual characteristics because, when minor causalities were ignored, risk events
23 categorised under the four risk patterns found in the study (namely losses, logistics service
24 provider, trade partner and external environment risks) had frequent interactions with each
25 other.
26
27
28

29 **Figure 2 here**
30
31

32 When the analysis considered the four risk elements (Conflicts between trade partners (8),
33 Dependency upon LSPs (16), Failure in logistics control (17), and Failure in information
34 exchange (18) that were initially excluded from Step 4, the risk structure became more
35 dynamic. Compared to Figure 2, which clearly suggests a hierarchical structure of risks with
36 one-way relationships from bottom to top, these four risk elements generated numerous
37 feedback loops with moderating impacts on the scale of losses being incurred as a result of
38 risks in international supply chain activities, as shown in Figure 3. The excessive transitivity
39 found in the ISM was largely due to the numerous feedback loops by these four elements,
40 which play a pivotal role in turning even a low-impact risk event into a severe disruption with
41 subsequent impacts. These four risk elements were also all interconnected with each other,
42 thus their dynamic interactions amplified significant transitivity. The levels in Figure 3 are
43 discussed further in the following section.
44
45
46
47

48 **Figure 3 here**
49
50

51 **4. Discussion**

52 The research set out to address the question: how can international supply chain logistics
53 risks be better understood by adopting a more holistic lens? This was addressed empirically
54 by identifying and analysing a wide range of risk elements occurring in international supply
55 chains logistics and postulating a structure for those risk elements and the multiple
56 interactions which may occur. In international supply chains, a given disruption or
57
58
59
60

1
2
3
4 disturbance can generate other risk events which can amplify the impact of the original
5 disruption or disturbance, creating a loss type which in turn causes other losses. Thus risks
6 cannot solely be envisaged as stand-alone events, but rather form part of an inter-linked
7 network of risk occurrences and impacts.
8

9
10 Research on supply chain vulnerabilities has been extensive (see, for example, Norrman and
11 Jansson, 2004; Pereira *et al.*, 2014). According to the findings from ISM analysis here, in
12 practice several parallel hierarchies of risks are generated across multiple stages of the supply
13 chain. These hierarchies are similar to those proposed by Peck (2005) but also exhibit several
14 differences. The most important finding is that individual risks and their hierarchies are
15 closely inter-related; this is in line with the characteristics of supply chains which are inter-
16 connected and inter-dependent, thus resulting in the presence of considerable complexity
17 across the supply chain nodes and links which are prone to disturbance and disruption
18 (Tatham and Christopher, 2014). The risk structure developed from this study shows that
19 logistics practitioners perceive four distinct *levels* of risk, which were formulated in the ISM-
20 based modelling process, being Level 1 – Value streams risks, Level 2 – Information and
21 relationships risks, Level 3 – Risks in international supply chain activities, and, Level 4 –
22 External environment risks (see Figure 3). The risk spiral referred to by, for example, Mason-
23 Jones and Towill (1999) and Christopher and Lee (2004), has also emerged in this model as a
24 series of self-enhancing loops around Level 2 risks. Each level is discussed below.
25
26
27

28 **Level 1 (Value Streams risks)** consists of risks consequences that are related to the metrics
29 of international supply chain practice. Practitioners tended to consider time, cost and quality
30 of product as the main metrics. *Delay* is the deviation from the target delivery time; *Trade*
31 *settlement issues*, *Freight rate fluctuation* and *Additional costs at destination* can increase
32 the targeted maximum logistics cost and *Product discrepancy* and *Cargo loss and damage*
33 are related to unanticipated product quality failures. These findings are in line with what
34 Kearney (1999) and Norrman and Jansson (2004) found, namely supply chains are influenced
35 by deviations in time, cost and quality; hence any damages to these three types of failures are
36 effectively labelled as risks by managers. These risks are at the top of the hierarchy and are
37 dependent on, or derived from, risk events in the lower levels, but they still influence Level 2
38 risks. Although information is a critical value stream in SCM, it would be more appropriate in
39 SCRM research to place it at Level 2, because it is a trigger or enhancer of risk events rather
40 than a risk effect.
41
42
43
44

45 **Level 2 (Information and Relationships risks)** is related to information flows and inter-
46 organisational relationships commonly found in global supply chain logistics networks. This
47 level is significant as a generator and facilitator of various risks. In organisational information
48 processing theory (Galbraith, 1973), risk is derived from the gap between information
49 processing needs and information processing capability. The magnitude of risks grows if
50 information processing needs rise or information processing capability is reduced. When a
51 disruption or disturbance occurs, in order to be able to manage the unexpected event and to
52 adjust the logistics system, the need for information processing increases. In international
53 supply chains, however, information is often derived from multiple entities because the
54 logistics operators' partners produce, process and provide a considerable proportion of the
55 information required by the logistics operator. Moreover, as a consequence of logistics
56 outsourcing and global sourcing of products, firms need to rely on the information processing
57 capacity of other entities. A close relationship with trade partners and LSPs is vital for
58
59
60

1
2
3
4 narrowing the gap between information processing needs and information processing
5 capability. An effective risk management system, therefore, must include effective
6 information sharing and effective relationships among decision-makers so that a single risk
7 event does not trigger other risks caused by information distortion (Bode *et al.*, 2011).
8

9 This Level also embraces several risk clusters that were excluded from the initial ISM
10 procedure, since they generated a significant number of indirect causal relationships among
11 risk elements. These are contractual risks (*Conflicts with trade partners* and *Dependency*
12 *upon LSPs*) and information/control risks (*Failure in information exchange* and *Failure in*
13 *logistics control*). As shown in Figure 3, they play a pivotal role in mediating risks generated
14 by numerous feedback loops and interconnections among risks. In order to break the risk
15 spiral in supply chains, Christopher and Lee (2004) argue supply chain visibility and control
16 can be improved through supply chain collaboration. This finding is consistent with the
17 findings obtained from the ISM-based model developed through this research. According to
18 the model, seamless information flows and control of supply chains can be achieved through
19 close collaboration among supply chain entities, so this level of risk can be mitigated.
20

21 **Level 3 (Risks in International Supply Chain Activities)** risks include all the risks that
22 stem from the logistics activities of organisations and physical and ICT infrastructure
23 required to plan and run international supply chain networks. It combines Level 2 and part of
24 Level 3 of Peck's model (2005) as it encompasses tangible assets and infrastructure as well as
25 organisational links and nodes. Risks at this level can be influenced by Level 4 but impact on
26 Level 1. They can interact with Level 2 creating feedback loops which may aggravate risk
27 events. From the ISM model, risks relating to activities in international logistics can be
28 separated into two types: activities between trade partners and, activities centred on LSPs.
29 Activities for which the trade partner is responsible are *Inaccurate documentation* and
30 *Cargo loading issues*. Conversely, four risk elements were generated exclusively from LSP
31 activities, namely *Vessel operation disturbances*, *Inland operation disturbances*, *Shortage*
32 *of space and containers* and *Faulty equipment*.
33

34 Further, the supplier, the customer and the LSP form a mutually-dependent logistics triad. In
35 the context of risk management for international supply chains the effective assignment of
36 responsibilities and accountability associated with risk prevention and mitigation is
37 undertaken among logistics triad members. Furthermore, the logistics triad extends to include
38 several intermediaries such as freight forwarding companies, export/import agencies, customs
39 offices and port/terminal operating companies. This complex web of organisations can make
40 risk identification and mitigation more challenging than in the case of risk management in a
41 typical domestic logistics triad.
42

43 Four **Level 4 (External Environment)** risk elements: *Natural disasters*, *Human-derived*
44 *disruptions*, *Economic instability* and *Export/Import regulations* were identified. These
45 elements are difficult to control and some of them may be anticipated but cannot be
46 completely avoided or mitigated at a firm or supply chain level. They include natural, social,
47 political and macro-economic disruptions, which may be affected severely by other factors
48 within the supply chain. These risk elements reside in the lowest level of the risk structure
49 hierarchy. The risks categorised under Level 4 are clearly differentiated from operational
50 risks (see, for example, Tang, 2006).
51

52 As Hausman *et al.*, (2005) suggest, global trade activities that generate the need for
53 international logistics are known to be comprised of 'logistics flows' and 'commercial flows'.
54 Logistics flows consist of the physical distribution of goods from exporter to importer,
55 whereas commercial flows comprise the flow of funds between companies linked either to
56
57
58
59
60

1
2
3
4 the physical distribution process or to indirect cost items generated by overheads and
5 administration activities. Regarding the impacts of external environment risks on these two
6 flows, *Natural disaster* and *Human-derived disruptions* are closely related to logistics flows,
7 while *Economic instability* and *Export/Import regulations* (or any policies at governmental
8 or inter-governmental levels) are associated more closely with commercial flows. *Economic*
9 *instability* may negatively affect the overall availability of logistics provision by influencing
10 the volume of cargo traded, but its impact on the logistics flow is limited compared to its
11 impact on the commercial flow.
12

13 The ultimate purpose of risk identification and analysis is to decide the priorities for risk
14 management. The ISM-based model shows the transition of one risk to another, for example,
15 from Level 4 to Level 3, or from Level 3 to Level 1. The risks at Level 3 and 4 are often
16 considered to be low-frequency and high-impact disruptions (Tang, 2006). The main reason
17 for the high impact generated by risks from these levels may be attributed to the interactions
18 among these risks generated through knock-on effects. As a result, mitigating all levels of
19 risks via the application of proactive and reactive measures is critical for firms to minimise
20 the initial risk impacts arising from individual risk elements (Luo and Yu, 2015). Various risk
21 mitigation strategies can be considered as countermeasures to these risks, so supply chain
22 logistics capabilities such as flexibility, agility and adaptability can make the supply chain
23 more robust and resilient. Controlling and minimising risks generated from Level 1, Level 3
24 and Level 4 should be among the main objectives of effective risk management systems.
25
26

27 Sheffi and Rice (2005) argue that supply chain disruptions can generate small initial impacts
28 followed by very severe subsequent impacts. The ISM analysis found that international
29 supply chain risks can be amplified by risks categorised as Level 2, linked to deficiencies in
30 information and control systems. Therefore, risks originating from Level 2 can be considered
31 as the main driver of subsequent impacts which continue to create feedback loops of risks
32 among Level 1, 2 and 3 unless adequate measures are taken to break this risk spiral generated
33 by dynamic risk interactions. Risk management at Level 2 can dampen the amplification
34 effect and the strength of the interactions. It can effectively eliminate, or subdue, the
35 subsequent impacts of a disruption; hence having effective information and control systems
36 can minimise the response and recovery time operations have after a disruption. This finding
37 provides strong evidence as to why relationship building and information processing should
38 be prioritised in global supply chain and logistics management where a great number of
39 entities can contribute to the distortion of information.
40
41
42
43

44 5. Conclusions

45 Recent SCRM literature provides a number of useful models which have been used to
46 identify or analyse risks affecting supply chain performance (Table 1). Here, however, a more
47 comprehensive model applicable to risk management in international supply chain logistics is
48 developed. While, for example, Kleindorfer and Saad (2005) and Peck (2005) provide
49 valuable foundations and insights for this research, the strength of this study is the
50 deployment of a more robust methodological approach, with the adoption of ISM facilitating
51 the measurement of interactions among risk elements.
52
53

54 A key finding of this research is that supply chain practitioners' perception of risk is derived
55 from: the source of the risk, the level at which it occurs and the nature of subsequent risk. The
56 research demonstrates that the initial impacts of a risk element affect several risk levels:
57 Level 2, Level 3 and Level 4. The interactive impacts of risks at these levels, in turn, all
58 finish at Level 1. Subsequent impacts are created by Level 2 risks which amplify two-way
59
60

1
2
3
4 interactions among risks at Levels 1, 2 and 3. Risk management should therefore be
5 implemented at all Levels. In addition to this, a focus on managing Level 2 risks is an
6 effective way of dampening the subsequent impacts of, for example, a supply chain logistics
7 disruption. The total impact, and the duration of a disruption, can thus be minimised. These
8 findings provide strong evidence of the need for careful relationship building and effective
9 and robust information processing in international supply chains. This is particularly
10 important as international supply chains are complex networks and are comprised of a
11 number of organisations of varying size and power. Information distortion is therefore a
12 significant source of risk. Thus effective risk management at operational and tactical levels is
13 crucial for the minimisation of both risk and risk impacts at other levels.
14
15

16
17 This research contributes to SCRM literature through the development of a supply chain
18 logistics risk analysis model which includes risk elements and interactions. The empirical
19 research presented above shows that a better understanding of root causes among risk events
20 can be achieved through effective risk identification and analysis, so decision makers can
21 prioritise risk events prior to setting mitigation strategies. The research demonstrates,
22 empirically, the importance of breaking the risk spiral, suggested by the conceptual research
23 of Mason and Towill (1999) and Christopher and Lee (2004). It also integrates the supply
24 chain and logistics domains by investigating risk management strategies to find out how risks
25 generated from the logistics network can affect the overall performance of the supply chain.
26 Our paper also presents the application of ISM, a robust analytical methodology, to measure
27 the interactions between risks, so the holistic model derived from the research can be used as
28 the starting point for setting supply chain risk mitigation strategies. Moreover, the risk
29 elements and their contextual relationships were derived from industry experts, which
30 distinguishes this holistic model from other conceptual models of risks in extant studies. The
31 model demonstrates the importance of taking into account risk interactions in the process of
32 identification and evaluation of risk events.
33
34

35 This study generates several promising future research directions, which are outlined as
36 follows:
37

- 38 • Interpretive Structural Modelling generally involves interpretation of a complex
39 system at three stages: selection of elements, their contextual relationships and the
40 discussion of the proposed model. This research adopted as robust a method for this
41 interpretation as possible, using focus groups and panel discussions. Post-hoc
42 validation of the model using case studies or a large-scale survey would also be
43 beneficial for generalising this interpretation.
- 44 • The model developed in this research could be more widely tested in other
45 geographical areas or business risk situations, e.g. by means of comparative studies,
46 so that findings can be generalised with greater confidence. A large-scale survey
47 measuring the relationships among the identified risks across different types of
48 global supply chains, covering a wide variety of suppliers and buyers located in
49 different countries, different types of cargo and a balanced mix of developing and
50 developed countries, would test and refine the model. Further, the identified risk
51 interactions could be assessed by applying OR methods to measure the impact of the
52 sequential and parallel paths of risks in order to guide decision-making on the degree
53 of priority of each risk path and their main root causes. Application of the model to
54 different geographical, supply chain and sectoral contexts would allow sensitivity
55 analysis on the refined model to be conducted.
- 56 • The model can be extended to cover specific supply chain risk mitigation strategies
57
58
59
60

1
2
3
4 which can be applied to respond to risk events occurring within each of the four
5 levels, incorporating risk mitigation strategies derived from previous studies
6 highlighted and discussed above. In order to extend the model, the main input,
7 output and moderating variables affecting the performance of logistics networks and
8 global supply chain need to be identified from previous OR research on supply chain
9 risk interactions. OR modelling-based research could also be undertaken to measure
10 the effects of risk mitigation measures on the output variables which reflect better
11 the performance of global supply chains, e.g. lead-time reliability and variance,
12 running costs, stock at source and market, CO₂ emissions and product waste.

- 13 • The risk assessment techniques developed in this research can be used to prioritise
14 risks based on their estimated likelihood and impact. Such an assessment can
15 incorporate risk interactions so that risk evaluation becomes more holistic and
16 dynamic. Advanced risk measurement techniques could be applied to a range of case
17 study settings, such as Data Envelopment Analysis and Analytical Hierarchical
18 Process, to measure the effects of risk interactions forming each of the risk paths,
19 and the overall effects of each risk path on supply chain performance.
20
21
22
23

24 Several managerial implications can be drawn from this study. Firstly, the research can guide
25 managers in the identification and evaluation of risk events which can impact on the
26 performance of their global supply chain logistics operations. The interactive risk structure
27 derived from the research can assist managers in identifying the root causes of their current
28 and future disruptions. It can also aid strategic decision-making around investments made in
29 future supply chain logistics risk management programmes. Secondly, this study emphasises
30 that the relationship with trading partners and with LSPs, and the degree of logistics
31 information exchange, are critical to prevent or at least mitigate logistics risks which can
32 substantially affect the responsiveness of global supply chain logistics.
33
34
35
36
37

38 References

- 39 Blackhurst, J.V., Scheibe K.P., and Johnson, D.J (2008), "Supplier risk assessment and
40 monitoring for the automotive industry", *International Journal of Physical
41 Distribution and Logistics Management*, Vol. 38 No. 2, pp. 143 - 165.
- 42 Chopra, S. and Sodhi, M.S. (2004) "Managing Risk to avoid supply-chain breakdown", *MIT
43 Sloan Management Review*, Fall, pp. 53 - 61.
- 44 Christopher, M. and Lee, H (2004) "Mitigating supply chain risk through improved
45 confidence", *International Journal of Physical Distribution and Logistics
46 Management*, Vol. 34 No. 5, pp. 388 - 396.
- 47 Christopher, M. and Peck, H. (2004), "Building the resilient supply chain", *The International
48 Journal of Logistics Management*, Vol. 15 No. 2, pp. 1 - 13.
- 49 Christopher, M., Mena, C., Khan, O. and Yurt, O. (2011), "Approaches to managing global
50 sourcing risk", *Supply Chain Management: An International Journal*, Vol. 16 No. 2,
51 pp. 67 - 81.
- 52 Craighead, C.W., Blackhurst, J., Rungtusanatham, M.J., and Handfield, R.B. (2007), "The
53 severity of supply chain disruptions: design characteristics and mitigation capabilities",
54 *Decision Sciences*, Vol. 38 No. 1, pp. 131 - 156.
- 55 Faisal, M.N., Banwet, D.K. and Shankar, R. (2006), "Supply chain risk mitigation: modelling
56
57
58
59
60

- 1
2
3
4 the enablers”, *Business Process Management Journal*, Vol. 12 No. 4, pp. 535 - 552.
- 5 Fayezi, S., Zutshi A., and O’Loughlin A (2014) “Developing an analytical framework to
6 assess the uncertainty and flexibility mismatches across the supply chain”, *Business
7 Process Management Journal*, Vol. 20 No. 3, pp. 362 - 391
- 8 Finlay, L (2002) Negotiating the swamp: the opportunity and challenge of reflexivity in
9 research practice, *Qualitative Research* Vol. 2 No. 2, pp. 209 - 230
- 10 Ghadge, A., Dani, S., Chester, M. and Kalawsky, R. (2013) "A systems approach for
11 modelling supply chain risks", *Supply Chain Management: An International Journal*,
12 Vol. 18 No. 5, pp. 523 - 538.
- 13 Galbraith, J.R. (1973), *Designing complex organizations*, 150 pp., Addison-Wesley Longman
14 Publishing, Boston.
- 15 Govindan, K., Palaniappan, M., Zhu, Q. and Kannan, D. (2012), “Analysis of third party
16 reverse logistics provider using interpretive structural modelling”, *International
17 Journal of Production Economics*, Vol. 140, pp. 204 - 211.
- 18 Hausman, W. H., Hau, Lee and Subramanian, U. (2005), “Global logistics indicators, supply
19 chain metrics and bilateral trade partners”, *World Bank Policy Research Working
20 Paper No. 3773*, Available at: <http://dx.doi.org/10.2139/ssrn.869999> .
- 21 Kleindorfer, P.R. and Saad, G.H. (2005), “Managing disruption risks in supply chains”,
22 *Production and Operations Management*, Vol. 14 No. 1, pp.53 - 68.
- 23 Luo, B.N., Yu, K. (2015) “Fits and misfits of supply chain flexibility to environmental
24 uncertainty: Two types of asymmetric effects on performance”, *The International
25 Journal of Logistics Management*, Vol. 27 No. 3, pp 862 - 885.
- 26 Manuj, I. and Mentzer, J.T. (2008), “Global supply chain risk management”, *Journal of
27 Business Logistics*, Vol. 29 No. 1, pp. 133 - 155.
- 28 Mason-Jones, R. and Towill, D.R. (1998), “Shrinking the supply chain uncertainty cycle”,
29 *Control*, September, pp. 17 - 22.
- 30 Norrman, A. and Jansson, U. (2004) “Ericsson’s proactive supply chain risk management
31 approach after a serious sub-supplier accident”, *International Journal of Physical
32 Distribution and Logistics Management*, Vol. 34 No. 5, pp. 434 - 556.
- 33 Peck, H. (2005), “Drivers of supply chain vulnerability: an integrated framework”,
34 *International Journal of Physical Distribution and Logistics Management*, Vol. 35 No.
35 4, pp. 210 - 232.
- 36 Pereira, C.R., Christopher, M. and Da Silva, A.L. (2014) “Achieving supply chain resilience:
37 the role of procurement”, *Supply Chain Management: An International Journal*
38 19(5/6), pp. 626 - 642
- 39 Pettit, T.J., Fiksel, J. and Croxton, K.L. (2010), “Ensuring supply chain resilience:
40 development of a conceptual framework”, *Journal of Business Logistics* Vol. 31 No. 1,
41 pp. 1 - 21.
- 42 Prater, E., Biehl, M. and Smith, M.A. (2001), “International supply chain agility - Trade-offs
43 between flexibility and uncertainty”, *International Journal of Operations and
44 Production Management*, Vol. 21 No. 5/6, pp. 823 - 839
- 45 Ritchie, B. and Brindley, C. (2007), “Supply chain risk management and performance: A
46 guiding framework for future development”, *International Journal of Operations and
47 Production Management*, Vol. 27 No. 3, pp. 303 - 322.
- 48 Robson, C. (2002), *Real World Research*, 2nd ed., 624 pp., Blackwell, Oxford.
- 49 Rotaru, K., Wilkin, C. and Ceglowski, A. (2014), “Analysis of SCOR’s approach to supply
50 chain risk management”, *International Journal of Operations and Production
51 Management*, Vol. 34 No. 10, pp.1246 - 1268.
- 52 Sage, A.P. (1977), *Interpretive Structural Modelling: Methodology for Large-scale Systems*,
- 53
54
55
56
57
58
59
60

- 1
2
3
4 445 pp., McGraw-Hill, New York.
- 5 Sanchez-Rodrigues, V., Potter, A. and Naim, M.M. (2010), "Evaluating the causes of
6 uncertainty in logistics operations", *The International Journal of Logistics
7 Management*, Vol. 21 No. 1, pp. 45 - 64.
- 8 Schoenherr, T., Tummala, V.M.R. and Harrison, T.P. (2008), "Assessing supply chain risks
9 with the AHP: providing decision support for the offshoring decision by a US
10 manufacturing company", *Journal of Purchasing and Supply Management*, Vol. 14, pp.
11 100 - 111.
- 12 Sheffi, Y. and Rice, J. (2005), "A supply chain view of the resilient enterprise", *Sloan
13 Management Review*, Vol. 47 No. 1, pp. 41 - 48.
- 14 Speier, C., Whipple, Y., Closs, D. and Voss, M. (2011), "Global supply chain design
15 considerations: Mitigating product safety and security risk", *Journal of Operations
16 Management*, Vol. 29, pp. 721 - 736.
- 17 Storey, J., Emberson, C., Godsell, J. and Harrison, A. (2006), "Supply chain management:
18 theory, practice and future challenges", *International Journal of Operations and
19 Production Management*, Vol. 26 No. 7, pp. 754 - 774
- 20 Tang, C.S. (2006), "Perspectives in supply chain risk management", *International Journal of
21 Production Economics*, Vol. 103, pp. 451 - 488.
- 22 Tang, C.S. and Musa, S.N. (2011), "Identifying risk issues and research advancements in
23 supply chain risk management", *International Journal of Production Economics*, Vol.
24 133 No. 1, pp. 25 - 34.
- 25 Tatham, P. and Christopher, M. (2014). *Humanitarian Logistics: Meeting the Challenge of
26 Preparing for and Responding to Disasters*, 2nd edition, 293 pp., Kogan Page: London.
- 27 Waters, D. (2011), *Supply Chain Risk Management: Vulnerability and Resilience in Logistics*,
28 2nd Edition, 264 pp., Kogan Page Limited, London.
- 29 Wong, C., Boon-itt, S. and Wong, C.W.Y. (2011), "The contingency effects of environmental
30 uncertainty on the relationship between supply chain integration and operational
31 performance", *Journal of Operations Management*, Vol. 29, pp. 604 - 615.
- 32 Zsidisin, G.A. and Wagner, S.M. (2010), "Do perceptions become reality? The moderating
33 role of supply chain resiliency on disruption occurrence", *Journal of Business
34 Logistics*, Vol. 31 No. 2, pp. 1 - 20.
- 35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60

Table 1. Examples of Papers Developing Risk Identification and Risk Analysis Models

Author (Year)	Risk Identification			Risk Analysis	
	Org. Boundaries	Risk Sources	Losses Types	Measurement of individual Risk	Risk interactions considered
Mason-Jones & Towill (1998)		X			
Zsidisin (2003)	X				
Tang (2006)		X			
Waters (2007)	X		X	X	
Manuj & Mentzer (2008)		X			
Schoenherr <i>et al.</i> (2008)	X			X	
Sanchez-Rodrigues <i>et al.</i> (2010)		X			X
Zsidisin & Wagner (2010)	X				
Christopher <i>et al.</i> (2011)		X			
Tang & Musa (2011)			X		
Ghadge <i>et al.</i> (2013)		X	X	X	X
Leat & Revoredo (2013)		X	X		

Table 2. The 20 derived risk elements

No	Risk Elements	No	Risk Elements
1	Economic instability ¹	11	Shortage of space & containers
2	Export/Import regulations	12	Freight rate fluctuation
3	Natural disasters	13	Additional costs at destination
4	Human derived disruptions ²	14	Faulty equipment
5	Inaccurate documentation	15	Inland operational disturbances
6	Trade settlement issues	16	Dependency upon LSPs
7	Cargo loading issues	17	Failure in logistics control
8	Conflicts between trade partners	18	Failure in information exchange
9	Product discrepancy	19	Cargo loss & damage
10	Vessel operational disturbances	20	Delay

¹ e.g. product price change

² E.g. strike, port congestion, terrorism, piracy, social unrest

Table 3. Step 2 Participants and Process

Participants	
(1) Group A	Including e.g. Carrier (Manager, 7-year experience); Researcher (PhD, 8-year experience)
(2) Group B	Including e.g. Exporter (Manager, 11-year experience); Freight Forwarder (Director, 14-year experience)
(3) Delphi Panel	Including e.g. Exporter, Importer, 3PL Provider, Carrier (Managerial level with more than 7-year experience)
Process	
Round 1	(1) Group A decides the contextual relationships between two elements. (2) Group B decides the contextual relationships between two elements.
Round 2	(1) If there are discrepancies in the decisions, Groups A and B produce a written statement regarding the reasons for their decisions in respect of the discrepancies (2) After exchanging the written statements, Groups A and B make their final decision on the pairwise relationships.
Round 3	(1) If there are still any discrepancies, the members of the Delphi panel review the relationships until they reach a consensus. (2) The decisions on the contextual relationships among the risk elements are finalised.

Table 4. Structural Self-Interaction Matrix (SSIM)

<i>i</i>	<i>j</i>	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
1			A	O	O	V	V	V	V	V	O	V	V	V	O	O	V	V	O	O	O
2				O	O	V	V	O	V	V	O	O	O	V	O	V	V	V	V	O	V
3					O	O	O	O	O	O	V	O	O	V	V	V	O	V	V	V	V
4						O	V	O	V	O	V	V	V	V	V	V	V	V	V	V	V
5							V	V	X	V	O	O	O	V	O	V	O	O	X	O	V
6								O	X	O	A	O	O	V	O	O	O	O	A	O	X
7									X	V	O	O	O	V	O	V	O	V	A	V	V
8										X	A	A	A	X	A	A	A	A	X	A	X
9											O	O	O	O	O	O	O	V	A	O	V
10												O	O	V	O	V	O	V	V	V	V
11													V	O	V	O	X	V	X	O	V
12														O	O	O	X	V	V	O	V
13															A	A	O	A	A	A	X
14																O	O	V	O	V	V
15																	A	V	X	V	V
16																		X	X	O	X
17																			X	A	X
18																				A	X
19																					X
20																					

Key: V: element *i* leads to element *j*; A: element *j* leads to element *i*; X: elements *i* and *j* causes each other; O: elements *i* and *j* are not related at all.

Table 5. The Final Reachability Matrix of 16 Risk Elements


	1	2	3	4	5	6	7	9	10	11	12	13	14	15	19	20	Driving Power
1	1	0	0	0	1	1	1	1	0	1	1	1	1*	1*	1*	1*	12
2	1	1	0	0	1	1	1*	1	0	1*	1*	1	1*	1	1*	1	13
3	0	0	1	0	0	1*	0	0	1	0	0	1	1	1	1	1	8
4	0	0	0	1	0	1	0	0	1	1	1	1	1	1	1	1	10
5	0	0	0	0	1	1	1	1	0	0	0	1	1*	1	1*	1	9
6	0	0	0	0	0	1	0	0	0	0	0	1	0	0	1*	1	4
7	0	0	0	0	0	1*	1	1	0	0	0	1	1*	1	1	1	8
9	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	1	2
10	0	0	0	0	0	1	0	0	1	0	0	1	1*	1	1	1	7
11	0	0	0	0	0	1*	0	0	0	1	1	1*	1	0	1*	1	7
12	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1	2
13	0	0	0	0	0	1*	0	0	0	0	0	1	0	0	1*	1	4
14	0	0	0	0	0	1*	0	0	0	0	0	1	1	0	1	1	5
15	0	0	0	0	0	1*	0	0	0	0	0	1	1	1	1	1	6
19	0	0	0	0	0	1*	0	0	0	0	0	1	0	0	1	1	4
20	0	0	0	0	0	1	0	0	0	0	0	1	0	0	1	1	4
Degree of Dependence	2	1	1	1	3	14	4	5	3	4	5	14	10	8	14	16	

0: element i does not cause element j and there is no transitivity between them; 1: element i directly causes element j ; 1*: there is transitivity between i and j by the mediation of another element.

Table 6. Level Partitioning Results

No	Reachability Set (RS)	Antecedent Set (AS)	Intersection Set (IS)	Level
1	1,5,6,7,9,11,12,13,14,15,19,20	1,2	1	7
2	1,2,5,6,7,9,11,12,13,14,15,19,20	2	2	8
3	3,6,10,13,14,15,19,20	3	3	7
4	4,6,10,11,12,13,14,15,19,20	4	4	7
5	5,6,7,9,13,14,15,19,20	1,2,5	5	6
6	6,13,19,20	1,2,3,4,5,6,7,10,11,13,14,15,19,20	6,13,19,20	1
7	6,7,9,13,14,15,19,20	1,2,5,7	7	5
9	9,20	1,2,5,7,9	9	2
10	6,10,13,14,15,19,20	3,4,10	10	5
11	6,11,12,13,14,19,20	1,2,4,11	11	4
12	12,20	1,2,4,11,12	12	2
13	6,13,19,20	1,2,3,4,5,6,7,10,11,13,14,15,19,20	6,13,19,20	1
14	6,13,14,19,20	1,2,3,4,5,7,10,11,14,15	14	3
15	6,13,14,15,19,20	1,2,3,4,5,7,10,15	15	4
19	6,13,19,20	1,2,3,4,5,6,7,10,11,13,14,15,19,20	6,13,19,20	1
20	6,13,19,20	1,2,3,4,5,6,7,9,10,11,12,13,14,15,19,20	6,13,19,20	1

Figure 1. The Delphi Process






Figure 2. The ISM-based model of 16 risk elements




Figure 3. Risk structure centered on relationship and information risks