Lung transplant recipients' experiences of and attitudes towards self-management: a qualitative systematic review protocol.

Background

Lung transplantation (LuT) is an established treatment to improve the survival of patients with end-stage lung diseases and has been performed in over 40,000 patients worldwide.[1,2] Lung transplantation is performed in patients suffering from a variety of lung diseases such as chronic obstructive pulmonary disease, bronchiectasis, cancer, connective tissue disease, idiopathic interstitial pneumonia, interstitial lung disease, pulmonary arterial hypertension, lymphangioleiomyomatosis, obliterative bronchiolitis, sarcoidosis, other lung diseases or retransplant.[3] Eligible for transplant are patients with one of the above end-stage lung diseases who meet all of the following criteria: (1) High (>50%) risk of death from lung disease within 2 years if LuT is not performed, (2) high (>80%) likelihood of surviving at least 90 days after LuT and (3) high (>80%) likelihood of 5-year post-transplant survival from a general medical perspective provided that there is adequate graft function.[4] There are various absolute and relative contraindications including but not limited to untreatable dysfunction of another major organ system or non-adherence to medical therapy. A recent review indicates that LuT substantially improves quality of life, especially in the domains of physical health and functioning.[5] Over recent years, survival time after receiving a lung transplant has improved significantly, with 79% of all lung transplant recipients surviving the first year after transplantation. The median survival of patients is now about eight years following LuT.[3]

Despite the undoubted benefits of LuT, it is not a ‘cure’ for end-stage lung diseases.[6] Similar to other solid organ transplant recipients, the focus of care for lung transplant recipients has shifted from the direct postoperative phase to one of long-term follow-up.[7] Lung transplant recipients are increasingly regarded as chronically ill patients[6] who need to adapt to and follow complex self-management tasks[8] to prevent complications, such as graft rejection or infections, and to enable the patient to keep the transplanted graft as long as possible.[9]

This paradigmatic shift from short to long-term care of lung transplant recipients has resulted in the application of chronic illness management strategies that aim to foster lung transplant recipients’ self-management.[10] Self-management, in this regard, can be defined as an:

> “individual’s ability to manage the symptoms, treatment, physical and psychological consequences and life style changes inherent in living with a chronic condition”.[11(p178)]

To understand self-management after LuT, a conceptual model originally developed in the context of renal transplantation may be useful.[12] This model reports that self-management after transplantation comprises of adherence to a life-long medical regimen including medication-taking,[8,10] self-monitoring of lung function and signs and symptoms of complications,[10,13] and maintaining a healthy lifestyle.[10] The latter requires lung transplant recipients to adapt to various behaviors, which may include fundamental lifestyle changes for individual patients, such as abstaining from harmful substances, keeping medical appointments, refraining from smoking, eating healthily, exercising, and protecting from the sun.[10,12,14] In order to follow these behaviors, lung transplant recipients need to possess and execute a set of skills including action-taking, decision making, problem solving, resource finding and utilization as well as the establishment of partnerships with healthcare providers.[15]

Research has indicated that lung transplant recipients realize the importance of following multi-dimensional self-management behaviors.[16,17] However, research has also shown that self-management is insufficient in many aspects.[9,10,18-21] Of these self-management aspects, medication adherence has been studied most extensively with up to 72% of lung transplant recipients displaying some extent of medication non-adherence at some time.[10,22] Suboptimal implementation of transplant-related self-management is also reported in other self-management tasks including infrequent use of self-monitoring of lung function.[16,19,20,23] Likewise, smoking cessation proves difficult in some lung transplant recipients.[24,25] Consequently, there is a gap between patients' awareness of the need and importance of self-management and individual health-related behavior.

Research in solid organ transplant recipients has shown that adherence to self-management tasks depends on patients' personal experiences and attitudes rather than on non-modifiable factors such as gender, age or ethnicity.[26-28] Qualitative research in renal transplant recipients, for example, has demonstrated that a major driver for medication adherence is experience of dialysis treatment.[29-31] Likewise, lung transplant recipients with cystic fibrosis with prior experience of home spirometry displayed better adherence to home spirometry than other lung transplant patients.[16] Attitudes also play an important role in the self-management of many conditions. In 2003, the World Health Organization[32] identified patients' attitudes as one of several patient-related factors which affected adherence to self-management in patients with HIV[33], epilepsy,[34] and diabetes.[35] In renal transplant recipients, skepticism or medication-related concerns were shown to be associated with inadequate medication adherence.[36,37] A positive, optimistic attitude to life and illness in general was also shown to be an important part of managing ones' everyday life after lung and heart transplantation.[38,39]

Experiences and attitudes, defined as a "tendency that is expressed by evaluating a particular entity with some degree of favor or disfavor"[13(p666)], as well as values, beliefs or knowledge can best be explored using qualitative research methods.[40-42] In the case of solid organ transplant recipients, this has been performed to some extent, however, research has primarily focused on isolated self-management tasks such as medication-taking[28], social adaptation[17], alcohol abstinence[43], smoking cessation [44] or physical activity[45], neglecting the multidimensionality of self-management after solid organ transplantation.[46] Synthesizing qualitative evidence by conducting systematic reviews may deepen our comprehension of how patients perceive and execute self-management. A systematic review on renal transplant recipients' motivations, challenges and attitudes to self-management has been performed recently.[27] However, no qualitative systematic review on any aspect of LuT or on lung transplant recipients' experiences of and attitudes towards self-management could be found in the Joanna Briggs Institute (JBI) Database of Systematic Reviews and Implementation Reports, the Cochrane database of systematic reviews or the PROSPERO international prospective register of systematic reviews.

The reasons for the gap between lung transplant recipients' awareness of the need for self-management and their self-management behavior remain unclear. This review aims to identify lung transplant recipients' experiences of and attitudes towards self-management. The findings of this review will help healthcare practitioners to better understand the challenges their patients face, potentially resulting in more patient-centered education and an increase in lung transplant recipients' self-management abilities.

Keywords

lung transplantation; self-management; attitude; experience

Review Question

What are lung transplant recipients' experiences of and attitudes towards self-management?

Methods

Inclusion Criteria

Participants

This review will consider studies that include persons over 18 years who have received a lung transplant. No restrictions on underlying diseases, gender, ethnicity or length of time since transplant will be imposed. Studies including participants with mixed types of solid organ transplantations will be included where it is possible to accurately identify data on aspects of lung transplant-related self-management separately. Data on self-management

related to other conditions will be excluded. Only studies on participants who are able to perform their self-management tasks independently will be included.

Phenomena of Interest

This review will consider studies on the experiences and attitudes of lung transplant recipients towards self-management.

Context

This review will consider all available evidence on lung transplant recipients worldwide. If this review reveals regional and/or cultural differences in lung transplant recipients' experiences and attitudes towards self-management, these will be explicated in the review.

Study Types

This review will consider studies that focus on qualitative data including, but not limited to, designs such as phenomenology, grounded theory, ethnography, action research, and feminist research. Mixed-methods studies will be included only when qualitative data can be extracted separately.

Studies published in English or German will be considered for inclusion in this review, however studies found in any other languages will be mentioned in the review. No date restrictions will be imposed for inclusion in this review.

Search Strategy

The search strategy will aim to find both published and unpublished studies. An initial limited search of MEDLINE and CINAHL has been undertaken using the terms "lung transplantation", AND "self-management", AND ("attitude" OR "experience"). This was followed by analysis of the text words contained in the title and abstract, and of the index terms used to describe the article. This informed the development of a search strategy which will be tailored for each information source. A full search strategy for MEDLINE is detailed in Appendix 1. The reference list of all studies selected for critical appraisal will be screened for additional studies.

The databases to be searched from their inception will include:

MEDLINE, CINAHL, PsycINFO, EMBASE, Web of Science, British Nursing Index

The search for unpublished studies will include:

Proquest Dissertation & Theses Database, EThOS, Open Grey (Sigle)

Study Selection

Following the search, all identified citations will be collated and uploaded into Endnote and duplicates removed. Titles and abstracts will then be screened by two independent reviewers

for assessment against the inclusion criteria for the review. Studies that may meet the inclusion criteria will be retrieved in full and their details imported into JBI SUMARI. The full text of selected studies will be retrieved and assessed in detail against the inclusion criteria. Full text studies that do not meet the inclusion criteria will be excluded and reasons for exclusion will be provided in an appendix in the final systematic review report. Included studies will undergo a process of critical appraisal. The results of the search will be reported in full in the final report and presented in a PRISMA flow diagram.[47] Any disagreements that arise between the reviewers will be resolved through discussion, or with a third reviewer.

Critical Appraisal

Selected studies will be critically appraised by two independent reviewers for methodological quality in the review using the JBI Qualitative Assessment and Review Instrument.[48] Any disagreements that arise between the reviewers will be resolved through discussion, or with a third reviewer. The results of critical appraisal will be reported in narrative form and in a table.

All studies, regardless of the results of their methodological quality, will undergo data extraction and synthesis. Studies rated as “unclear” or “no” in seven or more QARI items will be specified.

Data Extraction

Qualitative data will be extracted from papers included in the review using the standardized data extraction tool[49] from JBI SUMARI by two reviewers. The data extracted will include specific details about the populations, context, culture, geographical location, study methods and the phenomena of interest relevant to the review question and specific objectives. Findings, and their illustrations, will be extracted and assigned a level of credibility. Authors of primary studies will be contacted for clarification or missing information when necessary.

Data Synthesis

Qualitative research findings will, where possible be pooled using JBI SUMARI with the meta-aggregation approach.[48] This will involve the aggregation or synthesis of findings to generate a set of statements that represent that aggregation, through assembling the findings and categorizing these findings on the basis of similarity in meaning. These categories are then subjected to a synthesis in order to produce a single comprehensive set of synthesized findings that can be used as a basis for evidence-based practice. Where textual pooling is not possible the findings will be presented in narrative form.

Assessing Confidence

The final synthesized findings will be graded according to the ConQual approach for establishing confidence in the output of qualitative research synthesis and presented in a

Summary of Findings table.[50] The Summary of Findings table includes the major elements of the review and details how the ConQual score is developed. Included in the table is the title, population, phenomena of interest and context for the specific review. Each synthesized finding from the review is then presented along with the type of research informing it, a score for dependability, credibility, and the overall ConQual score.

Conflicts of Interest

No conflict of interest.

Acknowledgements

None

References

1. DeVito Dabbs A, Terhorst L, Song MK, Shellmer DA, Aubrecht J, Connolly M, et al. Quality of recipient-caregiver relationship and psychological distress are correlates of self-care agency after lung transplantation. Clin Transplant 2013; 27(1): 113-120.

2. Yusen RD, Christie JD, Edwards LB, Kucheryavaya AY, Benden C, Dipchand AI, et al. The Registry of the International Society for Heart and Lung Transplantation: Thirtieth Adult Lung and Heart-Lung Transplant Report—2013; Focus Theme: Age. J Heart Lung Transplant 2013; 32(10): 965-978.

3. Yusen RD, Edwards LB, Dipchand AI, Goldfarb SB, Kucheryavaya AY, Levvey BJ, et al. The Registry of the International Society for Heart and Lung Transplantation: Thirty-third Adult Lung and Heart–Lung Transplant Report—2016; Focus Theme: Primary Diagnostic Indications for Transplant. J Heart Lung Transplant 2016; 35(10): 1170-1184.

4. Weill D, Benden C, Corris PA, Dark JH, Davis RD, Keshavjee S, et al. A consensus document for the selection of lung transplant candidates: 2014—An update from the Pulmonary Transplantation Council of the International Society for Heart and Lung Transplantation. J Heart Lung Transplant 2015; 34(1): 1-15.

5. Singer J, Chen J, Blanc PD, Leard LE, Kukreja J, Chen H. A thematic analysis of quality of life in lung transplant: the existing evidence and implications for future directions. Am J Transplant 2013; 13(4): 839-850.

6. Schaevers V, Schoonis A, Frickx G, Verleden G, Jans C, Rosseel C, et al. Implementing a standardized, evidence-based education program using the patient's electronic file for lung transplant recipients. Prog Transplant 2012; 22(3): 264-270.

7. Dobbels F, Vanhaecke J, Dupont L, Nevens F, Verleden G, Pirenne J, et al. Pretransplant predictors of posttransplant adherence and clinical outcome: an evidence base for pretransplant psychosocial screening. Transplantation 2009; 87(10): 1497-1504.

8. Rosenberger EM, DeVito Dabbs AJ, DiMartini AF, Landsittel DP, Pilewski JM, Dew MA. Long-Term Follow-up of a Randomized Controlled Trial Evaluating a Mobile Health Intervention for Self-Management in Lung Transplant Recipients. Am J Transplant 2017; 17(5): 1286-1293.

9. Zaldonis J, Alrawashdeh M, Atman KS, Fatigati A, Dabbs AD, Bermudez CA. Predictors and influence of goal orientation on self-management and health-related quality of life after lung transplant. Prog Transplant 2015; 25(3): 230-242.

10. Hu L, Lingler JH, Sereika SM, Burke LE, Malchano DK, Dabbs AD, et al. Nonadherence to the medical regimen after lung transplantation: A systematic review. Heart Lung 2017.

11. Barlow J, Wright C, Sheasby J, Turner A, Hainsworth J. Self-management approaches for people with chronic conditions: a review. Patient Educ Couns 2002; 48(2): 177-187.

12. Schäfer-Keller P, Dickenmann M, Berry DL, Steiger J, Bock A, De Geest S. Computerized patient education in kidney transplantation: Testing the content validity and usability of the Organ Transplant Information System (OTIS™). Patient Educ Couns 2009; 74(1): 110-117.

13. Kilpatrick K, Kaasalainen S, Donald F, Reid K, Carter N, Bryant-Lukosius D, et al. The effectiveness and cost-effectiveness of clinical nurse specialists in outpatient roles: a systematic review. J Eval Clin Pract 2014; 20: 1106-1123.

14. Kowalski C, Diener S, Steffen P, Wuerstlein R, Harbeck N, Pfaff H. Associations between hospital and patient characteristics and breast cancer patients' satisfaction with nursing staff. Cancer Nurs 2012; 35(221-228).

15. Lorig KR, Holman H. Self-management education: history, definition, outcomes, and mechanisms. Ann Behav Med 2003; 26(1): 1-7.

16. Teichman BJ, Burker EJ, Weiner M, Egan TM. Factors associated with adherence to treatment regimens after lung transplantation. Prog Transplant 2000; 10(2): 113-121.

17. Forsberg A, Karlsson V, Cavallini J, Lennerling A. The meaning of social adaptation after solid organ transplantation. Nordic J Nurs 2015; 36(2): 62-67.

18. DeVito Dabbs A, Song MK, Myers BA, Li R, Hawkins RP, Pilewski JM, et al. A Randomized Controlled Trial of a Mobile Health Intervention to Promote Self-Management After Lung Transplantation. Am J Transplant 2016; 16(7): 2172-2180.

19. Dew MA, DiMartini AF, Dabbs ADV, Zomak R, De Geest S, Dobbels F, et al. Adherence to the medical regimen during the first two years after lung transplantation. Transplantation 2008; 85(2): 193.

20. Kugler C, Gottlieb J, Dierich M, Haverich A, Strueber M, Welte T, et al. Significance of patient self-monitoring for long-term outcomes after lung transplantation. Clin Transplant 2010; 24(5): 709-716.

21. Bosma OH, Vermeulen KM, Verschuuren EA, Erasmus ME, van der Bij W. Adherence to immunosuppression in adult lung transplant recipients: Prevalence and risk factors. J Heart Lung Transplant 2011; 30(11): 1275-1280.

22. Kugler C, Fischer S, Gottlieb J, Tegtbur U, Welte T, Goerler H, et al. Symptom experience after lung transplantation: impact on quality of life and adherence. Clin Transplant 2007; 21(5): 590-596.

23. Lindgren BR, Snyder M, Sabati N, Adam T, Pieczkiewicz D, Finkelstein SM. Health Locus of Control and Adherence with Home Spirometry Use in Lung Transplant Recipients. Prog Transplant 2002; 12(1): 24-29.

24. DeVito Dabbs A, Hoffman LA, Iacono AT, Wells CL, Grgurich W, Zullo TG, et al. Pattern and predictors of early rejection after lung transplantation. Am J Crit Care 2003; 12(6): 497-507.

25. Ruttens D, Verleden SE, Goeminne PC, Poels K, Vandermeulen E, Godderis L, et al. Smoking resumption after lung transplantation: standardised screening and importance for long-term outcome. Eur Respir J 2013; 43(1): 300.

26. Rebafka A. Medication adherence after renal transplantation - a review of the literature. J Ren Care 2016; 42(4): 239-256.

27. Jamieson NJ, Hanson CS, Josephson MA, Gordon EJ, Craig JC, Halleck F, et al. Motivations, Challenges, and Attitudes to Self-management in Kidney Transplant Recipients: A Systematic Review of Qualitative Studies. Am J Kidney Dis 2015; 67(3): 461-478.

28. Tong A, Howell M, Wong G, Webster AC, Howard K, Craig JC. The perspectives of kidney transplant recipients on medicine taking: a systematic review of qualitative studies. Nephrol Dial Transplant 2011; 26(1): 344-354.

29. Russell CL, Kilburn E, Conn VS, Libbus MK, Ashbaugh C. Medication-taking beliefs of adult renal transplant recipients. Clin Nurse Spec 2003; 17(4): 200-210.

30. Orr A, Orr D, Willis S, Holmes M, Britton P. Patient perceptions of factors influencing adherence to medication following kidney transplant. Psychol Health Med 2007; 12(4): 509-517.

31. Tong A, Sainsbury P, Chadban S, Walker RG, Harris DC, Carter SM, et al. Patients' experiences and perspectives of living with CKD. Am J Kidney Dis 2009; 53(4): 689-700.

32. Sabaté E (ed). Adherence to Long-Term Therapies. Evidence for Action. Geneva: WHO; 2003.

33. Siegel K, Karus D, Schrimshaw EW. Racial differences in attitudes toward protease inhibitors among older HIV-infected men. AIDS Care 2000; 12(4): 423-434.

34. Desai P, Padma MV, Jain S, Maheshwari MC. Knowledge, attitudes and practice of epilepsy: experience at a comprehensive rural health services project. Seizure 1998; 7(2): 133-138.

35. Johnson SB. Knowledge, attitudes, and behavior: Correlates of health in childhood diabetes. Clin Psychol Rev 1984; 4(5): 503-524.

36. Griva K, Davenport A, Harrison M, Newman SP. Non-adherence to immunosuppressive medications in kidney transplantation: intent vs. forgetfulness and clinical markers of medication intake. Ann Behav Med 2012; 44: 85-93.

37. Goetzmann L, Klaghofer R, Spindler A, Wagner-Huber R, Scheuer E, Buddeberg C. Die Medikamenten−Erfahrungs−Skala für Immunsuppressiva“ (MESI): erste Ergebnisse zu einem neuen Screeninginstrument in der Transplantationsmedizin. Psychother Psychosom Med Psychol 2006; 56(2): 49-55.

38. Thomsen D, Jensen BO. Patients' experiences of everyday life after lung transplantation. J Clin Nurs 2009; 18(24): 3472-3479.

39. Mauthner O, De Luca E, Poole J, Gewarges M, Abbey SE, Shildrick M, et al. Preparation and Support of Patients through the Transplant Process: Understanding the Recipients' Perspectives. Nurs Res Pract 2012; 2012: 9.

40. Tong A, Chapman JR, Israni A, Gordon EJ, Craig JC. Qualitative Research in Organ Transplantation: Recent Contributions to Clinical Care and Policy. Am J Transplant 2013; 13(6): 1390-1399.

41. Polit DF, Beck CT. Essentials of Nursing Research. Methods, Appraisal, and Utilization, Philadelphia: Lippincott Williams & Wilkins, 2006.

42. Dew MA, DeVito Dabbs AJ. Harnessing the Power of Qualitative Research in Transplantation. Am J Kidney Dis 2016; 67(3): 357-359.

43. Heyes CM, Schofield T, Gribble R, Day CA, Haber PS. Reluctance to Accept Alcohol Treatment by Alcoholic Liver Disease Transplant Patients: A Qualitative Study. Transplantation direct 2016; 2(10): e104.

44. Duerinckx N, Burkhalter H, Engberg SJ, Kirsch M, Klem ML, Sereika SM, et al. Correlates and Outcomes of Posttransplant Smoking in Solid Organ Transplant Recipients: A Systematic Literature Review and Meta-Analysis. Transplantation 2016; 100(11): 2252-2263.

45. van Adrichem EJ, van de Zande SC, Dekker R, Verschuuren EA, Dijkstra PU, van der Schans CP. Perceived Barriers to and Facilitators of Physical Activity in Recipients of Solid Organ Transplantation, a Qualitative Study. PLoS ONE 2016; 11(9): e0162725.

46. Taylor S, Pinnock H, Epiphaniou E, Pearce G, Parke H, Schwappach A, et al. A rapid synthesis of the evidence on interventions supporting self-management for people with long-term conditions: PRISMS - Practical systematic Review of Self-Management Support for long-term conditions. . HS&DR 2014; 2(53).

47. Moher D, Liberati A, Tetzlaff J, Altman DG, The PRISMA Group. Preferred Reporting Items for Systematic Reviews and Meta-Analyses: The PRISMA Statement. PLoS Med 2009; 6(6).

48. Lockwood C, Munn Z, Porritt K. Qualitative research synthesis: methodological guidance for systematic reviewers utilizing meta-aggregation. Int J Evid Based Healthc 2015; 13(3): 179-187.

49. Joanna Briggs Institute. Joanna Briggs Institute Reviewers' Manual: 2014 edition, Adelaide, Australia: University of Adelaide, 2014.

50. Munn Z, Porritt K, Lockwood C, Aromataris E, Pearson A. Establishing confidence in the output of qualitative research synthesis: the ConQual approach. BMC Med Res Methodol 2014; 14(1): 108.

313 **Appendix I: Initial Search Strategy (Medline via Ovid)**

314

Question part	Question term	Search terms
Population	Lung transplant recipients	lung transpl*[title, abstract] OR "Lung Transplantation"[Mesh]
AND		
Phenomena of Interest	Self-management	self managemen*[title, abstract] OR self car*[title, abstract] OR "Self Care"[Mesh] OR “chronic disease”[Mesh] OR chronic illness management[title, abstract] OR chronic illness[title, abstract] OR Decision making[title, abstract] OR “decision making”[Mesh] OR Illness behavio?r[title, abstract] OR “illness behavior”[Mesh] OR Health behavio?r[title, abstract] OR “health behavior”[Mesh] OR Health knowledge[title, abstract] OR “health knowledge, attitudes, practice”[Mesh] OR Adherence[title, abstract] OR “medication adherence”[Mesh] OR compliance[title, abstract]
	AND	
	Attitude Experience	attitude[title, abstract] OR "Attitude"[Mesh] OR “attitude to health”[Mesh] OR percept*[title, abstract] OR "Perception"[Mesh] OR experience[title, abstract] OR “social support”[Mesh] OR “self concept”[Mesh])
Context	Internationally	n/a

315