

ORCA - Online Research @ Cardiff

This is an Open Access document downloaded from ORCA, Cardiff University's institutional repository:https://orca.cardiff.ac.uk/id/eprint/141788/

This is the author's version of a work that was submitted to / accepted for publication.

Citation for final published version:

Burton, Maria, Lifford, Kate, Wyld, Lynda, Armitage, Fiona, Ring, Alistair, Nettleship, Anthony, Collins, Karen, Morgan, Jenna, Reed, Malcolm W.R., Holmes, Geoffrey R., Bradburn, Mike, Gath, Jacqui, Green, Tracy, Revill, Deirdre, Brain, Kate and Edwards, Adrian 2021. Process evaluation of the Bridging the Age Gap in Breast Cancer decision support intervention cluster randomised trial. Trials 22, 447. 10.1186/s13063-021-05360-z

Publishers page: https://doi.org/10.1186/s13063-021-05360-z

Please note:

Changes made as a result of publishing processes such as copy-editing, formatting and page numbers may not be reflected in this version. For the definitive version of this publication, please refer to the published source. You are advised to consult the publisher's version if you wish to cite this paper.

This version is being made available in accordance with publisher policies. See http://orca.cf.ac.uk/policies.html for usage policies. Copyright and moral rights for publications made available in ORCA are retained by the copyright holders.



Age Gap

Baseline (RCT)

г	FOR OFFICE	USE	ONLY]	 	<u>1</u>
 	Enrolment	No.	E			T

_					
Ina	atm	rent	$d \sim c$	vici.	0n
11'-	<i></i>	16111	\Box	7151	

To	be completed by the treati	ngclinicia	n or clinical nurse specialist fol	lowing the patient's
	eatment consultation.			0
1.	Which treatment option (tick one only – complete an accomplete and accomplete accomplete and accomplete accomplete and accomplete accomple	dditional for	m if necessary)	
2.	Which components of th	ne interve	ention tools were used and ho	/et Ciri Discussi Mai Scrept of HT
	a. Age Gap Online Decis	sion Tool	Age Gap Decision Application to find an experimental and	TOOL TOOL
	i. Used by the clinical s	staff to aid	their decision making Yes	No
		Tick all that apply	Not enough time Patient not felt suitable Not liked by clinical staff No online access in clinic	Patient already made a decision Other
	ii. Shown to the patien of the doctor or clin			No
		Tick all that apply	Not enough time Patient not felt suitable Not liked by clinical staff No online access in clinic Other	Patient too distressed Patient unable to understand Patient already made a decision Family/carer reluctance
	iii. Print out taken hom	e by patie	nt Yes	∏ No
		Tick all that apply	Not enough time Patient not felt suitable Not liked by clinical staff	Patient too distressed Patient unable to understand Patient already made a decision

		Not liked by clinical stail	Fatient aiready made a decision
		No online access in clinic	Family/carer reluctance
		Other	
n	e by patier	ntYes	s
	Tick all	Not enough time	Patient too distressed
	that apply	Patient not felt suitable	Patient unable to understand
		Not liked by clinical staff	Patient already made a decision
		No online access in clinic	Patient reluctance
		Not offered	Family/carer reluctance
		Other	

Age Gap

Ba

FOR OFFICE	USE ONLY]	!
Enrolment	No. E		

aseline (RCT)	1	
reatment decision		
b. Option gridi. Used within the consultation	∏Yes ∏No	Bread common in common agent 19 peros and more with a chain's beforeign becomes blooking all for an expery and form with a chain's beforeign (but the girl which was not are undersome blooking). The common blooking all for an expery and the common blooking all the commo
Tick all that apply	☐ Not enough time	Patient too distressed Patient unable to understand Patient already made a decision Patient reluctance Family/carer reluctance
ii. Taken home by patient Tick all that apply	Yes No Not enough time Patient not felt suitable Not liked by clinical staff Not available in clinic Not offered Other	Patient too distressed Patient unable to understand Patient already made a decision Patient reluctance Family/carer reluctance
c. Booklet "Deciding about you i. Used within the consultation Tick all that apply	Yes No Not enough time	Patient too distressed Patient unable to understand Patient already made a decision Patient reluctance Family/carer reluctance
ii. Taken home by patient Tick all that apply	Yes No Not enough time Patient not felt suitable Not liked by clinical staff Not available in clinic Not offered Other	Patient too distressed Patient unable to understand Patient already made a decision Patient reluctance Family/carer reluctance