

This is an Open Access document downloaded from ORCA, Cardiff University's institutional repository: <https://orca.cardiff.ac.uk/id/eprint/145776/>

This is the author's version of a work that was submitted to / accepted for publication.

Citation for final published version:

Wadon, Megan, MacIver, Claire, Winter, Mia and Peall, Kathryn 2021. Internet-based cognitive behavioural therapy as a feasible treatment of adult-onset, focal, isolated, idiopathic cervical dystonia. *Clinical Parkinsonism & Related Disorders* 5 , 100121. 10.1016/j.prdoa.2021.100121

Publishers page: <https://doi.org/10.1016/j.prdoa.2021.100121>

Please note:

Changes made as a result of publishing processes such as copy-editing, formatting and page numbers may not be reflected in this version. For the definitive version of this publication, please refer to the published source. You are advised to consult the publisher's version if you wish to cite this paper.

This version is being made available in accordance with publisher policies. See <http://orca.cf.ac.uk/policies.html> for usage policies. Copyright and moral rights for publications made available in ORCA are retained by the copyright holders.



Supplementary Table 4: Scores for the assessments completed at baseline, 3-, and 6-months for those in the online iCBT intervention group and the control group. Scores are represented as mean(standard error). P-values are for group-time interaction.

Assessment	Baseline		3 Months		6 Months		P
	iCBT	Control	iCBT	Control	iCBT	Control	
<i>Psychiatric</i>							
BDI	20.0(6.08)	15.8(2.78)	14.6(5.20)	12.5(3.01)	14.1(5.01)	17.5(4.97)	0.067
HAMA-D	18.1(14.28)	19.0(2.11)	13.0(14.01)	15.5(2.16)	14.6(4.31)	19.0(3.29)	0.333
GAD-7	8.71(2.35)	8.25(1.86)	5.71(2.42)	7.00(1.83)	8.00(3.17)	7.62(2.56)	0.675
HAMA-A	18.0(4.40)	20.6(4.00)	12.1(3.66)	17.2(3.15)	12.4(4.14)	18.5(3.69)	0.365
<i>QoL</i>							
SF-36	362(51.9)	321(72.2)	377(83.7)	382(64.0)	382(85.4)	413(68.9)	0.416
<i>Motor</i>							
BFMDRS	13.7(3.19)	10.6(3.12)	13.6(3.50)	9.97(3.02)	13.0(3.77)	9.91(2.98)	0.880

BDI, Beck's Depression Inventory; BFMDRS, Burke-Fahn-Marsden Dystonia Rating Scale, GAD-7, Generalised Anxiety Disorder-7; HAM-A, Hamilton Scale for Anxiety; HAM-D, Hamilton Scale for Depression; iCBT, internet-based cognitive behavioural therapy; SF-36, Short Form-36 Health Survey