

ORCA - Online Research @ Cardiff

This is an Open Access document downloaded from ORCA, Cardiff University's institutional repository:https://orca.cardiff.ac.uk/id/eprint/160759/

This is the author's version of a work that was submitted to / accepted for publication.

Citation for final published version:

Almobayed, Shikhah and Smith, Andrew P. 2023. Associations between diet, other health-related behaviours, well-being and physical health: A survey of students about to start university. European Journal of Pharmaceutical and Medical Research 10 (7), pp. 44-49.

Publishers page: https://www.ejpmr.com/home/abstract_id/10823

Please note:

Changes made as a result of publishing processes such as copy-editing, formatting and page numbers may not be reflected in this version. For the definitive version of this publication, please refer to the published source. You are advised to consult the publisher's version if you wish to cite this paper.

This version is being made available in accordance with publisher policies. See http://orca.cf.ac.uk/policies.html for usage policies. Copyright and moral rights for publications made available in ORCA are retained by the copyright holders.





EUROPEAN JOURNAL OF PHARMACEUTICAL AND MEDICAL RESEARCH

www.ejpmr.com

Research Article
ISSN 2394-3211
EJPMR

ASSOCIATIONS BETWEEN DIET, OTHER HEALTH-RELATED BEHAVIOURS, WELL-BEING AND PHYSICAL HEALTH: A SURVEY OF STUDENTS ABOUT TO START UNIVERSITY

Shikhah Almobayed and Andrew P. Smith*

Centre for Occupational and Health Psychology, School of Psychology, Cardiff University, 63 Park Place, Cardiff CF10 3AS, UK.

*Corresponding Author: Andrew P. Smith

Centre for Occupational and Health Psychology, School of Psychology, Cardiff University, 63 Park Place, Cardiff CF10 3AS, UK.

Article Received on 06/05/2023

Article Revised on 26/05/2023

Article Accepted on 16/06/2023

ABSTRACT

Background: Previous research has examined the associations of health-related behaviours with a range of different outcomes. The present study focused on well-being and physical health, measured with the well-being process questionnaire (WPQ). Diet and other health-related behaviours were measured by the Diet and Behaviour Scale (DABS). Methods: An online Qualtrics survey of 193 students in their first week at university was carried out. The survey, including DABS and the WPQ, asked about the last six months. Results: Univariate analyses showed that health-related behaviours were associated with the outcomes. When established predictors of well-being were included, most of the associations between health-related behaviours and outcomes were no longer significant. However, some remained significant, with smoking and low exercise being associated with poor physical health. Conclusion: Health-related behaviours were associated with well-being and health outcomes. These associations were generally not significant when established predictors of well-being and health were included in the analyses. Indeed, only the associations between smoking, low exercise and physical health remained significant when the established predictors were included in the analyses. Further research with university students further into their degree is required to determine the impact of health-related behaviours on young adults.

KEYWORDS: Well-being; Physical Health; Diet; Exercise; Sleep; Breakfast; Fruit and Vegetables; Junk Food; Caffeine; Energy Drinks; Cola.

INTRODUCTION

The aim of the present study was to examine associations between diet, other health-related behaviours (sleep and exercise), and the well-being of students immediately prior to starting university. Our previous study^[1] examined this topic in a sample of secondary school students covering most of the year groups. The present study used an older sample but considered a time period where the students were still living at home (the six months prior to university). Diet and other health-related behaviours were measured using the Diet and Behaviour Scale (DABS).^[2] This was developed to examine associations between diet and academic attainment and conduct in a survey of secondary school students in Cornish academies.^[3-8] Well-being was measured using Student Well-being Process Questionnaire (WPQ). [9,10] which has been extensively used with both school and university students. [11-23] The WPQ was based on the Demands, Resources and Individual Effects (DRIVE) model^[26, 27] and has negative predictor variables (e.g. exposure to stressors; negative coping style) and positive predictors (e.g. psychological capital;

social support and positive coping). The outcome measures cover both positive well-being (happiness, life satisfaction and positive affect) and negative well-being (e.g. stress, fatigue, anxiety and depression). Our previous study showed that there were significant associations between diet, sleep, exercise and well-being outcomes. However, the DABs scores were also correlated with many of the WPQ predictor variables. When the established predictors of well-being were included in the analyses, many of the associations between the DABS scores and the well-being outcomes were no longer significant. However, some associations remained significant. Positive well-being was associated with greater fruit and vegetable consumption and with lower consumption of fast food/takeaways. The present study used a similar methodology to our earlier study, the main difference being the older sample. Other differences were the inclusion of smoking and alcohol consumption in the questionnaire. Also, the original Student WPQ and DABS scales were used here, whereas our earlier study used shortened versions. It was predicted that associations between the DABS scores and

the well-being outcomes would be observed in the univariate analyses. It was predicted that many of these associations would no longer be significant when established predictors of well-being were included in the analyses.

MATERIALS AND METHODS

The study was carried out with the approval of the Ethics Committee, School of Psychology, Cardiff University and with the informed consent of the participants.

Participants

The participants were 193 psychology students (170 female; mean age = 19.4 years, range = 18-45 years) starting their university course.

Materials

The questionnaire contained the Diet and Behaviours Scale and Student Well-being Process Questionnaire. In addition, questions were asked about lifestyle (hours of sleep, smoking and alcohol consumption). The questions covered the six months before coming to university.

Statistical analyses

Factor scores for healthy and junk food, exercise, alcohol and energy drinks/cola were used in the analyses. Initial univariate analyses examined the association between health-related behaviours (healthy food, junk food, energy drinks and cola, sleep, water intake, smoking, alcohol, and exercise) and well-being predictors (negative affectivity, open, agreeable, conscientiousness and positive personality, negative coping, social support) and outcome variables (positive well-being factor score, negative well-being factor score and physical health). Next, three separate regression models were carried out with positive well-being, negative well-being and physical health as outcomes. The predictor variables were health-related behaviours and established wellbeing predictors. The analyses examined the goodness of fit of the model and the significance of predictors. The presence of multicollinearity among the independent variables of the model could be a serious issue, so the variance inflation factor (VIF) technique was used to detect the presence of multicollinearity.

RESULTS

Univariate analyses of associations between healthrelated behaviours predictors and the outcomes

The independent variables low energy drinks and cola, exercise, and sleep had a significant correlation with outcomes. Likewise, the association of low healthy food was significant for all dependent variables except physical health. In addition, the relationship between low smoking and negative well-being and physical health was significant (p= .050, p= .005, respectively). In contrast, there was no association between the outcomes and the other HRB variables. The correlation matrix for the health-related behaviours variables and the well-being outcomes are summarized in Table 1.

Univariate analyses of associations WPQ predictors and the outcomes

The correlation matrix with positive well-being as a dependent variable had a significant correlation with all the WPQ predictor variables. The negative well-being variable had a significant correlation with most of the predictor variables except for open personality and conscientiousness. Moreover, physical health was associated with negative affectivity, agreeable and positive personality, negative coping, and social support. The correlation matrix for the WPQ variables and the dependent variables are summarized in Table 2.

Table 1: Correlation matrix of Outcomes and Health-related behaviours predictors.

	Positive well-being		Negative well-being		Physical health	
Correlation	r	р	r	P	r	p
Low healthy diet	258	.001	.234**	.001	073	.316
Low junk meals	.044	.545	041	.575	.094	.197
Low energy drinks & cola	.208	.004	148	.040	.209**	.004
High water intake	.029	.695	059	.420	.049	.504
Low smoking	.119	.099	.141	.050	.201**	.005
Low exercise	293	.001	.231**	.001	304**	.000
Long sleep	.196	.007	157 [*]	.030	.150*	.039
High Alcohol	-0.027	.706	059	.414	039	.587
Differences	t	p	t	p	t	р
Smoker v Non-smoker	-1.66	.099	1.97	.050	-2.82	.005

Table 2: Correlation matrix of outcomes and WPQ predictors.

	Positive well- being		Negative well- being		Physical health	
	r	р	r	P	r	р
Negative affectivity	760**	.000	.811**	.000	390**	.000
Open Personality	.267**	.000	102	.164	.097	.185
Agreeable Personality	.323**	.000	172 [*]	.018	.164*	.024
Conscientiousness	.160*	.028	033	.648	.070	.336
Introversion	430**	.000	.440**	.000	127	.082
Positive personality	.810**	.000	725**	.000	.513**	.000
Negative coping	497**	.000	.516**	.000	325**	.000
Social support	.539**	.000	476**	.000	.364**	.000

The HRBs were also correlated with the WPQ predictors. High alcohol consumption was associated with low conscientiousness and a disagreeable personality. Smoking was associated with negative affectivity. Hours of sleep were positively correlated with positive personality and negatively correlated with negative coping and negative affectivity. Low energy drink/cola consumption was positively associated with a positive and agreeable personality and negatively associated with negative coping and introversion. A low healthy diet was positively associated with negative coping, introversion and negative affectivity. It was negatively associated with positive, agreeable and open personalities. Low exercise was positively associated with introversion, negative affectivity and negative coping. It was negatively associated with social support and positive, agreeable and open personalities. Low junk food and water consumption were not associated with any of the

psychosocial predictors. The shared variance between the HRBs and established well-being predictors meant that both sets of variables should be included in analyses of well-being and health outcomes.

Multivariate analysis of predictors and positive wellbeing

The linear regression results with positive well-being as an outcome and the predictors were statistically significant, F [16, 166] = 34.79, p < .001, R2 = .770. The model explained 77% of the variance of positive well-being. This indicates a significant relationship between most WPQ variables and positive well-being except introversion, open personality, and negative coping. In contrast, there were no significant relationships between the HRB predictors and positive well-being (see Table 3).

Table 3: Multivariate analysis of predictors of positive well-being.

Model	В	S.E.	Beta	t	Sig.
Social support	.143	.046	.143	3.101	.002
Negative coping	.014	.048	.014	.290	.772
Negative affectivity	137	.025	314	-5.401	.000
Positive personality	.475	.060	.466	7.963	.000
Introversion	.004	.018	.009	.200	.842
Conscientiousness	.056	.020	.110	2.751	.007
Agreeable Personality	.074	.028	.111	2.637	.009
Open Personality	006	.025	010	242	.809
High Alcohol	.021	.041	.021	.509	.611
Low Exercise	051	.041	050	-1.229	.221
Low Smoking	016	.134	005	117	.907
Hours of sleep	.030	.044	.027	.685	.494
Low energy drinks & cola	.020	.043	.020	.456	.649
High water	026	.025	041	-1.036	.302
Low junk meals	014	.042	014	340	.734
Low healthy diet	079	.042	078	-1.859	.065

Multivariate analysis of Predictors and Negative well-being: The linear regression model of negative well-being was statistically significant, F[16, 166] = 29.28, p < .001, R2 = .738. It explained 73% of the variance in negative well-being. The WPQ variables were good

predictors of negative well-being except for introversion, conscientiousness, agreeable personality, and social support. In contrast, there was no relationship between HRB predictors and negative well-being (see Table 4).

www.ejpmr.com | Vol 10, Issue 7, 2023. | ISO 9001:2015 Certified Journal | 46

Table 4: Multivariate analysis of predictors of negative well-being.

Model	В	Std. Error	Beta	t	Sig.
Social support	070	.049	071	-1.436	.153
Negative coping	.130	.051	.132	2.566	.011
Negative affectivity	.230	.027	.532	8.571	.000
Positive personality	265	.063	262	-4.200	.000
Introversion	.007	.019	.018	.371	.711
Conscientiousness	.003	.022	.005	.127	.899
Agreeable Personality	.000	.030	.000	.008	.994
Open Personality	.063	.026	.108	2.374	.019
High Alcohol	074	.044	076	-1.698	.091
Low Exercise	009	.044	009	214	.831
Low Smoking	050	.142	016	355	.723
Hours of sleep	020	.046	018	425	.672
Low energy drinks & cola	.026	.045	.027	.578	.564
High water consumption	.020	.026	.032	.747	.456
Low junk meals	.019	.044	.018	.418	.677
Low healthy diet	.057	.045	.057	1.281	.202

Multivariate analysis of Predictors and Physical health The results linear regression model for physical health and the predictors were statistically significant, F[16, 166] = 6.82, p < .001, R2 = .397; the model explained 39% of the variance in physical health. Social support,

positive personality, and introversion variables were good predictors of physical health. Regarding HRB variables, there were associations between low exercise, smoking, and poor physical health see Table 5.

Table 5: Multivariate analysis of predictors of physical health.

Model	В	Std. Error	Beta	t	Sig.
Social support	.337	.130	.192	2.581	.011
Negative coping	081	.136	046	596	.552
Negative affectivity	.053	.072	.070	.745	.458
Positive personality	.870	.168	.491	5.172	.000
Introversion	.153	.051	.218	2.981	.003
Conscientiousness	.022	.058	.025	.388	.698
Agreeable Personality	.065	.079	.057	.829	.408
Open Personality	095	.070	093	-1.351	.178
High Alcohol	.127	.116	.074	1.090	.277
Low Exercise	282	.117	161	-2.413	.017
Low Smoking	.876	.378	.157	2.319	.022
Hours of sleep	.108	.124	.055	.873	.384
Low energy drinks & cola	.102	.121	.059	.838	.403
High water consumption	027	.070	025	385	.701
Low junk food	.162	.118	.092	1.369	.173
Low healthy diet	.043	.120	.025	.363	.717

DISCUSSION

A previous study examined the associations between health-related behaviours and the well-being of secondary school students. Initial univariate analyses showed significant correlations between HRBs and wellbeing, with positive HRBs (good sleep, healthy diet and regular exercise) being associated with positive wellbeing and negative HRBs being associated with negative well-being. Established psychosocial predictors of wellbeing were also significantly associated with both HRBs and well-being outcomes. When these established predictors were included with the HRBs in regressions examining associations with outcomes, few of the HRBs remained significant.

A very similar profile of results was obtained in the present study. Here the sample was older and probably had more control over their diet and other HRBs. Slightly different measuring instruments were also used in the present study. The study with secondary students used the short-form versions of the WPQ and DABS. The present study used the original longer versions of these questionnaires and also included HRBs relevant for an older sample (smoking and alcohol consumption). Despite these differences, the results were very similar, with initial univariate analyses showing associations between HRBs and well-being and health outcomes, with these associations being no longer significant when established predictors of well-being were included in the regressions. Again, the established predictors of well-

www.ejpmr.com Vol 10, Issue 7, 2023. ISO 9001:2015 Certified Journal 47

being had significant effects, which gives confidence in the HRB results. In addition, established associations between smoking, exercise and physical health were significant, which also gives confidence in the HRB results.

The present study has some limitations. The sample was mainly female and was going to a single university to study Psychology. This has been identified as a potential problem in previous research on this topic. [27] Further research is now required to determine whether HRBs influence the well-being of university students who often have a poor diet, do not get enough sleep and may neglect appropriate exercise.

CONCLUSION

An online survey examined the association between HRBs and well-being. HRBs were correlated with well-being outcomes, but these associations were no longer significant when established predictors of well-being were included in the analyses. The established predictors of well-being showed their usual significant effects, and smoking and exercise were associated with physical health. The replication of these established effects gives one confidence in the novel HRB/well-being results. Further research is now required to determine whether these results are observed with university students and older adults.

REFERENCES

- Smith AP, James A. Diet and other health-related behaviours: Associations with the well-being of Secondary School Students. World Journal of Pharmaceutical and Medical Research, 2023; 9(6): 220-228.
 - https://www.wjpmr.com/home/article_abstract/4899 ISSN 2455-3301
- Richards G, Malthouse A, Smith AP. The Diet and Behaviour Scale (DABS): Testing a new measure of food and drink consumption in a cohort of secondary school children from the Southwest of England. Journal of Food Research, 2015; 4(3): 148-161. http://www.ccsenet.org/journal/index.php/jfr/article/ view/46376
- 3. Almobayed S, Smith, A.P. Associations between health-related behaviours, well-being, and academic performance of secondary school students with special educational need: A secondary analysis. Recent Advances in Nutrition, 2023; 3(1): 1-17. doi:10.21926/rpn.2301005 In: A special issue on "Nutritional assessment and management of children and adolescents diagnosed with chronic conditions".
- Richards G, Smith AP. Caffeine consumption and self-assessed stress, anxiety and depression in secondary school children. Journal of Psychopharmacology, 2015; 29(12): 1236-1247. doi:10.1177/0269881115612404 http://jop.sagepub.com/content/29/12/1236
- 5. Richards G, Millward N, Evans P, Rogers J, Smith AP. 2015. Acute effects of energy drinks and

- missing breakfast on behavioural sanctions in secondary school children: A preliminary study. Journal of Food Research, 2015; 4(4): 1-9. http://www.ccsenet.org/journal/index.php/jfr/article/view/46377
- Richards G, Smith AP. 2016. Associations between energy drink consumption and school attendance, academic attainment, and problem behaviour: A cross-sectional and longitudinal analysis. The Lancet, 2016; 388: S101. DOI: http://dx.doi.org/10.1016/S0140-6736(16)32337-6.
- 7. Richards G, Smith AP. Caffeine consumption and general health in secondary school children: A cross-sectional and longitudinal analysis. Frontiers in Nutrition, Eating Behavior, 2016; 3: 52. http://dx.doi.org/10.3389/fnut.2016.00052
- 8. Smith AP, Richards G. Energy drinks, caffeine, junk food, breakfast, depression and academic attainment of secondary school students. Journal of Psychopharmacology, 2018; 32(8): 893-899. https://doi.org/10.1177/0269881118783314
- 9. Williams GM, Smith AP. A holistic approach to stress and well-being. Part 6: The Well-being Process Questionnaire (WPQ Short Form). Occupational Health (At Work), 2012; 9, 1: 29-31. ISSN 1744-2265.
- Williams G, Pendlebury H, Thomas K, Smith A. The Student Well-being Process Questionnaire (Student WPQ). Psychology, 2017; 8: 1748-1761. doi: 10.4236/psych.2017.811115.
- 11. Williams G, Pendlebury H, Smith AP. Stress and the Well-being of Nurses: an Investigation using the Demands-Resources- Individual Effects (DRIVE) model and the Well-being Process Questionnaire (WPQ). Advances in Social Science Research Journal, 2021; 8(8): 575-586. doi:10.14738/assrj.88.10782
- 12. Smith AP, Smith HN, Jelley T. Studying Away Strategies: Well-being and Quality of University Life of International Students in the UK Journal of Education, Society and Behavioural Science, 2018; 26(4): 1-14. doi: 10.9734/JESBS/2018/43377
- 13. Williams GM, Smith AP. Diagnostic validity of the anxiety and depression questions from the Wellbeing Process Questionnaire. Journal of Clinical and Translational Research, 2018; 4(2): 101-104. doi: 10.18053/jctres.04.201802.001
- 14. Williams GM, Smith AP. A longitudinal study of the well-being of students using the student well-being questionnaire (WPQ). Journal of Education, Society and Behavioral Science, 2018; 24(4): 1-6. doi: 10.9734/JESBS/2018/40105
- 15. Alharbi E, Smith AP. Studying-away strategies: A three-wave longitudinal study of the well-being of international students in the United Kingdom. The European Educational Researcher, 2019; 2(1): 59-77. doi:10.31757/euer.215
- 16. Bowen L, Smith AP. Drive better, feel better: predicting well-being and driving behaviour in undergraduate psychology students. Advances in

- Social Science Research Journal, 2019; 6(2): 302-318. doI:10.14738/assrj.62.6221.
- 17. Howells K, Smith AP. 2019. Daytime sleepiness and the well-being and academic attainment of university students. OBM Neurobiology, 2019; 3(3): 1-18. doi:10.21926/obm. Neurobiol.1903032
- Nor NIZ, Smith A.P. Psychosocial Characteristics, Training Attitudes and Well-being of Students: A Longitudinal Study. Journal of Education, Society and Behavioral Science, 2019; 29(1): 1-26. doi: 10.9734/JESBS/2019/v29i130100
- Omosehin O, Smith, A.P. 2019. Nationality, Ethnicity and Well-being. Open Journal of Social Sciences. 2019; 7: 133-142. doi.org/10.4236/jss.2019.75011
- Omosehin O, Smith AP. Adding new variables to the Well-being Process Questionnaire (WPQ) – Further studies of Workers and Students. Journal of Education, Society and Behavioral Science, 2019; 28(3): 1-19. doi: 10.9734/JESBS/2018/45535
- Alheneidi H, Smith AP. 2020. Effects of internet use on Well-being and academic attainment of students starting university. International Journal of Humanities Social Sciences and Education (IJHSSE), 2020; 7(5): 20-34. doi.org/10.20431/2349-0381.0705003
- Smith AP, Firman KL. 2020. The microstructure of the Student Well-being Process Questionnaire. Journal of Education, Society and Behavioural Science, 2020; 33(1): 76-83. /doi.org/10.9734/jesbs/2020/v33i130196
- Smith AP, James A. The well-being of students in a Welsh secondary school before and after a COVID-19 lockdown. Journal of Education, Society and Behavioural Science, 2021; 34(8): 42-51. doi: 10.9734/JESBS/2021/v34i830350
- Smith AP, Garcha J, James, A. The associations between autistic and ADHD traits and well-being of secondary school students in South Wales. Journal of Education, Society and Behavioural Science, 2023; 36(7): 55-69 doi: 10.9734/JESBS/2023/v36/71236
- 25. Mark GM, Smith AP. Stress models: A review and suggested new direction. In: Occupational Health Psychology: European Perspectives on Research, Education and Practice, 2008; 3: 111-144. EA-OHP series. Edited by J.Houdmont & S. Leka. Nottingham University Press.
- 26. Margrove G, Smith AP. The Demands-Resources-Individual Effects (DRIVE) Model: Past, Present and Future Research Trends. Chapter 2, in "Complexities and Strategies of Occupational Stress in the Dynamic Business World". Edited by Dr Adnam ul Haque. IGI Global, 2022. doi: 10.4018/978-1-6684-3937-1
- 27. Richards G. Caffeinated energy drink use in adolescents and young adults: associations with mental health, academic performance, and problem behaviour, 2016. http://orca-mwe.cf.ac.uk/96262/