

This is an Open Access document downloaded from ORCA, Cardiff University's institutional repository: <https://orca.cardiff.ac.uk/id/eprint/167641/>

This is the author's version of a work that was submitted to / accepted for publication.

Citation for final published version:

Tseng, Chun-Chih, Woolley, Thomas , Jiang, Ting-Xin, Wu, Ping, Maini, Philip, Widelitz, Randall and Chuong, Cheng-Ming 2024. Inhibition of gap junctions stimulates Turing-type periodic feather pattern formation during chick skin development. PLoS Biology

Publishers page:

Please note:

Changes made as a result of publishing processes such as copy-editing, formatting and page numbers may not be reflected in this version. For the definitive version of this publication, please refer to the published source. You are advised to consult the publisher's version if you wish to cite this paper.

This version is being made available in accordance with publisher policies. See <http://orca.cf.ac.uk/policies.html> for usage policies. Copyright and moral rights for publications made available in ORCA are retained by the copyright holders.






Figure 1

A *Connexin30 (Cx30) in situ hybridization*









Figure 2

A *Connexin43 (Cx43) in situ hybridization*





Figure 3





Figure 4




Figure 5




Figure 6




Figure 7




Figure 8




Figure 9





Figure 10




Figure 11




Figure 12




Figure 13

St31




Figure S1






Figure S2




Figure S3




Figure S4