

Online Research @ Cardiff

This is an Open Access document downloaded from ORCA, Cardiff University's institutional repository: <https://orca.cardiff.ac.uk/68623/>

This is the author's version of a work that was submitted to / accepted for publication.

Citation for final published version:

Ferguson, Elaine L., Azzopardi, Ernest, Roberts, Jessica L., Walsh, Timothy R. and Thomas, David W. 2014. Dextrin-Colistin conjugates as a model bioresponsive treatment for multidrug resistant bacterial infections. *Molecular Pharmaceutics* 11 (12) , pp. 4437-4447. 10.1021/mp500584u
filefilefile

Publishers page: <http://dx.doi.org/10.1021/mp500584u>
<<http://dx.doi.org/10.1021/mp500584u>>

Please note:


Changes made as a result of publishing processes such as copy-editing, formatting and page numbers may not be reflected in this version. For the definitive version of this publication, please refer to the published source. You are advised to consult the publisher's version if you wish to cite this paper.

This version is being made available in accordance with publisher policies.







See

<http://orca.cf.ac.uk/policies.html> for usage policies. Copyright and moral rights for publications made available in ORCA are retained by the copyright holders.











SI 1 Characterization of dextrans and succinoylated dextrin intermediates. Panels (a, c, e) show FT-IR spectra for (a) 10,500 g/mol dextrin and its succinoylated intermediates, (c) 28,000 g/mol dextrin and its succinoylated intermediates, and (e) 48,500 g/mol dextrin and its succinoylated intermediates. Panels (b, d, f) show the change in relative molecular weight in the presence of amylase (100 IU/L in PBS at 37 °C) by GPC of (b) 10,500 g/mol dextrin and its succinoylated intermediates, (d) 28,000 g/mol dextrin and its succinoylated intermediates, and (e) 48,500 g/mol dextrin and its succinoylated intermediates. ($n=1$).



SI 2A FPLC elution profiles of dextrin-colistin conjugates (3 mg/mL) from a Superdex 75 FPLC column, following incubation with amylase (100 IU/L in PBS at 37 °C). Panels show conjugates containing (a) 7,500 g/mol dextrin with 1.1 mol% succinylation, (b) 7,500 g/mol dextrin with 2.5 mol% succinylation, (c) 7,500 g/mol dextrin with 8.3 mol% succinylation, (d) 7,500 g/mol dextrin with 21.3 mol% succinylation, (e) 10,500 g/mol dextrin with 2.2 mol% succinylation, and (f) 10,500 g/mol dextrin with 4.3 mol% succinylation (V_0 = void volume (7.7 mL)).



SI 2B FPLC elution profiles of dextrin-colistin conjugates (3 mg/mL) from a Superdex 75 FPLC column, following incubation with amylase (100 IU/L in PBS at 37 °C). Panels show conjugates containing (g) 10,500 g/mol dextrin with 7.0 mol% succinylation, (h) 28,000 g/mol dextrin with 2.0 mol% succinylation, (i) 28,000 g/mol dextrin with 3.4 mol% succinylation, (j) 28,000 g/mol dextrin with 6.1 mol% succinylation, (k) 48,500 g/mol dextrin with 17.4 mol% succinylation, and (l) 48,500 g/mol dextrin with 28.6 mol% succinylation (V_0 = void volume (7.7 mL)).

Table SI 1 Liberated colistin at 48 h (% total).

	4 °C		37 °C		
	PBS	Water	PBS	Water	PBS + amylase (100 IU/L)
<i>1.1 mol%</i>	4.6	5.3	67.3	70.4	79.9
<i>2.5 mol%</i>	1.7	2.8	46.9	40.7	67.9
<i>4.7 mol%</i>	2.4	4.1	37.1	30.0	56.8
<i>8.3 mol%</i>	1.1	2.6	26.2	14.6	40.3
<i>CMS</i>	13.2	10.4	33.0	14.4	-

Table SI 2 Antimicrobial activity of dextrin-colistin conjugates* (with and without amylase pre-exposure), measured by MIC assay. Data is expressed as mode ($n=3$). *MIC value represents equivalent colistin concentration of conjugates.

Bacterial species	MIC (mg/L)											
	2.5 mol%				4.7 mol%				8.3 mol%			
	0	3	6	24	0	3	6	24	0	3	6	24
V4 <i>A. baumannii</i> MDR ACB	32	32	16	128	512	256	256	256	>1024	>1024	>1024	1024
V9 <i>A. baumannii</i>	64	32	64	32	128	128	64	64	1024	1024	1024	512
V19 <i>A. baumannii</i> 7789	32	32	32	64	128	64	64	128	1024	1024	>1024	>1024
V20 <i>A. lwoffii</i> 8065	4	4	4	4	64	32	16	128	128	64	64	1024
V22 <i>A. lwoffii</i> 6056	64	64	32	32	512	256	128	128	>1024	>1024	>1024	>1024
V5 <i>E. coli</i> AIM-1	<1	<1	<1	<1	64	32	16	16	1024	512	512	>1024
V11 <i>E. coli</i> 5702	32	16	8	16	64	64	128	256	512	512	512	256
V24 <i>E. coli</i> 7273	64	128	32	32	128	128	128	512	>1024	1024	1024	1024
V12 <i>K. pneumoniae</i> 5725	32	16	8	16	64	64	128	256	512	512	512	256
V6 <i>K. pneumoniae</i> IR25	512	64	32	64	1024	512	128	256	>1024	>1024	>1024	>1024
V8 <i>K. pneumoniae</i> K3	32	16	8	16	64	64	128	256	>1024	>1024	>1024	>1024
V3 <i>K. pneumoniae</i> KP05 506	16	32	32	32	1024	256	128	256	>1024	>1024	>1024	>1024
V13 <i>P. aeruginosa</i> PA01	256	256	128	128	512	256	256	256	512	256	256	128
V1 <i>P. aeruginosa</i> R22	256	256	256	256	>1024	1024	1024	1024	>1024	>1024	>1024	>1024
V2 <i>P. aeruginosa</i> MDR 301	1024	512	512	512	>1024	>1024	>1024	>1024	>1024	>1024	>1024	>1024
V7 <i>P. stuartii</i> IR57	64	32	32	16	512	256	256	128	>1024	>1024	>1024	>1024