

**Table S1**

Exploratory factor analysis of GSRS and ALERT-B combined (Kaiser-Meyer-Olkin measure of sampling adequacy = 0.787).

Component		1	2	3	4	5	
GSRS	Abdominal pain scale	Abdominal pain	0.273	0.205	0.329	0.456	
		Hunger pains					<b>0.717</b>
		Nausea	0.227	<b>0.637</b>	0.417		
	Reflux scale	Heartburn			<b>0.819</b>		
		Acid reflux			<b>0.83</b>		
	Indigestion scale	Rumbling stomach	0.44	0.458	0.498		
		Bloated stomach	0.399	0.474	0.394	0.321	
		Belching	0.331		0.407	0.339	
		Wind	0.407	0.262	0.29	<b>0.522</b>	
	Diarrhoea scale	Diarrhoea	<b>0.856</b>				
		Loose stools	<b>0.841</b>				
		Urgency bowels	<b>0.701</b>				0.335
	Constipation scale	Constipation		<b>0.819</b>			
		Hard stools		<b>0.837</b>			
		Incomplete feeling	<b>0.578</b>	0.305			0.318
ALERT-B	Get up at night to poo				0.312	<b>0.792</b>	
	Accidents, such as soiling or wet wind	0.399	-0.211		<b>0.519</b>	0.258	
	Blood from your bottom		0.209		<b>0.815</b>		

	Bowel or tummy problems affecting your daily life	<b>0.531</b>			0.208	0.484
--	---	--------------	--	--	-------	-------