

ORCA - Online Research @ Cardiff

This is an Open Access document downloaded from ORCA, Cardiff University's institutional repository:https://orca.cardiff.ac.uk/id/eprint/100173/

This is the author's version of a work that was submitted to / accepted for publication.

Citation for final published version:

Quinn, Lori , Busse-Morris, Monica , Carrier, Judith , Fritz, N., Harden, Jane , Hartel, L., Kegelmeyer, D., Kloos, A. and Rao, A. 2017. Physical therapy and exercise interventions in Huntington's disease: a mixed methods systematic review protocol. JBI Database of Systematic Reviews and Implementation Reports 15 (7) , pp. 1783-4433. 10.11124/JBISRIR-2016-003274

Publishers page: http://dx.doi.org/10.11124/JBISRIR-2016-003274

Please note:

Changes made as a result of publishing processes such as copy-editing, formatting and page numbers may not be reflected in this version. For the definitive version of this publication, please refer to the published source. You are advised to consult the publisher's version if you wish to cite this paper.

This version is being made available in accordance with publisher policies. See http://orca.cf.ac.uk/policies.html for usage policies. Copyright and moral rights for publications made available in ORCA are retained by the copyright holders.



Physical therapy and exercise interventions in Huntington's disease: a mixed methods systematic review protocol

Busse, M., Carrier, J., Fritz, N., Harden, J., Hartel, L., Kegelmeyer, D., Kloos, A., Quinn. L, Rao. A.

Affiliations:

- 1. Centre for Trials Research, Cardiff University, Cardiff, UK
- The Wales Centre for Evidence-Based Care, a Joanna Briggs Institute Centre of Excellence,
 School of Healthcare Sciences, College of Biomedical and Life Sciences, Cardiff University, Cardiff,
 UK.
- 3. Physical Therapy Program, Wayne State University
- 4. Physical Therapy Division of Health and Rehabilitation Sciences, The Ohio State University
- 5. Department of Biobehavioral Sciences, Teachers College, Columbia University, New York, NY
- 6. Program in Physical Therapy, Department of Rehabilitative and Regenerative Medicine, Columbia University, New York, NY

Corresponding author: Lori Quinn, EdD, PT Email: lq2165@tc.columbia.edu

*NOTE: All contributors have equal authorship

Review question/objective

The review question is: What is the effectiveness of physiotherapy and therapeutic exercise interventions in people with Huntington's disease and what are patients, families and caregivers' perceptions of these interventions?

The specific objectives are:

- 1. To determine the effectiveness of physiotherapy and therapeutic exercise interventions in people with Huntington's disease on physical and cognitive function.
- 2. To explore the perception of people with Huntington's disease and their families and caregivers with regard to their experience of physiotherapy and exercise interventions
- 3. This mixed methods review seeks to develop an aggregated synthesis of quantitative, qualitative and narrative systematic reviews on physiotherapy and exercise interventions in Huntington's disease, in an attempt to derive conclusions and recommendations useful for clinical practice and policy decision-making.

Background

Huntington's disease (HD) is a rare, dominantly inherited, neurodegenerative condition caused by a cytosine, adenine, and guanine (CAG) segment repeat expansion in the Huntingtin (HTT) gene. Huntington's disease has a prevalence of 6-13/100,000 in the general population; 1a 2012 meta-

Page 1

analysis reported the worldwide prevalence of HD was 2.71 per 100,000 (95% CI: 1.55-4.72)..² It predominantly affects the brain, causing dysfunction and death of medium spiny striatal projection neurons and thus disruption of corticostriatal pathways with resultant impairment of cognition, motor function, and behaviour.¹ These impairments result in decreasing independence in activities of daily living and quality of life^{3,4} even from relatively early in the disease.

Therapeutic exercise interventions are a promising area of research in neurodegenerative diseases.^{5,6} Addressing motor and cognitive impairments in neurodegeneration may provide a long-term beneficial effect to delay disease progression, maximize functional abilities, and maintain independence over a longer period. Loss of independent mobility and care dependency have been shown to be important predictors of nursing home admissions.^{7,8} The potential to develop interventions that facilitate independent living and strategies to manage symptoms are urgently required.

Despite the potential for physiotherapy and exercise interventions, which may be provided by physiotherapists, exercise trainers or other healthcare personnel, to assist people with HD, there is little evidence to suggest that people with HD are routinely referred for physical therapy. This may be attributable to the limited scientific support for the effectiveness of physiotherapy and exercise interventions. The Physiotherapy Working Group of the European Huntington Disease Network (EHDN) developed a Physiotherapy Guidance Document in 2009. A systematic literature search was conducted to summarize the available evidence prior to this date, with the view to providing therapists with information and recommendations for physiotherapy standards of care for people with Huntington's disease. This Guidance Document, however, was based largely on expert opinion and the limited available literature at the time, which involved a small number of mostly descriptive studies. Subsequent to the publication of the Guidance Document, the EHDN group developed treatment-based classifications to guide clinical decision-making across the life course of the disease.

In the past 7 years, there has been a significant increase in the number and quality of physiotherapy and exercise studies in HD.^{12–18} These studies have ranged from evaluation of short-term exercise programs, ^{13,14} video-game home interventions, ¹⁵ as well as inpatient multidisciplinary rehabilitation programs. ^{12,16,17} Studies have utilized both quantitative and qualitative assessments, and in addition there is a a growing body of textual references supporting exercise and physiotherapy in this population. While the EHDN Guidance Document¹⁹ and subsequent treatment-based classifications^{11,20} were an important first step to providing information about patient management in this relatively rare disease, we are now at a point where more rigorous clinical guidelines can be developed. Importantly, the treatment-based classifications, and the evidence in support of associated interventions, require detailed validation.

We searched for previous or currently registered systematic reviews on the topic of physiotherapy and exercise in HD in the Cochrane and Joanna Briggs Institute databases, PROSPERO, the World Health Organization (WHO) International Clinical Trials Registry (ICRTP), Medline and CINAHL. In 2003, a systematic review on the effectiveness of physiotherapy, occupational therapy and speech therapy in Huntington's disease was published; however, at the time there was minimal available literature to include.²¹ Studies examining the outcomes of physiotherapy, occupational therapy, and speech pathology interventions for people with Huntington's disease up to May 2002 were included in this review, and it was concluded that there was a low level of evidence to support the use of physiotherapy for addressing impairments of balance, muscle strength, and flexibility in Huntington's disease. No other systematic reviews or protocols were found following a search of the Joanna Briggs Institute, Cochrane and Prospero databases.

In this proposed mixed methods review, the quantitative component will seek to incorporate a wider range of study designs, including but not limited to, cohort studies (with control), case-controlled studies, descriptive and case series designs. A qualitative and textual component will also be incorporated to help understand why initiatives do or do not work from the perspective of people with HD, their families and caregivers. Combining quantitative, qualitative and textual syntheses in the same review will make this the first mixed methods systematic review that considers the effectiveness of a range of physiotherapy and therapeutic exercise interventions in people with Huntington's disease and the experiences and perceptions of patients, their families and caregivers with regard to these interventions. In addition, each study will be categorized according to the established treatment-based classifications,^{11,20} and the evidence for each classification will be discussed in the narrative synthesis. If a study cannot be adequately categorized, this will be discussed separately and recommendations for additional categories will be made as appropriate

Keywords

Huntington's disease; exercise; physical therapy; physiotherapy; physical activity; treatment-based classifications

Inclusion criteria

Types of participants

Inclusion criteria for included paper have been developed based upon the authors' awareness of the characteristics of studies and papers published in this area. For the first objective the quantitative component of this review will include studies that include those of any age or gender who have been clinically or genetically diagnosed with Huntington's disease, including those that have tested positive for the Huntington's disease gene in premanifest, prodromal, early, mid or late stage disease.

For the second objective the qualitative and textual component of this review will consider studies that include those of any age or gender who have been clinically or genetically diagnosed with Huntington's disease, including those that have tested positive for the Huntington's disease gene in premanifest, prodromal, early, mid or late stage disease will be included, in addition to studies which include or focus on family members and caregivers that relate to this patient group.

Types of intervention(s)/phenomena of interest

The quantitative component of this review will consider studies that evaluate physiotherapy and exercise interventions such as aerobic exercise, strengthening exercises, gait or walking training, treadmill training, balance training, yoga, Pilates, Tai-chi (and variants), relaxation, technology-delivered exercise, dance, aquatics, daily living strategies, sensory stimulation, cueing (i.e., visual, verbal or physical prompts including attentional strategies with internal cues); chaining (i.e., breaking down the task); dual-task training (i.e., motor-cognitive training), task-specific training, education, flexibility range of motion (ROM) exercises, breathing exercises, wheelchair evaluation, seating, wheelchair mobility training, positioning, splinting, posture (alignment and exercises), manually assisted cough, and non-invasive ventilation. Other physiotherapy and exercise interventions as determined by the literature in the area will also be incorporated, as necessary. Comparators of interest for those included interventions, where applicable, will be usual care. Usual care at present involves no specific intervention for individuals with Huntington disease. Studies whose primary aim is to evaluate a pharmacological or psychological intervention will be excluded.

The qualitative component of this review will consider all studies that identify and explore the perceptions and experiences of people with Huntington's disease, their families and caregivers with regard to physiotherapy and exercise interventions.

The textual component of this review will consider all studies that describe the perceptions and experiences of people with Huntington's disease and their families and caregivers with regard to physiotherapy and exercise interventions.

Types of outcomes

The quantitative component of this review will consider studies that include outcomes related to physical and cognitive function regardless of how they were measured. For example, outcome measures of physical function include: balance, fitness (cardiovascular function), goal attainment, motor function and performance, muscle strength, number of falls, physical activity, pulmonary function, rate of chest infections, and ulcer staging, spatiotemporal and kinematic parameters of gait and balance, walking ability and endurance

JBI Database of Systematic Reviews & Implementation Reports

For example, outcome measures of cognitive function include: cognition, psychological measures (depression, anxiety, apathy)

Other physiotherapy outcomes as determined by the literature in the area will also be incorporated, as necessary.

The qualitative components of this review will consider studies that identify patient, family or caregiver perceptions of physiotherapy and exercise interventions including: Patient and family/caregiver experiences, perceived improvement and satisfaction where these have been explored using qualitative methods.

The textual component of this review will consider papers/reports that describe patient, family or caregiver perceptions of physiotherapy and exercise interventions including: Patient and family/caregiver experiences, Perceived improvement, Satisfaction

Context

The qualitative component of this review will consider studies that investigate physiotherapy and exercise interventions that are carried out in the community, hospital settings, clinics, rehabilitation centers, or patient's homes.

Types of studies

The quantitative component of the review will consider both experimental and epidemiological study designs including randomized controlled trials, non-randomized controlled trials, quasi-experimental studies, before and after studies, prospective and retrospective cohort studies, case control studies and analytical cross sectional studies for inclusion. The quantitative component of the review will also consider descriptive epidemiological study designs including case series, individual case reports and descriptive cross sectional studies for inclusion.

The qualitative component of the review will consider studies that focus on qualitative data including, but not limited to, designs such as phenomenology, grounded theory, ethnography, action research and feminist research.

The textual component of the review will consider discussion papers, position papers and other text based on expert clinical opinion.

Search strategy

The search strategy aims to find both published and unpublished studies. A three-step search strategy will be utilized for each component in this review. An initial limited search of PubMed and

Page 5

CINAHL will be undertaken followed by an analysis of the text words contained in the title and abstract, and of the index terms used to describe article. A second search using all identified keywords and index terms will then be undertaken across all included databases. Thirdly, the reference list of all identified reports and articles will be searched for additional studies. Studies published in English only will be considered for inclusion in this review. Studies published between May 2002 –the present will be considered for inclusion in this review. May 2002 was the completion date for the previous systematic review.²¹

The databases to be searched include:

EBSCO CINAHL, PEDro, MEDLINE via PubMed, Cochrane Library, Scopus, SPORTDiscus, PsycINFO

The search for unpublished studies will include:

Google, Web of Science (Books, proceedings, other), ClinicalTrials.gov, WHO International Clinical Trials Registry Platform (ICTRP), ISRCTN Registry, Prospero, National Guideline Clearinghouse (NGC), Resources from professional organizations such as: Huntington Study Group (HSG), European Huntington's Disease network (EHDN), American Physical Therapy association (APTA). Initial keywords to be used will be: huntington* disease, physical therap*, physical activit*, exercise, physiotherapy*

Assessment of methodological quality

Papers selected for retrieval will be assessed by two independent reviewers for methodological validity prior to inclusion in the review using standardized critical appraisal instruments from the Joanna Briggs Institute Meta-Analysis of Statistics Assessment and Review Instrument (JBI-MAStARI) (Appendix I). Any disagreements that arise between the reviewers will be resolved through discussion, or with a third reviewer.

Qualitative papers selected for retrieval will be assessed by two independent reviewers for methodological validity prior to inclusion in the review using standardized critical appraisal instruments from the Joanna Briggs Institute Qualitative Assessment and Review Instrument (JBI-QARI) (Appendix I). Any disagreements that arise between the reviewers will be resolved through discussion, or with a third reviewer.

Textual papers selected for retrieval will be assessed by two independent reviewers for authenticity prior to inclusion in the review using standardized critical appraisal instruments from the Joanna Briggs Institute Narrative, Opinion and Text Assessment and Review Instrument (JBI-NOTARI) (Appendix I). Any disagreements that arise between the reviewers will be resolved through discussion, or with a third reviewer.

Data extraction

Quantitative data will be extracted from papers included in the review using the standardised data extraction tool from JBI-MAStARI (Appendix II). The data extracted will include specific details about the interventions, populations, study methods and outcomes of significance to the review question and specific objectives.

Qualitative data will be extracted from papers included in the review using the standardised data extraction tool from JBI-QARI (Appendix II). The data extracted will include specific details about the populations, phenomena of interest, and context as well as methodology, methods, settings and cultural information study methods related to the review question and specific objectives.

Textual data will be extracted from papers included in the review using the standardised data extraction tool from JBI-NOTARI (Appendix II). The data extracted will include specific details about the populations, study methods related to the review question and specific objectives.

All reviewers will have practiced using the extraction tools in order apply the tools consistently. Reviewers will extract data independently before conferring.

Authors of both quantitative and qualitative primary studies will be contacted for missing information or to clarify unclear data.

Following segregated synthesis of the included quantitative and qualitative studies, the results of each single method synthesis included in the mixed method review will be extracted in numerical, tabular or narrative format. For example, for syntheses of quantitative data, this will consist of appropriate elements of the meta-analysis Forest plot or, where applicable, an evidence table; for qualitative data, it will consist of appropriate elements of the QARI-view table, for textual opinion data it will consist of appropriate elements of the NOTARI-view table..

Data synthesis

Quantitative data will be, where possible, pooled in statistical meta-analysis using JBI-MAStARI. All results will be subject to double data entry. Effect sizes expressed as odds ratio (for categorical data) and weighted mean differences (for continuous data) and their 95% confidence intervals will be calculated for analysis. Heterogeneity will be assessed statistically using the standard Chi-square. Where statistical pooling is not possible the findings will be presented in narrative form including tables and figures to aid in data presentation where appropriate.

Qualitative research findings will be pooled using JBI-QARI. This involves the aggregation or synthesis of findings to generate a set of statements that represent that aggregation, through assembling the findings (Level 1 findings) rating according to their quality, and categorizing these findings on the basis of similarity in meaning (Level 2 findings). These categories will then be subjected to a meta-synthesis in order to produce a single comprehensive set of synthesized findings (Level 3 findings) that can be used as a basis for evidence-based practice. Where textual pooling is not possible the findings will be presented in narrative form.

The findings of each single-method synthesis included in this review will be aggregated using the JBI method of meta-aggregation. This will involve the configuration of the findings to generate a set of statements that represent that aggregation through coding any quantitative to attribute a thematic description to all quantitative data; assembling all of the resulting themes from quantitative and qualitative syntheses; and the configuration of these themes to produce a set of synthesised findings in the form of a, set of recommendations or conclusions.

The findings will be presented in narrative form including tables and figures to aid in data presentation where appropriate.

Conflicts of interest

Authors of included papers who were also part of the review team will not be included in the review or data extraction.

Acknowledgements

Funding for this review is provided by Huntington Study Group, European Huntington Disease Network, and Griffin Foundation.

References

- 1 Walker FO. Huntington's Disease. Semin Neurol 2007; **27**: 143–50.
- 2 Pringsheim T, Wiltshire K, Day L, Dykeman J, Steeves T, Jette N. The incidence and prevalence of Huntington's disease: a systematic review and meta-analysis. Mov Disord 2012; 27(9): 1083-91
- 3 Helder DI, Kaptein AA, van Kempen GM, van Houwelingen JC, Roos RA. Impact of Huntington's disease on quality of life. Mov Disord 2001; **16**: 325–30.
- Helder DI, Kaptein AA, Van Kempen GM, Weinman J, Van Houwelingen JC, Roos RA. Living with Huntington's disease: illness perceptions, coping mechanisms, and spouses' quality of life. 2002; **9**: 37–52.
- Petzinger GM, Fisher BE, McEwen S, Beeler JA, Walsh JP, Jakowec MW. Exercise-enhanced neuroplasticity targeting motor and cognitive circuitry in Parkinson's disease. Lancet Neurol 2013; **12**: 716–26.
- Mo C, Hannan AJ, Renoir T. Environmental factors as modulators of neurodegeneration: Insights from gene-environment interactions in Huntington's disease. Neurosci Biobehav Rev 2015; **52**: 178–92.
- Wheelock VL, Tempkin T, Marder K, Nance M, Myers RH, Zhao H, et al. Predictors of nursing home placement in Huntington disease. Neurology 2003; **60**: 998–1001.
- Afram B, Stephan A, Verbeek H, Bleijlevens MH, Suhonen R, Sutcliffe C, et al. Reasons for Institutionalization of People With Dementia: Informal Caregiver Reports From 8 European Countries. J Am Med Dir Assoc 2014; **15**: 108–16.
- 9 Busse ME, Khalil H, Quinn L, Rosser AE. Physical Therapy Intervention for People With Huntington Disease. Phys Ther 2008; **88**: 820–31.
- Quinn L, Busse M, on behalf of the Physiotherapy Working Group. European Huntington's Disease Network Physiotherapy Guidance Document. Ulm, Germany: European Huntington's Disease Network, 2009.
- Quinn L, Busse M. Development of physiotherapy guidance and treatment-based classifications for people with Huntington's disease. Neurodegener Dis Manag 2012; **2**: 11–9.
- Zinzi P, Salmaso D, De Grandis R, Graziani G, Maceroni S, Bentivoglio A, et al. Effects of an intensive rehabilitation programme on patients with Huntington's disease: a pilot study. ClinRehabil 2007; **21**: 603–13.
- Khalil H, Quinn L, van Deursen R, Dawes H, Playle R, Rosser A, et al. What effect does a structured home-based exercise programme have on people with Huntington's disease? A randomized, controlled pilot study. Clin Rehabil 2013; **27**: 646–58.
- Busse M, Quinn L, Debono K, Jones K, Collett J, Playle R, et al. A randomized feasibility study of a 12-week community-based exercise program for people with Huntington's disease. J Neurol Phys Ther 2013; **37**: 149–58.

- Kloos AD, Fritz NE, Kostyk SK, Young GS, Kegelmeyer DA. Video game play (Dance Dance Revolution) as a potential exercise therapy in Huntington's disease: a controlled clinical trial. Clin Rehabil 2013; **27**: 972–82.
- Piira A, van Walsem MR, Mikalsen G, Nilsen KH, Knutsen S, Frich JC. Effects of a One Year Intensive Multidisciplinary Rehabilitation Program for Patients with Huntington's Disease: a Prospective Intervention Study. PLoS Curr 2013; **5**.

DOI:10.1371/currents.hd.9504af71e0d1f87830c25c394be47027.

- 17 Thompson JA, Cruickshank TM, Penailillo LE, Lee JW, Newton RU, Barker RA, et al. The effects of multidisciplinary rehabilitation in patients with early-to-middle-stage Huntington's disease: a pilot study. Eur J Neurol 2013; **20**: 1325–9.
- Quinn L, Hamana K, Kelson M, Dawes H, Collett J, Townson J, et al. A randomized, controlled trial of a multi-modal exercise intervention in Huntington's disease. Parkinsonism Relat Disord 2016; **0**: 253–6.
- 19 Quinn L, Busse M, Network on behalf of the PWG of the EHD. Physiotherapy Guidance Document. European Huntington's Disease Network, 2010.
- Quinn L, Busse M. Physiotherapy clinical guidelines for Huntington's disease. Neurodegener Dis Manag 2012; **2**: 21–31.
- Bilney B, Morris ME, Perry A. Effectiveness of physiotherapy, occupational therapy, and speech pathology for people with Huntington's disease: a systematic review. [Review] [80 refs]. Neurorehabilitation & Neural Repair 2003; **17**: 12–24.

Appendix I: Appraisal instruments MAStARI appraisal instrument

JBI Critical Appraisal Checklist for Randomised Control / Pseudo-randomised Trial

Reviewer Date					
Auth	nor	Year_	F	Record Numb	oer
		Yes	No	Unclear	Not Applicable
1.	Was the assignment to treatment groups truly random?				
2.	Were participants blinded to treatment allocation?				
3.	Was allocation to treatment groups concealed from the allocator?				
4.	Were the outcomes of people who withdrew described and included in the analysis?				
5.	Were those assessing outcomes blind to the treatment allocation?				
6.	Were the control and treatment groups comparable at entry?				
7.	Were groups treated identically other than for the named interventions				
8.	Were outcomes measured in the same way for all groups?				
9.	Were outcomes measured in a reliable way?				
10.	Was appropriate statistical analysis used?				
Ove	erall appraisal: Include	Excl	ude 🗆	See	k further info.
Con	nments (Including reason for exclusion)				

JBI Critical Appraisal Checklist for Descriptive / Case Series

Revi	Reviewer Date				
Auth	orYea	rR	ecord N	Number	
		Yes	No	Unclear	Not Applicable
1.	Was study based on a random or pseudo- random sample?				
2.	Were the criteria for inclusion in the sample clearly defined?				
3.	Were confounding factors identified and strategies to deal with them stated?				
4.	Were outcomes assessed using objective criteria?				
5.	If comparisons are being made, was there sufficient descriptions of the groups?				
6.	Was follow up carried out over a sufficient time period?				
7.	Were the outcomes of people who withdrew described and included in the analysis?				
8.	Were outcomes measured in a reliable way?				
9.	Was appropriate statistical analysis used?				
Ove	erall appraisal: Include	Exclude		Seek fur	ther info
Com	ments (Including reason for exclusion)				

JBI Critical Appraisal Checklist for Comparable Cohort/ Case Control

Rev	iewer	_ Date _			
Autl	nor	Year_	R	ecord Numb	oer
		Yes	No	Unclear	Not Applicable
1.	Is sample representative of patients in the population as a whole?				
2.	Are the patients at a similar point in the course of their condition/illness?				
3.	Has bias been minimised in relation to selection of cases and of controls?				
4.	Are confounding factors identified and strategies to deal with them stated?				
5.	Are outcomes assessed using objective criteria?				
6.	Was follow up carried out over a sufficient time period?				
7.	Were the outcomes of people who withdrew described and included in the analysis?				
8.	Were outcomes measured in a reliable way?				
9.	Was appropriate statistical analysis used?				
Ove	erall appraisal: Include	Exclu	ude 🗆	See	k further info.
Con	nments (Including reason for exclusion)				

QARI appraisal instrument

JBI QARI Critical Appraisal Checklist for Interpretive & Critical Research

Reviewer Da	te			
Author Ye	ar	Rec	ord Numbe	er
	Yes	No	Unclear	Not Applicable
 Is there congruity between the stated philosophical perspective and the research methodology? 				
2. Is there congruity between the research methodology and the research question or objectives?				
3. Is there congruity between the research methodology and the methods used to collect data?	t 🗆			
4. Is there congruity between the research methodology and the representation and analysis of data?				
Is there congruity between the research methodology and the interpretation of results	? 🗆			
6. Is there a statement locating the researcher culturally or theoretically?				
7. Is the influence of the researcher on the research, and vice- versa, addressed?				
8. Are participants, and their voices, adequately represented?				
9. Is the research ethical according to current criteria or, for recent studies, and is there evidence of ethical approval by an appropriate body?				
10. Do the conclusions drawn in the research report flow from the analysis, or interpretation, of the data?				
Overall appraisal:	Exclude		Seek fu	rther info.
Comments (Including reason for exclusion)				

NOTARI appraisal instrument

JBI Critical Appraisal Checklist for Narrative, Expert opinion & text

Rev	riewer	_ Date _			
Aut	hor	_Year _		_ Record Nu	mber
1.	Is the source of the opinion clearly identified?	Yes	No	Unclear	Not Applicable
2.	Does the source of the opinion have standing in the field of expertise?				
3.					
4.	Is the opinion's basis in logic/ experience clearly argued?				
5.	Is the argument developed analytical?				
6.	Is there reference to the extant literature/evidence and any incongruency with it logically defended?				
7.	Is the opinion supported by peers?				
Ov	erall appraisal: Include	Exclud	le 🗆	Seek fo	urther info
Cor	mments (Including reason for exclusion)				
_					
_					

Appendix II: Data extraction instruments MAStARI data extraction instrument

JBI Data Extraction Form for Experimental / Observational Studies

Reviewer Date							
Author Year							
Journal Record Number							
Study Method							
RCT		Quasi-RCT		Longitudinal			
Retrospective		Observational		Other			
Participants							
Setting							
Population							
Sample size							
Group A		Group B					
Interventions							
Intervention A							
Intervention B							
Authors Conclus	ions:						
Reviewers Concl	lusions:						

Study results

Dichotomous data

Outcome	Intervention () number / total number	Intervention () number / total number

Continuous data

Outcome	Intervention () number / total number	Intervention() number / total number

QARI data extraction instrument

JBI QARI Data Extraction Form for Interpretive & Critical Research					
Reviewer		Date			
Author		Year			
Journal		Record Number			
Study Description					
Methodology					
Method					
Phenomena of interest					
Setting					
Geographical					
Cultural					
Participants					
Data analysis					
Authors Conclusions					
Comments					
Complete	Yes	No 🗆			

illustration from	Evidence		
Illustration from Publication (page number)	Unequivocal	Credible	Unsupported
	(page number)	(page number) Unequivocal	(page number) Unequivocal Credible

NOTARI data extraction instrument

JBI Data Extraction for Narrative, Expert opinion & text						
Reviewer Date						
Author Year Record Number						
Study Description						
Type of Text:						
Those Represented:						
Stated Allegiance/ Position:						
Setting						
Geographical						
Cultural						
Logic of Argument						
Data analysis						
Authors Conclusions						
Reviewers Comments						
Data Extraction Complete Yes ☐ No ☐						

	Illustration from	Evidence		
Conclusions	Publication (page number)	Unequivocal	Credible	Unsupported
Include	Yes	No		