

## ORCA - Online Research @ Cardiff

This is an Open Access document downloaded from ORCA, Cardiff University's institutional repository:https://orca.cardiff.ac.uk/id/eprint/104768/

This is the author's version of a work that was submitted to / accepted for publication.

## Citation for final published version:

Li, Weiwei, He, Qian , Wang, Le, Zeng, Huizhong, Bowlan, John, Ling, Langsheng, Yarotski, Dmitry A., Zhang, Wenrui, Zhao, Run, Dai, Jiahong, Gu, Junxing, Shen, Shipeng, Guo, Haizhong, Pi, Li, Wang, Haiyan, Wang, Yongqiang, Velasco-Davalos, Ivan A., Wu, Yangjiang, Hu, Zhijun, Chen, Bin, Li, Run-Wei, Sun, Young, Jin, Kuijuan, Zhang, Yuheng, Chen, Hou-Tong, Ju, Sheng, Ruediger, Andreas, Shi, Daning, Borisevich, Albina Y. and Yang, Hao 2017. Manipulating multiple order parameters via oxygen vacancies: The case of Eu0.5Ba0.5TiO3–δ. Physical Review B 96 (11), 115105. 10.1103/PhysRevB.96.115105

Publishers page: http://dx.doi.org/10.1103/PhysRevB.96.115105

## Please note:

Changes made as a result of publishing processes such as copy-editing, formatting and page numbers may not be reflected in this version. For the definitive version of this publication, please refer to the published source. You are advised to consult the publisher's version if you wish to cite this paper.

This version is being made available in accordance with publisher policies. See <a href="http://orca.cf.ac.uk/policies.html">http://orca.cf.ac.uk/policies.html</a> for usage policies. Copyright and moral rights for publications made available in ORCA are retained by the copyright holders.



## Manipulating multiple order parameters via oxygen vacancies: The case of Eu<sub>0.5</sub>Ba<sub>0.5</sub>TiO<sub>3-δ</sub>

Weiwei Li, <sup>1,2</sup> Qian He, <sup>3</sup> Le Wang, <sup>4</sup> Huizhong Zeng, <sup>5</sup> John Bowlan, <sup>6</sup> Langsheng Ling, <sup>7</sup> Dmitry A. Yarotski, <sup>6</sup> Wenrui Zhang, <sup>8</sup> Run Zhao, <sup>1</sup> Jiahong Dai, <sup>9</sup> Junxing Gu, <sup>4</sup> Shipeng Shen, <sup>4</sup> Haizhong Guo, <sup>4</sup> Li Pi, <sup>7</sup> Haiyan Wang, <sup>8</sup> Yongqiang Wang, <sup>10</sup> Ivan A. Velasco-Davalos, <sup>11</sup> Yangjiang Wu, <sup>12</sup> Zhijun Hu, <sup>12</sup> Bin Chen, <sup>13</sup> Run-Wei Li, <sup>13</sup> Young Sun, <sup>4</sup> Kuijuan Jin, <sup>4</sup> Yuheng Zhang, Hou-Tong Chen, Sheng Ju, 4,\* Andreas Ruediger, Daning Shi, Albina Y. Borisevich, and Hao Yang 1,‡ <sup>1</sup>College of Science, Nanjing University of Aeronautics and Astronautics, Nanjing 211106, China <sup>2</sup>Department of Materials Science and Metallurgy, University of Cambridge, Cambridge CB3 0FS, United Kingdom <sup>3</sup>Materials Science and Technology Division, Oak Ridge National Laboratory, Oak Ridge, Tennessee 37831, USA <sup>4</sup>Beijing National Laboratory for Condensed Matter Physics and Institute of Physics, Chinese Academy of Science, Beijing 100190, China <sup>5</sup>State Key Laboratory of Electronic Thin Films and Integrated Devices, University of Electronic Science and Technology, Chengdu 610054, China <sup>6</sup>Center for Integrated Nanotechnologies, MS K771, Los Alamos National Laboratory, Los Alamos, New Mexico 87545, USA <sup>7</sup>High Magnetic Field Laboratory, Chinese Academy of Science, Hefei 230031, China <sup>8</sup>Materials Science and Engineering Program, Department of Electrical and Computer Engineering, Texas A&M University, College Station, Texas 77843-3128, USA <sup>9</sup>College of Physics, Optoelectronics and Energy, Soochow University, Suzhou 215006, China <sup>10</sup>Materials Science and Technology Division, Los Alamos National Laboratory, Los Alamos, New Mexico 87545, USA <sup>11</sup>Institut National de la Recherche Scientifique—Énergie, Matériaux et Télécommunication (INRS-EMT), 1650 Boulevard Lionel Boulet, Varennes J3 X 1S2 QC, Canada

<sup>12</sup>Center for Soft Condensed Matter Physics and Interdisciplinary Research, Soochow University, Suzhou 215006, China
<sup>13</sup>Key Laboratory of Magnetic Materials and Devices, Ningbo Institute of Materials Technology and Engineering,
Chinese Academy of Science, Ningbo 315201, China

(Received 10 May 2016; revised manuscript received 22 August 2017; published 6 September 2017)

Controlling functionalities, such as magnetism or ferroelectricity, by means of oxygen vacancies  $(V_0)$  is a key issue for the future development of transition-metal oxides. Progress in this field is currently addressed through  $V_0$  variations and their impact on mainly one order parameter. Here we reveal a mechanism for tuning both magnetism and ferroelectricity simultaneously by using  $V_0$ . Combining experimental and density-functional theory studies of  $\operatorname{Eu}_{0.5}\operatorname{Ba}_{0.5}\operatorname{TiO}_{3-\delta}$ , we demonstrate that oxygen vacancies create  $\operatorname{Ti}^{3+}3d^1$  defect states, mediating the ferromagnetic coupling between the localized Eu  $4f^7$  spins, and increase an off-center displacement of Ti ions, enhancing the ferroelectric Curie temperature. The dual function of Ti sites also promises a magnetoelectric coupling in the  $\operatorname{Eu}_{0.5}\operatorname{Ba}_{0.5}\operatorname{TiO}_{3-\delta}$ .

DOI: 10.1103/PhysRevB.96.115105

Transition-metal oxides (TMOs) are attracting significant attention due to their astonishing variety of technologically important physical properties, such as two-dimensional electron gas, colossal magnetoresistance, multiferroic behavior, etc. [1-3]. Tuning the concentration and distribution of ions and vacancies in TMOs provides a route to create and control new functionalities [4]. For many applications, for better or worse, the functionality of TMOs and thin-film devices is strongly affected by the formation and distribution of oxygen vacancies  $(V_0)$ . For instance, the introduction of  $V_0$ causes a displacement of the Fe ions in (LaFeO<sub>3</sub>)<sub>2</sub>/(SrFeO<sub>3</sub>) superlattices, which induces the polar order [5].  $V_{\rm O}$  also enable room-temperature ferroelectricity in SrTiO<sub>3</sub> thin films by manipulating the TiO<sub>6</sub> octahedral tilting around the vacancy site [6]. The electronic properties of these TMOs, especially ABO<sub>3</sub>-pervoskite structure, are extremely sensitive to structural distortions consisting of cation displacements, deformations, and rotations in an ideal three-dimensional framework of corner-connected BO<sub>6</sub> octahedra [7,8]. On the

other hand,  $V_{\rm O}$  are well known to play a pivotal role in magnetic properties. Biškup *et al.* suggested that ordered  $V_{\rm O}$  are responsible for insulating ferromagnetism in strained epitaxial LaCoO<sub>3- $\delta$ </sub> films [9]. Similarly, magnetic phenomena were observed at the SrTiO<sub>3</sub>/LaAlO<sub>3</sub> interface [10,11] and oxygen-deficient bulk SrTiO<sub>3- $\delta$ </sub> crystals [12].

Previous studies have shown that it is possible to manipulate the functionality of TMO materials by controlling one order parameter at a time through the concentration or spatial distribution of  $V_{\rm O}$ . A natural question arises whether a single experimental parameter  $V_0$  has the ability to simultaneously control multiple order parameters, such as both magnetism and ferroelectricity. In particular, multiferroics with ferromagneticferroelectric (FM-FE) coupling are highly promising for fundamental research and practical applications [13–15]. They are scarce, however, due to the near-incompatibility of the formation of magnetic order (partial filled d orbitals in 3d TMOs) and the conventional off-centering mechanism of ferroelectricity (empty d orbitals in 3d TMOs) within a single phase [16]. Shimada et al. demonstrated theoretically that atomic-size multiferroics emerges in nonmagnetic ferroelectric PbTiO<sub>3</sub> through  $V_{\rm O}$  formed at surfaces [17], while, there are few experimental reports about  $V_0$  manipulating magnetism and ferroelectricity in the thin films simultaneously. On the other

<sup>\*</sup>jusheng@suda.edu.cn

<sup>&</sup>lt;sup>†</sup>albinab@ornl.gov

<sup>&</sup>lt;sup>‡</sup>yanghao@nuaa.edu.cn

hand, one can engineer multiferroic properties in  $ABO_3$  oxides by chemically controlling the functionality on a site-by-site basis, such as A-site cations providing ferroelectricity and B-site cations supplying magnetism or vice versa. It is well known that BiFeO<sub>3</sub> (BFO) is the case that ferroelectricity is originated from Bi<sup>3+</sup> 6s<sup>2</sup> lone-pair electrons hybridized with  $O^{2-}$  2 $p^6$  at A site and antiferromagnetism is derived from Fe<sup>3+</sup> 3 $d^5$  at B site [18]. Unfortunately, the calculations demonstrated that  $V_O$  cannot significantly affect the electric polarization, but can slightly alter the value of the macroscopic magnetization of the BFO [19]. The ionic displacements are insensitive to  $V_O$ , which is responsible for the unaffected electric polarization.

In this paper, we report a pathway toward a realization of manipulating magnetism and ferroelectricity simultaneously by using  $V_{\rm O}$ . Based on previous reports, the criteria that a material must satisfy for this proposed mechanism are as follows: (1) the magnetic and electric ordering should originate from different cations, and (2) the ionic displacement should be sensitive to  $V_{\rm O}$ . In bulk, Eu<sub>0.5</sub>Ba<sub>0.5</sub>TiO<sub>3</sub> (EBTO) with a typical  $ABO_3$ -perovskite structure shows antiferromagnetic (AFM,  $T_{\rm N} \sim 1.9$  K) and ferroelectric (FE,  $T_{\rm C} \sim 213$  K) [20,21]. The AFM and FE stem from the Eu<sup>2+</sup> 4  $f^7$  unpaired electrons at A site and the off-center Ti<sup>4+</sup>  $3d^0$  at B site, respectively. Moreover, EBTO is structurally similar to the archetypal TMOs,

such as BaTiO<sub>3</sub> (BTO) and SrTiO<sub>3</sub> (STO), and the introduction of  $V_{\rm O}$  has been shown to enhance the ferroelectricity of STO [6,22]. Additionally, our previous results established that the doping of  $V_{\rm O}$  shows strong influence on the magnetic ordering of the Eu<sub>0.5</sub>Ba<sub>0.5</sub>TiO<sub>3- $\delta$ </sub> (EBTO<sub>3- $\delta$ </sub>) thin films [23].

Our present work shows that careful manipulation of  $V_{\rm O}$  can improve both magnetic and FE properties in EBTO<sub>3- $\delta$ </sub>. We experimentally observed that the ferroic orders in EBTO<sub>3-8</sub> thin films are transformed from AFM-FE to FM-FE, and the FE Curie temperature is enhanced to be above room temperature. A small magnetodielectric response was also detected in the  $V_0$ -doped film, revealing the existence of magnetoelectric coupling. First-principle calculations revealed that the introduction of  $V_{\rm O}$  induces defect-associated effects including spin-polarized Ti<sup>3+</sup> ions, mediating a FM coupling between the local Eu<sup>2+</sup>  $4 f^7$  spins, and an enhanced off-center displacement of Ti ions, stabilizing the ferroelectric phase and thus increasing the Curie temperature. The tuning of magnetism and ferroelectricity is both through the medium of Ti sites, which is the origin of the magnetoelectric coupling in EBTO<sub>3- $\delta$ </sub>.

Pulsed laser deposition was used to fabricate  $EBTO_{3-\delta}$  films on (001)  $SrTiO_3$  (STO) and (001) Nb-doped  $SrTiO_3$  (Nb-STO, Nb: 0.5 wt. %) substrates. All of the  $EBTO_{3-\delta}$  films were grown under identical deposition conditions, except




FIG. 1. Magnetic hysteresis loops for samples (a) C and (b) D. Insets show temperature dependence of magnetization curves and the derivative of magnetization with respect to the temperature (obtained from FC curves). (c) Content of  $V_O$  ( $\delta$ ) dependences of coercivity and saturation magnetization.

for the oxygen pressure, which varied from  $1\times 10^{-1}$  to  $1\times 10^{-4}$  Pa (see Supplemental Material for more details [24]). Four kinds of EBTO<sub>3- $\delta$ </sub> films with different content of  $V_{\rm O}$ , grown at oxygen pressure of  $1\times 10^{-1}$ ,  $1\times 10^{-2}$ ,  $1\times 10^{-3}$ , and  $1\times 10^{-4}$  Pa, were named as sample A, B, C, and D, respectively. Moreover, x-ray reciprocal space maps were measured to confirm that strain created by the lattice mismatch of EBTO<sub>3- $\delta$ </sub> and Nb-STO is fully relaxed (not shown).

To quantitatively determine the stoichiometry and oxygen concentration of the EBTO<sub>3- $\delta$ </sub> films, we used nuclear resonance backscattering spectrometry. The cation ratio in the  $EBTO_{3-\delta}$  films (Eu:Ba:Ti) was revealed to be 1:1:2. According to the concentrations of the cations and O, the atomicity of O is estimated to be 2.98, 2.96, 2.91, and 2.85 for samples A, B, C, and D, respectively (see Fig. S1 of Supplemental Material [24]). By comparing the ideal and real atomicity of O, the content of  $V_{\rm O}(\delta)$  is calculated to be 0.02, 0.04, 0.09, and 0.15 in samples A, B, C, and D, respectively. X-ray photoemission spectroscopy (XPS) was used in consideration of very sensitive to variations in the valence state of transition-metal ions. The Eu 4d and Ba 3d spectra exhibit typical  $Eu^{2+}$  and  $Ba^{2+}$ features, while both  $Ti^{3+}$  and  $Ti^{4+}$  are observed in Ti 2pspectra (see Fig. S2 of Supplemental Material [24]). It is straightforward that  $Ti^{3+}$  has one electron at 3d orbital ( $Ti^{3+}$ :  $1s^2 2s^2 2p^6 3s^2 3p^6 4s^0 3d^1$ ), indicating the appearance of  ${\rm Ti}^{3+}~3d^1$  states in the EBTO<sub>3- $\delta$ </sub> films. The presence of the  $Ti^{3+} 3d^1$  state is consistent with the density-functional theory (DFT) calculations and is believed to have contributed to the FM ordering in the EBTO<sub>3- $\delta$ </sub> films (see below).

Figures 1(a) and 1(b) show the magnetization versus magnetic field for samples C and D, respectively. Similar results have also been obtained for samples A and B (see Fig. S3 of Supplemental Material [24]). Pronounced hysteretic loops are observed, consistent with ferromagnetism, having coercivity of 75.3 and 73.5 Oe for samples C and D, respectively. Note that the derivative of the magnetization shown as insets has a minimum at around 1.85 K, identified as the FM Curie temperature ( $T_{\rm C}$ ). In addition, the field-dependent magnetization curves are also measured at a higher magnetic field and temperature of 1, 1.5, and 5 K (see Fig. S3 of Supplemental Material [24]). The saturation magnetization, obtained at 1 K, is about 6.72 and 6.80  $\mu_{\rm B}/{\rm Eu}$  for samples C and D, respectively, which is close to the ideal magnetic moment of Eu<sup>2+</sup> ions ( $T_{\rm B}/{\rm Eu}$ ).

To further understand  $V_O$  effects on magnetic properties, the  $V_O$  dependence of coercivity and saturation magnetization are shown in Fig. 1(c). Assuming the local anisotropy energy of ferromagnetism does not change significantly with varying the concentration of  $V_O$ , and according to the Zeeman energy being equal to the anisotropy energy  $E_a = H_c M_s$ , the coercivity  $(H_C)$  gradually decreases with increasing saturation magnetization from samples A to D. These results demonstrate that the EBTO<sub>3- $\delta$ </sub> films become ferromagnetism at low temperatures, in contrast to the antiferromagnetism of bulk EBTO. In addition, there is a possibility that the EBTO<sub>3- $\delta$ </sub> films with even less  $V_O$  are also showing ferromagnetism.

To investigate the  $V_{\rm O}$  effects on ferroelectric properties of EBTO<sub>3- $\delta$ </sub> films, we performed the temperature-dependent optical second-harmonic generation (SHG). Optical SHG




FIG. 2. (a) SHG intensity corresponding to the P component of SHG for P-polarized fundamental as a function of temperature for samples A to D. The inset shows polar plot of SHG intensity (radius) versus fundamental polarization (azimuthal angle) at 80 and 350 K for P for sample C. (b) Piezoresponse force microscopy (PFM) amplitude (upper panel) and phase (lower panel) images of the rectangular ferroelectric domain patterns written by a biased tip in sample D at 300 K. The scan size is 2  $\mu$ m. (c) Room-temperature piezoresponse amplitude and phase hysteresis loops of sample D.

signals are plotted versus temperature for four samples in Fig. 2(a). Clearly, from samples A to D, the transition temperature increases from 260 to 395 K, which is significantly larger than that of bulk EBTO ( $\sim$ 213 K). To further confirm the huge enhancement of the FE  $T_{\rm C}$ , we also attempted to measure temperature-dependent dielectric permittivity (see Fig. S4 of Supplemental Material [24]). The curves distinctly show a shift of the maximum in the permittivity (FE  $T_{\rm C}$ ) from around 255 K for sample A to 435 K for sample D. The trend is consistent with SHG results (see Fig. S5 of Supplemental Material [24]), reflecting that the increase in the content of  $V_{\rm O}$  enhances the FE  $T_{\rm C}$  of EBTO<sub>3- $\delta$ </sub> films. Due to the introduction of  $V_{\rm O}$ , the peak in permittivity clearly exhibits a frequency dispersion, which is probably a huge influence of Maxwell-Wagner relaxation derived from the leakage current.

Ferroelectric hysteresis loops were also recorded (see insets of Fig. S4 of Supplemental Material [24]), confirming the ferroelectricity of EBTO<sub>3- $\delta$ </sub> films. The value of saturated polarization at 150 K is about 14  $\mu$ C cm<sup>-2</sup>, which is almost twice that of bulk EBTO ( $\sim$  8  $\mu$ C cm<sup>-2</sup> at 135 K) [20]. Additionally, the amplitude and phase images of the piezoelectric response measured at 300 K for sample D were acquired [Fig. 2(b)]. Stable ferroelectric domains with opposite polarization can be written by applying a dc bias to the AFM tip, suggesting room-temperature ferroelectricity and robust polarization. Similar results have also been observed in samples A to C (see Fig. S4 of Supplemental Material [24]). Moreover, room-temperature piezoresponse hysteresis loops (PHLs) were also obtained and shown in Fig. 2(c). Almost 180° phase contrast is




FIG. 3. (a) Lower-magnification HAADF-STEM image of sample D. (b) MAADF-STEM image of the highlighted region in (a). (c) Schematic of measuring in-plane  $(d_x)$  and out-of-plane  $(d_y)$  displacement of B-site cations (orange) from the center position with respect to the A-site cations (blue). (d)–(f) Higher-magnification HAADF-STEM image of EBTO region highlighted in (b) and the resultant Ti ion displacement map. (g)–(i) Higher-magnification HAADF-STEM image of STO region highlighted in (b) and the resultant Ti ions displacement map. (j) Statistical histogram of Ti ions displacements in (d) and (g), and the color scheme used in the displacement maps.

observed in the phase-voltage PHLs, indicating polarization switching. Associated with phase reversal, butterfly-shaped amplitude-voltage loops are also observed. The combination of these results proves that the oxygen-deficient EBTO<sub>3- $\delta$ </sub> films preserve ferroelectricity. Remarkably, the FE  $T_{\rm C}$  was enhanced to be above room temperature, which makes EBTO<sub>3- $\delta$ </sub> films attractive for the practical applications [25].

Considering the similarity of lattice structure between EBTO and BTO, the ferroelectricity in EBTO is believed to derive from the off-center displacement of Ti ions [20,21,26]. To further confirm the origin of room-temperature ferroelectricity in the EBTO<sub>3- $\delta$ </sub> films, aberration-corrected scanning transmission electron microscopy (STEM) measurements were conducted to analyze the off-center displacement of Ti ions in the EBTO<sub>3- $\delta$ </sub> films. High-angle annular dark-field (HAADF) imaging in STEM, also known as *Z*-contrast imaging [27], can be used to precisely measure cation column locations, from which local cation displacement (related to polarization) can be mapped out unit cell by unit cell [28]. The STEM

results for sample D are shown as Fig. 3. An overview of the EBTO<sub>3- $\delta$ </sub> film is shown in Fig. 3(a), indicating that the film has consistent thickness and uniform appearance on this scale. Close-up looks reveal that some defects have developed in the film. Figure 3(b) shows a medium-angle annular dark-field (MAADF) image of the region highlighted in Fig. 3(a), in which bright contrast can be seen in the film and at the interface. Since MAADF is sensitive to small lattice distortions [29], such contrast could be from grains in the specimen thickness direction along the electron beam, which are slightly misoriented with each other due to the presence of defects such as dislocations. In order to reliably measure displacements of Ti ions, HAADF images were taken in the areas away from those defective areas, where no MAADF contrast can be seen. The cation column positions, determined using a center-of-mass refinement method, were used to calculate the displacements [Fig. 3(c)]. The HAADF image and the resultant Ti ions displacement map for the EBTO<sub>3- $\delta$ </sub> film and the STO substrate are shown in Figs. 3(d)-3(f) and 3(g)-3(i),




FIG. 4. (a) Differential charge upon the presence of  $V_0$ . (b) Differential charge between AFM order and FM order of EBTO<sub>3-1/4</sub>. Type 1:  $V_0$  at the EuO plane; type 2:  $V_0$  at the BaO plane; type 3 and type 4:  $V_0$  at the TiO<sub>2</sub> plane. In all cases, FM ordering is favored with the presence of  $V_0$ . (c) Sketch of the effects of  $V_0$  on ferromagnetism and ferroelectricity in the oxygen-deficient EBTO<sub>3- $\delta$ </sub>. Left panel: Original AFM and FE orders in bulk EBTO. Right panel: FM and FE orders with  $V_0$  at the EuO or BaO plane in the EBTO<sub>3- $\delta$ </sub>. (d) Band diagram of the oxygen-deficient EBTO<sub>3- $\delta$ </sub>.

respectively. From the displacement maps, it can be seen that the EBTO<sub>3- $\delta$ </sub> film has nonzero Ti ions displacements in the in-plane  $(d_x)$  and the out-of-plane  $(d_y)$  directions. While the absolute value of the displacements is fairly small and approaches the detection limit for the technique, the histogram shown in Fig. 3(j) shows unambiguously that the average value of  $d_x$  (blue) and  $d_y$  (black) for the EBTO<sub>3- $\delta$ </sub> film is distinct from zero, namely about 0.07 and 0.03 Å, respectively. This finding is consistent with the SHG and PFM results confirming that the FE  $T_{\rm C}$  of sample D is above room temperature. In contrast to that, the average value of  $d_x$  (red) and  $d_y$  (green)

for the STO substrate (calculated the same way) is about zero, which is consistent with its room-temperature paraelectricity.

To understand the physical process underlying the manipulation of multiple order parameters in the EBTO<sub>3- $\delta$ </sub> films, DFT calculations were performed. A-type atomic arrangement of Eu and Ba ions was used in the calculations due to the simultaneous lowest energy and AFM-FE (see Fig. S6 of Supplemental Material [24]). To further shed light on  $V_{\rm O}$  effects, electron distribution under different configurations of  $V_{\rm O}$  position (see Fig. S7 of Supplemental Material [24]) is investigated and shown in Fig. 4(a). The change of electron




FIG. 5. Magnetic field dependence of dielectric constant measured at (a) 1.75 and (b) 10 K of sample D.

distribution around Ti sites is clearly observed upon the presence of  $V_O$ , indicating the appearance of  $Ti^{3+} 3d^1$  states, while the valence states of Eu and Ba ions remain divalent. Differential charge distribution between AFM and FM orders is also shown in Fig. 4(b). The electron around oxygen and Eu sites show spatially asymmetric variation. In particular, when  $V_O$  is located at the  $TiO_2$  plane, the electron distribution around Eu sites shows obvious differences between each other, implying a hybridization of  $Eu^{2+} 4f^7$  and  $Ti^{3+} 3d^1$ . Note that the FM states of all  $V_O$  configurations are energetically more favorable than their AFM states [Fig. 4(b)].

Based on the results given above, we now focus on understanding the effects of  $V_{\rm O}$  on FM and FE orders by presenting a model and a band diagram [Figs. 4(c) and 4(d), respectively]. Before taking into account  $V_0$ , superexchange coupling between Eu<sup>2+</sup>  $4f^7$  spins via Ti<sup>4+</sup>  $3d^0$  states and off-center displacement of Ti ions are responsible for AFM and FE orders observed in bulk EBTO [20,21,30], respectively [Fig. 4(c)]. Combined with XPS valence-band spectra [30,31], the existence of  $V_0$  creates  $Ti^{3+} 3d^1$  defect states, localizing within the band gap and overlapping with  $Eu^{2+} 4f^7$  states [Fig. 4(d)]. In this case, the spin-polarized Ti<sup>3+</sup> will mediate FM coupling between the localized  $Eu^{2+}$   $4f^7$  spins in EBTO<sub>3- $\delta$ </sub> [Fig. 4(c)]. Furthermore, in the presence of  $V_{\rm O}$ , Ti ions with remaining oxygen form pyramid structure instead of oxygen octahedra (see Fig. S7 of Supplemental Material [24]) and increase the  $d_{3z^2-r^2}$  or  $d_{xy}$  character of local orbitals of  $Ti^{3+}$  ions adjacent to the  $V_O$  sites [17,32]. When  $V_O$  is situated in the EuO or BaO plane, Ti ions move naturally toward  $V_0$  to avoid electrostatic interaction and the  $d_{3r^2-r^2}$ occupation can lead to a local polar distortion. On the other hand, when  $V_0$  is placed in the TiO<sub>2</sub> plane,  $d_{xy}$  orbital is preferred, resulting in an additional polar distortion in the TiO<sub>2</sub> plane. These local distortions should couple with globe polar distortion in pristine EBTO and will afford a totally new degree of freedom to tune the ferroelectricity in EBTO<sub>3- $\delta$ </sub>. In other words, the off-center displacement of Ti ions will be enhanced by the introduction of  $V_0$ , thereby enhancing the FE Curie temperature in EBTO<sub>3- $\delta$ </sub> [Fig. 4(c)]. These results definitely confirm that tuning  $V_{\rm O}$  can effectively change magnetic and electric degrees of freedom in EBTO<sub>3- $\delta$ </sub> simultaneously. More

than this, it should be emphasized that the manipulating of magnetism and ferroelectricity is both through the medium of Ti sites, revealing the existence of magnetoelectric coupling in  $EBTO_{3-\delta}$ . The coupling between electric and magnetic orders was confirmed in the  $V_O$ -doped film by the magnetodielectric measurements (Fig. 5). Due to the spin-phonon coupling, as shown in Fig. 5(a), the dielectric constant shows a dependence on the external magnetic fields in the FM-FE state [33–35]. In contrast, as shown in Fig. 5(b), the influence of magnetic field is almost negligible in the PM-FE state.

In conclusion, a mechanism is proposed for controlling multiple order parameters simultaneously by using a single experimental parameter,  $V_{\rm O}$ . EBTO<sub>3- $\delta$ </sub> was chosen to realize this strategy because magnetism and ferroelectricity are originated from different cations and the off-center displacements of Ti ions are sensitive to  $V_{\rm O}$ . The emergence of ferromagnetism is the result of oxygen vacancy-created Ti<sup>3+</sup>  $3d^1$  defect states, mediating ferromagnetic coupling between the localized Eu  $4f^7$  spins. On the other hand, the introduction of  $V_{\rm O}$  increases an off-center displacement of Ti ions, enhancing the ferroelectric Curie temperature of EBTO<sub>3- $\delta$ </sub>. The dual function of Ti sites induces magnetoelectric coupling, which reinforces the high potential of oxygen vacancies engineering as a tool for designing oxide thin films suitable for multifunctional device applications.

The authors thank Kelvin H. L. Zhang for valuable discussion, and also acknowledge the support of the National Basic Research Program of China (Grant No. 2014CB921001), the National Natural Science Foundation of China (Grants No. 11274237, No. U1632122, No. 11004145, No. 51202153, No. U1332209, No. U1435208, No. 11134012, No. 11174355, No. 11474349, and No. 11227405), and the Program for Postgraduates Research Innovation in University of Jiangsu Province under Grant No. CXZZ13\_0798. The STEM studies (Q.H. and A.Y.B.) are supported by the US Department of Energy (DOE), Office of Science, Basic Energy Sciences, Materials Sciences and Engineering Division. The TEM studies at Texas A&M University are funded by the US National Science Foundation (Grants No. DMR-1643911 and No. DMR-1565822). Ion beam analysis (Y.W.) and

SHG measurements are supported by the Center for Integrated Nanothechnologies (CINT), a US DOE Nanoscale Research Center, jointly operated by Los Alamos and Sandia National Laboratories. A.R. gratefully acknowledges finan-

cial support from NSERC through a discovery grant, from FRQNT and from CFI through the Leaders Opportunity Fund.

W.L. and Q.H. contributed equally to this work.

- [1] A. Ohtomo and H. Y. Hwang, Nature (London) **427**, 423 (2004).
- [2] K.-I. Kobayashi, T. Kimura, H. Sawada, K. Terakura, and Y. Tokura, Nature (London) 395, 677 (1998).
- [3] J. Wang et al., Science 299, 1719 (2004).
- [4] S. A. Kalinin and N. A. Spaldin, Science 341, 858 (2013).
- [5] R. Mishra, Y.-M. Kim, J. Salafrance, S. K. Kim, S. H. Chang, A. Bhattacharya, D. D. Fong, S. J. Pennycook, S. T. Pantelides, and A. Y. Borisevich, Nano Lett. 14, 2694 (2014).
- [6] J. Y. Son, J.-H. Lee, and H. M. Jang, Appl. Phys. Lett. 103, 102901 (2013).
- [7] A. M. Glazer, Acta Crystallogr., Sect. B 28, 3384 (1972).
- [8] A. M. Glazer, Acta Crystallogr., Sect. A 31, 756 (1975).
- [9] N. Biškup, J. Salafranca, V. Mehta, M. P. Oxley, Y. Suzuki, S. J. Pennycook, S. T. Pantelides, and M. Varela, Phys. Rev. Lett. 112, 087202 (2014).
- [10] N. Pavlenko, T. Kopp, E. Y. Tsymbal, G. A. Sawatzky, and J. Mannhart, Phys. Rev. B 85, 020407(R) (2012).
- [11] J. A. Bert, B. Kalisky, C. Bell, M. Kim, Y. Hikita, H. Y. Hwang, and K. A. Moler, Nat. Phys. 7, 767 (2011).
- [12] W. D. Rice, P. Ambwani, M. Bombeck, J. D. Thompson, G. Haugstad, C. Leighton, and S. A. Crooker, Nat. Mater. 13, 481 (2014).
- [13] W. Eerenstein, N. D. Mathur, and J. F. Scott, Nature (London) 442, 759 (2006).
- [14] R. Ramesh and N. A. Spaldin, Nat. Mater. 6, 21 (2007).
- [15] N. A. Spaldin, S. W. Cheong, and R. Ramesh, Phys. Today **63**, 38 (2010).
- [16] N. A. Hill, J. Phys. Chem. B 104, 6694 (2000).
- [17] T. Shimada, J. Wang, Y. Araki, M. Mrovec, C. Elsässer, and T. Kitamura, Phys. Rev. Lett. 115, 107202 (2015).
- [18] G. A. Smolenskii and I. E. Chupis, Sov. Phys.-Usp. **25**, 475 (1982).

- [19] C. Ederer and N. A. Spaldin, Phys. Rev. B 71, 224103 (2005).
- [20] K. Z. Rushchanskii et al., Nat. Mater. 9, 649 (2010).
- [21] V. Goian, S. Kamba, D. Nuzhnyy, P. Vaněk, M. Kempa, V. Bovtun, K. Knížek, J. Prokleška, F. Borodavka, M. Ledinský, and I. Gregora, J. Phys.: Condens. Matter 23, 025904 (2011).
- [22] M. Choi, F. Oba, and I. Tanaka, Phys. Rev. Lett. 103, 185502 (2009).
- [23] W. Li et al., Sci. Rep. 3, 2618 (2013).
- [24] See Supplemental Material at http://link.aps.org/supplemental/ 10.1103/PhysRevB.96.115105 for additional data and analysis of results in this paper.
- [25] J. F. Scott, Nat. Mater. 6, 256 (2007).
- [26] R. E. Cohen, Nature (London) 358, 136 (1992).
- [27] S. J. Pennycook and P. D. Nellist, Scanning Transmission Electron Microscopy: Imaging and Analysis (Springer, New York, 2011).
- [28] H. J. Chang, S. V. Kalinin, A. N. Morozovska, M. Huijben, Y.-H. Chu, P. Yu, R. Ramesh, E. A. Eliseev, G. S. Svechnikov, S. J. Pennycook, and A. Y. Borisevich, Adv. Mater. 23, 2474 (2011).
- [29] Z. H. Yu, D. A. Muller, and J. Silcox, J. Appl. Phys. 95, 3362 (2004).
- [30] H. Akamatsu, Y. Kumagai, F. Oba, K. Fujita, H. Murakami, K. Tanaka, and I. Tanaka, Phys. Rev. B 83, 214421 (2011).
- [31] M. Hoinkis, M. Sing, J. Schäfer, M. Klemm, S. Horn, H. Benthien, E. Jeckelmann, T. Saha-Dasgupta, L. Pisani, R. Valentí, and R. Claessen, Phys. Rev. B 72, 125127 (2005).
- [32] M. Choi, F. Oba, Y. Kumagai, and I. Tanaka, Adv. Mater. 25, 86 (2012).
- [33] T. Katsufuji and H. Takagi, Phys. Rev. B **64**, 054415 (2001).
- [34] H. Wu, Q. Jiang, and W. Z. Shen, Phys. Rev. B 69, 014104 (2004).
- [35] C. J. Fennie and K. M. Rabe, Phys. Rev. Lett. 97, 267602 (2006).