S2. General Practitioner (GP) Read codes version 2 defining alcohol-related GP consultations.

Read code	Description
136	Alcohol consumption
136Z.	Alcohol consumption NOS
1368.	Alcohol consumption unknown
2577.	O/E - breath - alcohol smell
67H0.	Lifestyle advice regarding alcohol
67K6.	Cycle of change stage, alcohol
8CAM.	Patient advised about alcohol
8CAv.	Advised to contact primary care alcohol worker
67A5.	Pregnancy alcohol advice
8CE1.	Alcohol leaflet given
6792.	Health ed alcohol
8IA7.	Alcohol consumption screening test declined
8IH4.	Alcohol Use Disorders Identification Test declined
136a.	Increasing risk drinking
136b.	Feels should cut down drinking
136c.	Higher risk drinking
13ZY.	Disqualified from driving due to excess alcohol
1F9D.	Replaces meals with drinks
38Df.	Five-shot questionnaire on heavy drinking
136K.	Alcohol intake above recommended sensible limits
136d.	Lower risk drinking
136N.	Light drinker
136L.	Alcohol intake within recommended sensible limits
1362.	Trivial drinker - <1u/day
1363.	Light drinker - 1-2u/day
136e.	Declines to state current alcohol consumption
8CAM0	Advised to abstain from alcohol consumption

Read code	Description
8IAF.	Brief intervention for excessive alcohol consumption declined
8IAJ.	Declined referral to specialist alcohol treatment service
8IAt.	Extended intervention for excessive alcohol consumption declined
8IEA.	Referral to community alcohol team declined
8W2	Referral to mental health services deferred until alcohol misuse resolved
9k19.	Alcohol assessment declined - enhanced services administration
9NzA.	Hospital attendance related to personal alcohol consumption
1361.	Teetotaller
136M.	Current non drinker
1367.	Stopped drinking alcohol
136O.	Moderate drinker
1364.	Moderate drinker - 3-6u/day
136P.	Heavy drinker
1365.	Heavy drinker - 7-9u/day
136Q.	Very heavy drinker
1366.	Very heavy drinker - >9u/day
136R.	Binge drinker
1369.	Suspect alcohol abuse - denied
136S.	Hazardous alcohol use
136T.	Harmful alcohol use
136W.	Alcohol misuse
136J.	Social drinker
136V.	Alcohol units per week
136X.	Alcohol units consumed on heaviest drinking day
136A.	Ex-trivial drinker (<1u/day)
136B.	Ex-light drinker - (1-2u/day)
136C.	Ex-moderate drinker - (3-6u/d)
136D.	Ex-heavy drinker - (7-9u/day)
136E.	Ex-very heavy drinker-(>9u/d)

Read code	Description
136F.	Spirit drinker
136G.	Beer drinker
136Н.	Drinks beer and spirits
136I.	Drinks wine
C1505	Alcohol-induced pseudo-Cushing's syndrome
Eu10.	[X]Mental and behavioural disorders due to use of alcohol
E014.	Pathological alcohol intoxication
E014.	Pathological alcohol intoxication
E230.	Acute alcoholic intoxication in alcoholism
E2300	Acute alcoholic intoxication, unspecified, in alcoholism
E2301	Continuous acute alcoholic intoxication in alcoholism
E2302	Episodic acute alcoholic intoxication in alcoholism
E2303	Acute alcoholic intoxication in remission, in alcoholism
E230z	Acute alcoholic intoxication in alcoholism NOS
Eu100	[X]Mental and behavioural disorders due to use of alcohol: acute intoxication
136Y.	Drinks in morning to get rid of hangover
2126C	Alcohol dependence resolved
E250.	Nondependent alcohol abuse
E2500	Nondependent alcohol abuse, unspecified
E2501	Nondependent alcohol abuse, continuous
E2502	Nondependent alcohol abuse, episodic
E2503	Nondependent alcohol abuse in remission
E250z	Nondependent alcohol abuse NOS
Eu101	[X]Mental and behavioural disorders due to use of alcohol: harmful use
ZV113	[V]Personal history of alcoholism
1462.	H/O: alcoholism
E23	Alcohol dependence syndrome
E231.	Chronic alcoholism
E2310	Unspecified chronic alcoholism

Read code	Description
E2311	Continuous chronic alcoholism
E2312	Episodic chronic alcoholism
E2313	Chronic alcoholism in remission
E231z	Chronic alcoholism NOS
E23z.	Alcohol dependence syndrome NOS
Eu102	[X]Mental and behavioural disorders due to use of alcohol: dependence syndrome
Eu108	[X]Alcohol withdrawal-induced seizure
E01y0	Alcohol withdrawal syndrome
Eu103	[X]Mental and behavioural disorders due to use of alcohol: withdrawal state
1B1c.	Alcohol induced hallucinations
E010.	Alcohol withdrawal delirium
E013.	Alcohol withdrawal hallucinosis
Eu104	[X]Mental and behavioural disorders due to use of alcohol: withdrawal state with delirium
E01	Alcoholic psychoses
E015.	Alcoholic paranoia
E01y.	Other alcoholic psychosis
E01yz	Other alcoholic psychosis NOS
E01z.	Alcoholic psychosis NOS
Eu105	[X]Mental and behavioural disorders due to use of alcohol: psychotic disorder
E0110	Korsakov's alcoholic psychosis
E011.	Alcohol amnestic syndrome
E011z	Alcohol amnestic syndrome NOS
Eu106	[X]Mental and behavioural disorders due to use of alcohol: amnesic syndrome
E012.	Other alcoholic dementia
E0120	Chronic alcoholic brain syndrome
Eu107	[X]Mental and behavioural disorders due to use of alcohol: residual and late-onset psychotic disorder
Eu10y	[X]Mental and behavioural disorders due to use of alcohol: other mental and behavioural disorders
Eu10z	[X]Mental and behavioural disorders due to use of alcohol: unspecified mental and behavioural disorder
F11x0	Cerebral degeneration due to alcoholism

Read code	Description
F1440	Cerebellar ataxia due to alcoholism
F25B.	Alcohol-induced epilepsy
E0111	Korsakov's alcoholic psychosis with peripheral neuritis
F375.	Alcoholic polyneuropathy
F3941	Alcoholic myopathy
G555.	Alcoholic cardiomyopathy
J153.	Alcoholic gastritis
J610.	Alcoholic fatty liver
J617.	Alcoholic hepatitis
J6170	Chronic alcoholic hepatitis
J611.	Acute alcoholic hepatitis
J6120	Alcoholic fibrosis and sclerosis of liver
G8523	Oesophageal varices in alcoholic cirrhosis of the liver
J612.	Alcoholic cirrhosis of liver
J6130	Alcoholic hepatic failure
J613.	Alcoholic liver damage unspecified
J6708	Alcohol-induced acute pancreatitis
J6710	Alcohol-induced chronic pancreatitis
L2553	Maternal care for (suspected) damage to fetus from alcohol
PK83.	Fetus and newborn affected by maternal use of alcohol
Q0071	Fetus or neonate affected by placental or breast transfer of alcohol
PK80.	Fetal alcohol syndrome
9EQ	HO/RTS-police:venesect alc
R103.	[D]Alcohol blood level excessive
ZV704	[V]Medicolegal examination
SLH3.	Alcohol deterrent poisoning
TJH3.	Adverse reaction to alcohol deterrents
U60H3	[X]Alcohol deterrents causing adverse effects in therapeutic use
SM00.	Ethyl alcohol causing toxic effect

Read code	Description
SM000	Ethanol causing toxic effect
SM002	Grain alcohol causing toxic effect
SM00z	Ethyl alcohol causing toxic effect NOS
SM0	Alcohol causing toxic effect
SM0z.	Alcohol causing toxic effect NOS
T90	Accidental poisoning by alcohol, NEC
T900.	Accidental poisoning by alcoholic beverages
T901.	Accidental poisoning by other ethyl alcohol and its products
T9012	Accidental poisoning by grain alcohol NOS
T901z	Accidental poisoning by ethyl alcohol NOS
T90z.	Accidental poisoning by alcohol NOS
U1A9.	[X]Accidental poisoning by and exposure to alcohol
U1A90	[X]Accidental poisoning by and exposure to alcohol, occurrence at home
U1A91	[X]Accidental poisoning by and exposure to alcohol, occurrence in residential institution
	[X]Accidental poisoning by and exposure to alcohol, occurrence at school, other institution and public administrative
U1A92	area
U1A93	[X]Accidental poisoning by and exposure to alcohol, occurrence at sports and athletics area
U1A94	[X]Accidental poisoning by and exposure to alcohol, occurrence on street and highway
U1A95	[X]Accidental poisoning by and exposure to alcohol, occurrence at trade and service area
U1A96	[X]Accidental poisoning by and exposure to alcohol, occurrence at industrial and construction area
U1A97	[X]Accidental poisoning by and exposure to alcohol, occurrence on farm
U1A9y	[X]Accidental poisoning by and exposure to alcohol, occurrence at other specified place
U1A9z	[X]Accidental poisoning by and exposure to alcohol, occurrence at unspecified place
U209.	[X]Intentional self poisoning by and exposure to alcohol
U2090	[X]Intentional self poisoning by and exposure to alcohol, occurrence at home
U2091	[X]Intentional self poisoning by and exposure to alcohol, occurrence in residential institution
	[X]Intentional self poisoning by and exposure to alcohol, occurrence at school, other institution and public
U2092	administrative area
U2093	[X]Intentional self poisoning by and exposure to alcohol, occurrence at sports and athletics area

Read code	Description
U2094	[X]Intentional self poisoning by and exposure to alcohol, occurrence on street and highway
U2095	[X]Intentional self poisoning by and exposure to alcohol, occurrence at trade and service area
U2096	[X]Intentional self poisoning by and exposure to alcohol, occurrence at industrial and construction area
U2097	[X]Intentional self poisoning by and exposure to alcohol, occurrence on farm
U209y	[X]Intentional self poisoning by and exposure to alcohol, occurrence at other specified place
U209z	[X]Intentional self poisoning by and exposure to alcohol, occurrence at unspecified place
U409.	[X]Poisoning by and exposure to alcohol, undetermined intent
U4090	[X]Poisoning by and exposure to alcohol, occurrence at home, undetermined intent
U4091	[X]Poisoning by and exposure to alcohol, occurrence in residential institution, undetermined intent
	[X]Poisoning by and exposure to alcohol, occurrence at school, other institution and public administrative area,
U4092	undetermined intent
U4093	[X]Poisoning by and exposure to alcohol, occurrence at sports and athletics area, undetermined intent
U4094	[X]Poisoning by and exposure to alcohol, occurrence on street and highway, undetermined intent
U4095	[X]Poisoning by and exposure to alcohol, occurrence at trade and service area, undetermined intent
U4096	[X]Poisoning by and exposure to alcohol, occurrence at industrial and construction area, undetermined intent
U409y	[X]Poisoning by and exposure to alcohol, occurrence at other specified place, undetermined intent
U409z	[X]Poisoning by and exposure to alcohol, occurrence at unspecified place, undetermined intent
U4097	[X]Poisoning by and exposure to alcohol, occurrence on farm, undetermined intent
du11.	DISULFIRAM 200mg tablets
du12.	ANTABUSE 200mg tablets
U80	[X]Evidence of alcohol involvement determined by blood alcohol level
U800.	[X]Evidence of alcohol involvement determined by blood alcohol level of less than 20 mg/100 ml
U801.	[X]Evidence of alcohol involvement determined by blood alcohol level of 20-39 mg/100 ml
U802.	[X]Evidence of alcohol involvement determined by blood alcohol level of 40-59 mg/100 ml
U803.	[X]Evidence of alcohol involvement determined by blood alcohol level of 60-79 mg/100 ml
U804.	[X]Evidence of alcohol involvement determined by blood alcohol level of 80-99 mg/100 ml
U805.	[X]Evidence of alcohol involvement determined by blood alcohol level of 100-119 mg/100 ml
U806.	[X]Evidence of alcohol involvement determined by blood alcohol level of 120-199 mg/100 ml
U807.	[X]Evidence of alcohol involvement determined by blood alcohol level of 200-239 mg/100 ml

Read code	Description
U808.	[X]Evidence of alcohol involvement determined by blood alcohol level of 240 mg/100 ml or more
U80z.	[X]Evidence of alcohol involvement determined by presence of alcohol in blood, level not specified
44X3.	Blood ethanol level
U81	[X]Evidence of alcohol involvement determined by level of intoxication
U810.	[X]Evidence of alcohol involvement determined by level of intoxication, mild alcohol intoxication
U811.	[X]Evidence of alcohol involvement determined by level of intoxication, moderate alcohol intoxication
U812.	[X]Evidence of alcohol involvement determined by level of intoxication, severe alcohol intoxication
U813.	[X]Evidence of alcohol involvement determined by level of intoxication, very severe alcohol intoxication
U814.	[X]Evidence of alcohol involvement determined by level of intoxication, alcohol involvement, not otherwise specified
ZV70L	[V]Blood-alcohol and blood-drug test
388u.	Fast alcohol screening test
38D2.	Single alcohol screening questionnaire
38D3.	Alcohol use disorders identification test
38D4.	Alcohol use disorder identification test consumption questionnaire
38D5.	Alcohol use disorder identification test Piccinelli consumption questionnaire
38Dz.	Severity of alcohol dependence questionnaire
38P03	Health of the Nation Outcome Scale for Children and Adolescents item 4 - alcohol, substance/solvent misuse
38QA.	CIWA-Ar - Clinical Institute Withdrawal Assessment for Alcohol scale, revised
38QE.	Addiction Research Foundation Clinical Institute Withdrawal Assessment for Alcohol
68S	Alcohol consumption screen
9k13.	Alcohol questionnaire completed
9k15.	Alcohol screen - alcohol use disorder identification test completed
9k16.	Alcohol screen - fast alcohol screening test completed
9k17.	Alcohol screen - alcohol use disorder identification test consumption questions completed
9k18.	Alcohol screen - alcohol use disorder identification test Piccinelli consumption questions completed
ZV791	[V]Screening for alcoholism
6892.	Alcohol consumption screen
8H7p.	Referral to community alcohol team
8ННе.	Referral to community drug and alcohol team

Read code	Description
8HkG.	Referral to specialist alcohol treatment service
8HkJ.	Referral to alcohol brief intervention service
13Y8.	Alcoholics anonymous
66e	Alcohol disorder monitoring
66e0.	Alcohol abuse monitoring
7P221	Delivery of rehabilitation for alcohol addiction
9EVD.	Hospital alcohol liaison team report received
9k1	Alcohol misuse - enhanced services administration
9k11.	Alcohol consumption counselling
9k12.	Alcohol misuse - enhanced service completed
9k14.	Alcohol counselling by other agencies
9k1A.	Brief intervention for excessive alcohol consumption completed
9k1B.	Extended intervention for excessive alcohol consumption completed
9NJz.	In-house alcohol detoxification
9NN2.	Under care of community alcohol team
8BA8.	Alcohol detoxification
8G32.	Aversion therapy - alcoholism
8H35.	Admitted to alcohol detoxification centre
ZV57A	[V]Alcohol rehabilitation
ZV6D6	[V]Alcohol abuse counselling and surveillance
8BAs.	Alcohol relapse prevention
8BAu.	Alcohol harm reduction prog
8CdK.	Specialist alcohol treatment service signposted
9NgzH	Withdrawn from alcohol detoxification programme
ZV4KC	[V] Alcohol use
12X0.	Family history of alcohol misuse
13Wf.	Alcohol misuser in household
63C7.	Maternal alcohol abuse
ZV1A0	[V]Family history of alcohol abuse

Read code	Description
ZV615	[V]Health problems in family
1282.	FH: Alcoholism