

This is an Open Access document downloaded from ORCA, Cardiff University's institutional repository: <https://orca.cardiff.ac.uk/id/eprint/132621/>

This is the author's version of a work that was submitted to / accepted for publication.

Citation for final published version:

Courtenay, Molly , Burnett, Emma, Castro-Sanchez, Enrique, Moralez de Figueiredo, Rosely, Du Toit, Briette, Gallagher, Rose, Gotterson, Fiona, Kennedy, Heather, Manias, Elisabeth, McEwen, Jo, Ness, Valerie, Olans, Rita and Padoveze, Maria Clara 2020. Preparing nurses for COVID-19 response efforts through involvement in antimicrobial stewardship programmes. *Journal of Hospital Infection* 106 (1) , pp. 176-178. 10.1016/j.jhin.2020.06.011

Publishers page: <http://doi.org/10.1016/j.jhin.2020.06.011>

Please note:

Changes made as a result of publishing processes such as copy-editing, formatting and page numbers may not be reflected in this version. For the definitive version of this publication, please refer to the published source. You are advised to consult the publisher's version if you wish to cite this paper.

This version is being made available in accordance with publisher policies. See <http://orca.cf.ac.uk/policies.html> for usage policies. Copyright and moral rights for publications made available in ORCA are retained by the copyright holders.



Title: Preparing nurses for COVID-19 response efforts through involvement in antimicrobial stewardship programmes

Molly Courtenay¹, Emma Burnett², Enrique Castro-Sánchez³, Rosely Moralez de Figueiredo⁴

Briëtte Du Toit⁵, Rose Gallagher⁶, Fiona Gotterson⁷, Heather Kennedy⁸, Elisabeth Manias⁹, Jo McEwen⁸, Valerie Ness¹⁰, Rita Olans¹¹, Maria Clara Padoveze¹²

¹School of Health Sciences, Cardiff University, Cardiff, CF24 0AB, UK, ²School of Health Sciences, University of Dundee, Scotland, ³NIHR Health Protection Unit in Healthcare Associated Infection and Antimicrobial Resistance at Imperial College London, London, W12 0NN, UK, ⁴Nursing Department, University of Sao Carlos, Brazil, ⁵Mediclinic Southern Africa, Stellenbosch, South Africa, ⁶Royal College of Nursing, London W1G 0RN, UK, ⁷NCAS, Australia, ⁸NHS Tayside, Dundee DD1 9SY, UK, ⁹School of Nursing and Midwifery, centre for Quality and Patient Safety, Institute for Health Transformation, Australia, ¹⁰ Glasgow Caledonian University, Glasgow, ¹¹School of Nursing, MGH Institute of Health Professions, Boston, Massachusetts, ¹²School of Nursing, University of São Paulo, Brazil

Severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) continues to spread internationally with 5 593 631 cases reported globally including 353 334 deaths [1]. Its rapid emergence and dissemination have highlighted multiple areas in which competencies in antimicrobial stewardship (AMS) (the safe and effective use of antimicrobials), specifically by nurses, can support response efforts. There have been calls for nurses to be recognised as legitimate contributors to AMS team efforts [2-5]. Unfortunately, nurse's role in these efforts, have received minimal mention in international and national policy [4,6,7,8,9,10]. It is reported that nurses' knowledge of antibiotics is poor [11, 12], and that AMS taught in nurse undergraduate programmes is disparate or lacking [13]. To address this gap, AMS consensus based international competency statements have been developed, focussed on six domains (Infection prevention and control, antimicrobials and antimicrobial resistance, the diagnosis of infection and use of antibiotics, antimicrobial prescribing practice, person centred care, interprofessional collaborative practice), which are (seen as) priorities/ minimum requirements for nurses [14,15].

Nurses are often the first to come into contact with patients infected by SARS-CoV-2 and so need to be alert to its signs and symptoms in order to ensure prompt implementation of additional precautions to stop transmission [16]. Differentiating between viral and bacterial pneumonia can be challenging [17] and so awareness of how these symptoms differ is crucial. This awareness is central

to reducing unnecessary prescriptions of not just antibiotics, as COVID-19 is caused by a virus, but other anti-infective drugs associated with AMS such as anti-fungal and anti-viral medications. AMS requires nurses to be able to distinguish between symptoms and ask questions about the use of antibiotics should symptoms be more consistent with a viral infection, or when microbiology results do not indicate a bacterial cause [14]. Such actions will help to ensure that antimicrobial resistance is not an unintended consequence of COVID-19.

Myths about COVID-19 circulated through social media and disreputable websites, the plethora of ever-evolving data and information, and the guidance on COVID-19 prevention presented daily, have made it difficult for the public to understand how the infection is transmitted and if antibiotics are necessary. Increasingly, the importance of engaging with patients and involving them in decision making to optimise AMS efforts, has become recognised [14]. Nurses, with their focus on patient centred care, are in an excellent position to engage with the public and communicate messages about interrupting the spread of infection and the appropriate use of antimicrobials, including the importance of prudent use for patients who really need them.

It is also important to recognise nurses' engagement through interprofessional collaboration, which involves nurses and other health professionals from various disciplines working together with shared goals, mutual trust, respect, and understanding about each other's roles, along with acceptance that patients are team members [18,19]. There is an association between interprofessional collaboration and patient safety [20,21]. In AMS, interprofessional collaboration requires shared understanding about antimicrobial treatment decisions and plans, and about the expected outcomes of antimicrobial therapy [14].

Infection prevention and control quality assurance frameworks [22] highlight that arrangements around AMS should be maintained during the COVID-19 pandemic, however, the outbreak of SARS-CoV-2 presents enormous challenges for AMS and for teamwork and interprofessional collaboration [23]. Traditional AMS teams may have fallen apart through repurposing of staff and laboratory capacity to support COVID-19 associated workload. Furthermore, its rapid emergence and dissemination have resulted, forcibly, on the reconfiguration of services, the redeployment of healthcare workers, and employment of retired practitioners. This reshaping of interprofessional relations, with the addition of different professionals, with various professional backgrounds and experiences, potentially dilutes existing team cohesions, and could affect discussions and decisions about antimicrobial prescribing. Nurses are pivotal as leaders and influencers and this pandemic

throws a spotlight on their communication and coordination of holistic patient care, clinical practice and facilitation of interprofessional collaboration. Nurses, however, may lack confidence in this endeavour; with the reshaping of healthcare teams increasing uncertainty and the need for clinical and professional supervision to overcome challenges. Applying AMS competencies will help nurses to consolidate their appreciation of interprofessional collaboration, and its contribution to AMS, and empower them to enact their AMS role, which in turn would enable sustainability of AMS activities during challenging times [14]. In applying AMS competencies, nurses will know the prerequisites for meaningful collaboration, including effective communication, negotiation and assertiveness skills [5,24,25]. Consequently, they are in a better position to confidently discuss antimicrobial-related issues with various health professionals, such as a switch from intravenous to oral therapy, and would recognise when specific communication techniques and tools are needed to convey and act on critical messages [24,26]. Building competence to practise collaboratively enables nurses to be active participants in AMS policy decisions, and involves nurses taking advantage of opportunities to discuss antimicrobial treatment decisions and management plans with their colleagues, patients, and carers. Through the application of competencies [14], nurses can work deliberately to build rapport and trust amongst team members, knowing that rapport and trust are necessary for genuine interprofessional collaborative practice to happen.

COVID-19 has focused attention on nurse leaders' power and potential to promote AMS. A key AMS strategy in the current pandemic is to promote the message that antibiotics should not be prescribed for viral infections, and that these medicines must only be prescribed for those for whom serious bacterial (primary or secondary) infection is suspected. By involving nurses in AMS leadership positions, role modelling the importance of AMS behaviours, and advocating for, and supporting nurses in enacting their AMS role, a strong signal will be sent out to nurses about the importance of responsible antimicrobial management.

References

1. WHO. Coronavirus disease (COVID-2019) situation reports. 2020. <https://www.who.int/emergencies/diseases/novel-coronavirus-2019/situation-reports/> (last accessed 29th May 2020)
2. Edwards R., Drumright, L. N., Kiernan, M. & Holmes, A. Covering more Territory to Fight Resistance: Considering Nurses' Role in Antimicrobial Stewardship. *Journal of infection prevention.*, 2011; 12, 6-10.
3. Olans, R. N., Olans R. D. & Demaria, A. The Critical Role of the Staff Nurse in Antimicrobial Stewardship--Unrecognized, but Already There. *Clinical Infectious Diseases.* 2016; 62, 84-9.

4. American Association of Nurses (AANs). White Paper: Redefining the antibiotic stewardship team: Recommendations from the AANs/Centers for Disease Control (CDC) and Prevention workgroup on the role of registered nurses in hospital antibiotic stewardship practices. 2017. Available at: <https://www.cdc.gov/antibiotic-use/healthcare/pdfs/ANA-CDC-whitepaper.pdf>
5. Castro, S, E.M., Gilchrist, M., MCewen, J., Smith, M., Kennedy, H. & Holmes., A. Antimicrobial stewardship: widening the collaborative approach. *Journal of Antimicrobial Stewardship* 2017. (<http://bsac.org.uk/wp-content/uploads/2017/07/BSAC-SC2018-Day1-JoMcEwen.pdf>)
6. European Commission. EU Guidelines for the prudent use of antimicrobials in human health (2017/C 212/01). https://ec.europa.eu/health/amr/sites/amr/files/amr_guidelines_prudent_use_en.pdf.
7. European Federation of Nurses Associations (EFN). Nurses are frontline combating antimicrobial resistance. <http://www.efnweb.be/wp-content/uploads/EFN-AMR-Report-Nurses-are-frontline-combating-AMR-07-11-2017.pdf>
8. CDC. Core Elements of Hospital Antibiotic Stewardship Programs. Atlanta, GA: US Department of Health and Human Services, CDC; 2014. [cited 02/04/2019]. Available at: <http://www.cdc.gov/getsmart/healthcare/implementation/core-elements>.
9. RCN. Antimicrobial resistance. 2020; <https://www.rcn.org.uk/clinical-topics/infection-prevention-and-control/antimicrobial-resistance> (last accessed 29th May 2020)
10. National Health Services Scotland. Scottish Management of Antimicrobial Resistance Action Plan 2014–2018 (ScotMARAP 2). Edinburgh: The Scottish Government
11. McEwen, J., Burnett, E., Antimicrobial, stewardship and pre- registration student nurses: Evaluation of teaching. *J Infect Prev*; 2019 Mar;19 (2):80-86
12. McGregor, W., Walker, G., Bayne, G., McEwen, J. Assessing knowledge of antimicrobial stewardship. *Nursing Times* 2015; 111: 15–17.
13. Castro-Sánchez, E., Drumright, L.N., Gharbi, M., Farrell, S., Holmes, A.H. Mapping Antimicrobial Stewardship in Undergraduate Medical, Dental, Pharmacy, Nursing and Veterinary Education in the United Kingdom. *PLoS ONE* 2016;11(2): e0150056. doi:10.1371/journal.pone.0150056
14. Courtenay, M., Lim, R., Castro-Sanchez, E., Hodson, K., Morris, G. et al. Development of consensus based international antimicrobial stewardship competencies for undergraduate nurse education. *Journal of Hospital Infection*. 2019; 103(3), pp. 244-250. (
15. Courtenay, M & Castro-Sanchez, E. (editors). *Antimicrobial stewardship for nursing practice*. Oxfordshire: CABI; 2020
16. PHE. Reducing the risk of transmission of COVID-19 in the hospital setting. 2020; <https://www.gov.uk/government/publications/wuhan-novel-coronavirus-infection-prevention-and-control/reducing-the-risk-of-transmission-of-covid-19-in-the-hospital-setting>
17. NICE. COVID 19 Rapid guideline: Antibiotics for pneumonia in adults in hospital. 2020; [NG 173] <https://www.nice.org.uk/guidance/ng173>
18. D'Amour, D., Ferrada-Videla, M., San Martin Rodriguez, L., and Beaulieu, M-D. The conceptual basis for interprofessional collaboration: Core concepts and theoretical frameworks. *Journal of Interprofessional Care*. 2005; 19: 116-31.

19. Petri L. Concept Analysis of Interdisciplinary Collaboration. *Nursing Forum*. 2010; 45: 73-82.
20. Levett-Jones, T., Burdett, T., Chow, YL., et al. Case Studies of Interprofessional Education Initiatives From Five Countries. *Journal of Nursing Scholarship*. 2018; 50: 324-32.
21. Reeves, S., Pelone, F., Harrison, R., Goldman, J., and Zwarenstein, M., Interprofessional collaboration to improve professional practice and healthcare outcomes. *Cochrane Database Syst Rev*. 2017; 6: Cd000072.
22. NHS. Infection prevention and control board assurance framework. 2020; NHS
23. Nembhard Ingrid, M., Burns Lawton, R., and Shortell Stephen, M., Responding to Covid-19: Lessons from Management Research. 2020; Catalyst non-issue content. 1.
24. Curtis, K., Tzannes, A., Rudge., T. How to talk to doctors – a guide for effective communication. *International Nursing Review*. 2011; 58: 13-20.
25. Wilson, AJ., Palmer, L., Levett-Jones, T., Gilligan, C., and Outram, S. Interprofessional collaborative practice for medication safety: Nursing, pharmacy, and medical graduates' experiences and perspectives. *Journal of Interprofessional Care*. 2016; 30: 649-54.
26. Foronda, C., MacWilliams, B., and McArthur, E. Interprofessional communication in healthcare: An integrative review. *Nurse Education in Practice*. 2016; 19: 36-40.