

This is an Open Access document downloaded from ORCA, Cardiff University's institutional repository:<https://orca.cardiff.ac.uk/id/eprint/135318/>

This is the author's version of a work that was submitted to / accepted for publication.

Citation for final published version:

Moore, Simon C. , Young, Tracey, Irving, Andy, Goodacre, Steve, Brennan, Alan and Amos, Yvette 2021. Controlled observational study and economic evaluation of the effect of city-centre night-time alcohol intoxication management services on the emergency care system compared to usual care. *Emergency Medicine Journal* 38 (7) , pp. 504-510. 10.1136/emermed-2019-209273

Publishers page: <http://dx.doi.org/10.1136/emermed-2019-209273>

Please note:

Changes made as a result of publishing processes such as copy-editing, formatting and page numbers may not be reflected in this version. For the definitive version of this publication, please refer to the published source. You are advised to consult the publisher's version if you wish to cite this paper.

This version is being made available in accordance with publisher policies. See <http://orca.cf.ac.uk/policies.html> for usage policies. Copyright and moral rights for publications made available in ORCA are retained by the copyright holders.



Controlled observational study and economic evaluation of the effect of city-centre night-time Alcohol Intoxication Management Services on the emergency care system compared to usual care

ONLINE APPENDICES

APPENDIX 1

Locations

In order to safeguard anonymity, study locations are described as Sites, where a site refers to the location of the Alcohol Intoxication Management Service (AIMS) and associated services such as Emergency Department, and Ambulance Service. Six Sites participated in the current study, but eight were recruited into the overall evaluation. AIMS were typically open on Friday and Saturday nights (except Site B, which was open Wednesday and Saturday) and from late evening (8pm Site A, Site E; 9.30pm Site H; 10pm Site B, Site F, Site G, 11pm Site C) until early morning (3.30am Site H, 4am Site A, Site E, Site F, Site G; 6am Site B). Two sites, D and E, are not included. They were unable to participate but in order that the current exposition is consistent with other outputs the overall study nomenclature is retained.

All AIMS had staff able to administer first aid with many including advanced nurse and paramedic practitioners. The services provided met a range of needs associated with AAI. For example, someone may become separated from friends and need no more than to charge their phone to find their way home. There were notable differences, however, in that Site A, Site F and Site B had facilities to test blood glucose levels and therefore rule out hypoglycaemia, some symptoms of which overlap with intoxication and include trembling, confusion and fatigue. Site A offered endotracheal intubation, used to maintain an open airway. As alcohol is a depressant it can promote irregular breathing and an attenuated gag reflex can lead to aspiration of the vomitus into the lungs, and therefore asphyxiation. Intravenous saline cannot be prescribed for AAI but can be used in the event of an accelerated heart rate, and was available in Site A. No AIMS provided pharmacological treatments, such as high dose thiamine hydrochloride, benzodiazepines or naltrexone.

Site A

The AIMS opened in September 2012 as a response to the impact of acute alcohol intoxicated patients on the local ED. It is in the centre of the city, 3.5 miles south of the ED and close to an area characterised by many licensed premises and major sporting venues. The space consists of a small seated area, six stretchers in a central treatment area with access to a single occupancy treatment room, toilets and an additional waiting area. The small seated area is used as a preliminary triage area. Once triaged, patients may be admitted and seated or laid on a bed for observation and treatment, with a preference to keep patients seated to reduce airway risks. The space can be partitioned with screens for privacy and there is seating for friends and family around the periphery of the room. There is a staff room and kitchen which functions as a hub for clinical staff stationed at the AIMS, and other staff and volunteers working in the NTE e.g. local Street Pastors and visiting police officers. The AIMS has capacity for up to seven patients supine, and up to 18 seated. The AIMS is open from 8pm to 6am on Friday and Saturday nights and is also open on other nights when it is anticipated the NTE will be busy. The AIMS is staffed by an Emergency Nurse Practitioner, one Health Care Support Worker and a Senior Nurse Practitioner. One police officer is stationed at the AIMS during opening hours. The ambulance service has two double crewed ambulances (four staff) stationed at the AIMS until and responds to calls within the city centre.

Site B

The AIMS was established by the Police and Crime Commissioner's Office in response to the demand placed on ED, police and ambulance services due to alcohol related assaults and AAI in the night-time environment. The intention was to divert intoxicated people away from the care of police officers and reduce the burden on ED, while also contributing to efforts to make the NTE safer. It is in the city centre, six miles south of the ED in an area characterised by a high density of premises licensed for the sale and on-site consumption of alcohol. The AIMS is housed in static cabins, includes toilets and a separate area designated for seating, staff and clinical activity. It is supported by a third sector ambulance service: an operations vehicle and a rapid response vehicle. Patients may wait in the seating area until triaged. Along the cabin are two clinical treatment rooms with seating and stretcher beds where patients may receive treatment and recover. There is a small staff room with kitchen facilities. The ambulance parked outside serves as an operations centre receiving 999 calls to the Site B ambulance service. Calls to the ambulance service originating from within the city centre are all redirected to the AIMS, where a response is coordinated. Police officers also use the AIMS to take witness statements, when it is appropriate to do so. The AIMS has capacity for up to three patients supine and a further five patients seated. Staff can provide treatment and support for minor injuries and support those who are vulnerable. Patients are discharged once it is safe to do so and contact has been made with friends or family members to ensure a safe transit home. The AIMS is open on Wednesdays and Saturdays, between 10pm and 6am. They also occasionally operate additional periods when significant events are expected to bring additional numbers into the city (e.g. sporting events and bank holidays).

Site C

The AIMS opened in November 2014 in a static ambulance. In July 2015 the service moved to premises that could also provide space for patients to recover. It operates from a building in the centre of the city 2.5 miles north of the main hospital and near to an area characterised by a number of restaurants and licenced premises. New patients are registered and triaged at the front desk. An open plan area provides seating for patients, friends and family and functions as treatment area. Mats and temporary room dividers can be used to partition areas allowing patients an opportunity to lie down. Two treatment beds are in separate rooms. The AIMS has capacity for approximately 10 patients supine and 10 seated. It is intended as an alternative pathway for those who have become vulnerable or injured, including those who are exhibiting AAI, in the night-time environment, but not as an alternative to specialist care in the ED. Street Marshalls collect and escort users into the service by foot or wheelchair. The service provides a space where patients can be monitored until they recover, given treatment for minor injuries and where arrangements can be made for a safe journey home. Typically, patients would be seated and offered water and a sick bowl. The AIMS is usually staffed by up to three substance misuse workers, one nurse, two medics and security staff.

Site F

The AIMS was established in 2010 by the local police and ambulance services to relieve pressure on the ambulance service from AAI on Friday and Saturday nights and as a place of safety. The AIMS is a collection of vehicles: a large mobile ambulance treatment unit, an additional ambulance and a police van. The AIMS (19th May 2017 onwards) is situated in the city centre, a mile south east of the ED. A third sector organisation provides a treatment unit used for initial triage, seating for minor injury treatment, a waiting area and two stretchers for further treatment and recovery. The ambulance typically receives calls via the ambulance service and city linked radio to attend and bring intoxicated or injured patients back to the AIMS or direct conveyance to ED. The police van provides a space where vulnerable patients can wait in a safe environment. Those with uncomplicated acute intoxication can sit and recover before safe transport home can be arranged. The AIMS has capacity for approximately three patients supine and eight seated. Furthermore, the AIMS provides a service in which people can seek assistance if they are feeling vulnerable or they are lost. In addition to medical assistance people also can speak to a police officer in confidence. Typically, patients may receive treatment for minor wounds and then be offered a place to sit and recover in the police van. Typically, the AIMS would be staffed by two to five paid staff, one ambulance Emergency Medical Technician (who assumes a clinical lead role and takes responsibility for the facility), an Emergency Transport Assistant and up to four other volunteer first aiders (advanced and non-advanced). The police van is run by two police officers.

Site G

The AIMS was opened in December 2014 as an extension of an existing Street Pastor scheme and in response to the perceived burden that AAI patients from the NTE was placing on ED. In addition, local Street Pastors raised concerns that most of their time was taken waiting for ambulances and trying to meet the needs of ill and injured patrons on the street, which is not seen as their core purpose. The AIMS was designed to help vulnerable people in the night-time environment, as well as reduce the impact on emergency services of those who have consumed excessive amounts of alcohol or have used illicit substances. Unlike the other AIMS, the local ambulance service did not refer patients into the AIMS. It is in a building in the town centre, half a mile west of the ED and close to licensed premises and fast food outlets. The space consists of a main reception area with seating around the sides. A partitioned area contains the office equipment, CCTV and a viewing window to an adjoining recovery room. The recovery room contains three crash mats on the floor. There is a small single occupancy treatment room with a stretcher bed, medical supplies and a further small room. There is a kitchen and toilet for staff and patient use. A large people carrier style vehicle is stationed outside. The main reception area is used to initially seat and assess patients in which waiting friends and relatives can wait. After initial triage patients may be taken to the recovery room and laid on crash mats or taken to the treatment room for first aid. The additional room may be used for people who may require privacy and emotional support. Staff, patients, friends and visiting Street Pastors use the main reception area to congregate and await referrals. The vehicle is used by staff to pick up patients from the city centre and as a means to transport patients home. The AIMS has capacity for approximately five patients supine and a further five seated. It is open every Saturday, some Fridays, bank holidays and Sunday nights from 10pm to 4am. The service is staffed by between four and 10 volunteers including a senior shift leader and a team of local college students and has managerial and administrative support from the lead organisation. There is no clinical input.

Site H

The service was established following the death of three young adults in late 2000. Two men drowned in the river during a night out drinking, and a third youth was found dead in a city centre nightclub due to alcohol intoxication. The AIMS bus is intended to keep people safe and reduce unnecessary ambulance callouts by assisting anyone at risk. It is a collection of three buses: the bus, the medical unit and a mobile support vehicle (minibus van). All three vehicles park in a layby in the city centre, five miles west of the ED. The bus provides a long narrow space with bench seating to triage and monitor patients. The medical unit contains two stretcher beds, used to administer treatment, and provides additional space for recovery. The mobile support van usually responds to calls from licenced premises and local street-based volunteers for assistance and returns patients to the bus for assessment. The bus has capacity for two supine and three seated patients but will use public seating outside the bus with appropriate staff support as an additional waiting area. The bus team consists of first aid volunteers and community first responders, who are supported by an ambulance paramedic and a private security guard. A volunteer shift leader from a charity is supported by other shift support volunteers including a driver who can operate the mobile unit.

APPENDIX 2

Effectiveness analysis

ED attendances interrupted time series analysis (ITSA)

Tables S1, S2 and S3 show the results of ITSA using intervention site only analysis and controlling for (not shown) day of week and significant dates (e.g. Halloween, bank holidays, Black Friday and others), paired analysis with a single control and paired analysis with a pooled control. A bonferroni correction across each set of seven tests resulted in $p < 0.014$ for statistical significance. All models included a lag of seven to account for serial autocorrelation, using methods described by Linden (Linden & Arbor, 2015). The count of patient attendances for hospitals in intervention sites and control hospitals in ED is presented in Figure S1.

Table S1: Single city ITSA analysis (with p values)

City	A	B	C	D	E	F	G
Constant	76.12 (<0.001)	46.68 (<0.001)	76.25 (<0.001)	106.20 (<0.001)	97.48 (<0.001)	62.45 (<0.001)	31.57 (<0.001)
t - Slope for control group	0.005 (0.144)	0.0005 (0.630)	-0.0004 (0.760)	0.013 (<0.001)	0.112 (0.066)	0.002 (0.036)	0.0001 (0.922)
x - Difference in attendance for control when AIMS introduced	-4.89 (0.005)	-2.41 (0.099)	1.29 (0.537)	-6.02 (0.075)	-5.24 (0.237)	4.05 (0.061)	2.22 (0.217)
xt - Slope for control post AIMS	-0.014 (<0.001)	0.008 (0.052)	-0.011 (0.086)	-0.016 (0.286)	-0.106 (0.082)	0.004 (0.763)	-0.002 (0.713)
PT - Post trend	-0.009 (<0.001)	0.008 (0.034)	-0.012 (0.072)	-0.003 (0.861)	0.006 (<0.001)	0.006 (0.644)	-0.002 (0.720)
F - Model fit	77.6 (<0.001)	110 (<0.001)	9.4 (<0.001)	51,160 (<0.001)	12.6 (<0.001)	142 (<0.001)	2715 (<0.001)

Table S2: Paired control analysis (with p values)

City	A	B	C	D	E	F*	G
Constant	37.42 (<0.001)	52.28 (<0.001)	60.00 (<0.001)	111.95 (<0.001)	57.65 (<0.001)	82.83 (<0.001)	78.34 (<0.001)
z - Difference in attendances between control and AIMS at baseline	43.29 (<0.001)	1.32 (0.234)	18.97 (<0.001)	-5.19 (0.035)	43.21 (<0.001)	-19.85 (<0.001)	-44.39 (<0.001)
zt - Difference in slope between control and AIMS pre-AIMS	-0.009 (0.039)	0.002 (0.158)	-0.007 (<0.001)	0.006 (0.022)	-0.002 (0.977)	-0.001 (0.526)	-0.004 (0.012)
t - Slope for control group	0.014 (<0.001)	-0.001 (0.141)	0.007 (<0.001)	0.008 (<0.001)	0.111 (0.062)	0.003 (0.004)	0.004 (0.003)
x - Difference in attendance for control when AIMS introduced	1.61 (0.271)	-3.99 (0.002)	-2.22 (0.228)	2.32 (0.467)	-1.21 (0.776)	5.03 (0.034)	-6.47 (0.001)
xt - Slope for control post AIMS	-0.005 (0.110)	0.004 (0.182)	-0.002 (0.734)	0.002 (0.872)	-0.109 (0.068)	-0.034 (0.005)	0.018 (0.062)
zx - Difference in attendances when AIMS introduced dose AIMS	-6.34 (0.006)	1.60 (0.402)	3.42 (0.260)	-8.78 (0.047)	-3.89 (0.499)	-1.12 (0.726)	8.59 (0.007)
zxt - Slope for AIMS post AIMS	-0.008 (0.074)	0.003 (0.565)	-0.009 (0.320)	-0.019 (0.329)	0.006 (0.937)	0.037 (0.030)	-0.019 (0.089)
PTD - Post trend difference	-0.018 (<0.001)	0.005 (0.328)	-0.017 (0.075)	-0.013 (0.496)	0.004 (0.015)	0.036 (0.034)	-0.024 (0.036)
F - Model fit	150 (<0.001)	28.2 (<0.001)	40.4 (<0.001)	12.6 (<0.001)	153.9 (<0.001)	94 (<0.001)	315 (<0.001)


Note: * Seven-day lag not included due to sporadic opening times

Table S3: Pooled control analysis (with p values)


City	A	B	C	D	E	F*	G
Constant	65.23 (<0.001)	47.88 (<0.001)	70.78 (<0.001)	74.79 (<0.001)	0.0004 (0.775)	67.84 (<0.001)	74.32 (<0.001)
z - Difference in attendances between control and AIMS at baseline	14.82 (<0.001)	-6.34 (<0.001)	4.36 (<0.001)	30.73 (<0.001)	36.68 (<0.001)	-2.94 (0.006)	-43.12 (<0.001)
zt - Difference in slope between control and AIMS pre-AIMS	-0.002 (0.597)	-0.002 (0.098)	-0.007 (<0.001)	0.009 (<0.001)	0.086 (0.259)	-0.004 (0.001)	-0.005 (<0.001)

t - Slope for control group	0.007 (<0.001)	0.003 (0.002)	0.006 (<0.001)	0.004 (<0.001)	0.0010 (0.793)	0.006 (<0.001)	0.005 (<0.001)
x - Difference in attendance for control when AIMS introduced	0.137 (0.885)	-3.20 (0.065)	-1.68 (0.162)	1.21 (0.342)	0.098 (0.965)	1.70 (0.287)	-2.23 (0.104)
xt - Slope for control post AIMS	-0.002 (0.441)	0.003 (0.533)	0.002 (0.590)	0.0002 (0.970)	-0.004 (0.912)	-0.008 (0.296)	0.005 (0.250)
zx - Difference in attendances when AIMS introduced dose AIMS	-5.04 (0.013)	1.04 (0.681)	3.04 (0.205)	-6.93 (0.050)	-4.55 (0.384)	2.06 (0.440)	4.60 (0.041)
zxt - Slope for AIMS post AIMS	-0.012 (0.006)	0.005 (0.524)	-0.013 (0.084)	-0.021 (0.221)	-0.086 (0.261)	0.013 (0.382)	-0.007 (0.316)
PTD - Post trend difference	-0.014 (<0.001)	0.002 (0.756)	-0.020 (0.008)	-0.011 (0.804)	65.08 (<0.001)	0.009 (0.525)	-0.013 (0.090)
F - Model fit	26.5 (<0.001)	86.8 (<0.001)	21.9 (<0.001)	117 (<0.001)	228 (<0.001)	45.9 (<0.001)	608 (<0.001)


Note: * Seven-day lag not included due to sporadic opening times




Site E and control




Site A and control




Site G and control




Site D and control



Site C and control



Site F and control



Site B and control

Figure S1 – Graphs of ED attendance by intervention and paired control site (intervention city in black, control city in grey)

Reference

Linden, A. & Arbor, A. (2015). Conducting interrupted time-series analysis for single-and multiple-group comparisons. *The Stata Journal*, 15(2), 480-500.

APPENDIX 3

Cost Effectiveness

Set-up and running costs

The cost of the initial set up meeting was estimated at £588 and management costs were £10,107. Thus, the estimated set-up costs for an NHS run AIMS was £10,695 and for a volunteer run-AIMS was £15,145. The running costs for AIMS have been broken down into staffing costs, premises related costs and other costs and overall costs per shift varied from £1,075 to £2,170. The only AIMS not to provide a breakdown of costs was Site F, which provided a cost per weekend of service provision. Costs per shift ranged from £1,075 for Site F to £2,170 for Site A. Site A had higher staff costs than any other AIMS and included managerial and admin staff, police, paramedics, nurses and a first aider, but also paid staff overtime, which no other unit did. Table 1 presents the average cost per attendance in an AIMS, this was cheapest for Site F (mean = £132) and most expensive for Site G (£584) where, on average, the fewest people were seen per night (mean = 2.7).

Sensitivity analysis

Cost of conveyance by ambulance was included in a sensitivity analysis. Including ambulance conveyance resulted in the average cost per ED attendance ranging from £256 to £276 per attendance. Costs of admissions were further included in a sensitivity analysis. The proportion (alcohol attributable where the proportion of admissions in the health admissions data who were alcohol attributable seen on the day the AIMS was regularly open, there was no time stamp for time of admission) of people admitted was obtained for ED data and ranged from 21% for Site A to almost 50% for Sites G and C. Of those admitted, between 15% and 27% were either fully or partially due to alcohol. Including these costs in the cost of attendance increased the A&E costs from £420 (Site A) to £628 (Site G).

Using Method 1 (using all HRG codes HRG codes between 2008/2009 to 2015/2016 and using 2015/16 costs if they were not available inflated using the Hospital and Community Health Services index (Curtis and Burns, 2016).) to estimate in-patient costs resulted in an average cost per ED attendance of £521.60 ranging from £419.22 for Site A to £621.39 for Site G. The number of attendances needed for AIMS to break even ranged from -1.79 to -5.40, with only Site A observing a greater reduction in ED attendances (-6.39) per night. Using Method 2 (HRG costs from 2015/2016) to estimate in-patient costs resulted in an average cost per ED attendance of £473.10 ranging from £366.27 for Site A to £578.74 for Site G. The number of attendances needed for AIMS to break even ranged from 2.07 to 6.18 with only Site A observing a greater reduction in ED attendances (-6.39) per night.

National roll out of AIMS: although Site A was the most expensive to set up it was the only one to show potential cost-effectiveness and would break even on costs (assuming ED, ambulance, and inpatient costs were accounted for). If this model of AIMS was rolled out across England and Wales, assuming 207 A&E departments in England and Wales the NHS would need to invest £52.5million per year.

Table S4: Cost-effectiveness results

City	A	B	C	F	G	H	Overall
Measure of effectiveness							
Reduction in ED attendances (per night AIMS open)	-6.39	-1.75	0.00	3.93	-1.05	-1.05	-1.05
Lower limit on reduction in ED attendances	-6.40	-1.96	-1.22	3.59	-1.26	-1.26	-1.26
Upper limit on reduction in ED attendances	-6.37	-1.54	1.22	4.28	-0.84	-0.84	-0.84
Cost Analysis							
Cost of AIMS per annum	£253,643	£158,654	£165,279	£109,650	£61,389	£126,820	£145,906
Mean number of AIMS attendances per night	11.838	9.242	6.8	8.121	2.696	5.392	7.348
Average cost per shift	£2,265	£1,442	£1,476	£1,075	£1,574	£1,208	£1,635
Average cost per attendance in AIMS	£191.33	£156.03	£217.06	£132.37	£583.83	£224.04	£222.50
ED attendance cost (DoH ref cost, 2016)	£148.36	£148.36	£148.36	£148.36	£148.36	£148.36	£148.36
Saving in ED attendance (Reduction in ED attendances * cost per ED attendance)	-£948.02	-£259.63	£0.00	£583.05	-155.78	-£155.78	-£155.78
Net incremental costs per shift	£1,316.98	£1,182.37	£1,476.00	£1,658.05	£1,418.22	£1,052.22	£1,479.22
Incremental cost-effectiveness of implement AIMS compared with before implementation in each centre							
Mean incremental cost per ED attendance avoided	£206	£676	N/A	-£422	£1,351	£1,002	£1,409
Lower limit of mean incremental cost per ED attendance avoided	£205.45	£586.72	£1,060.41	-£448.05	£1,098.20	£808.34	£1,146.50
Upper limit of mean incremental cost per ED attendance avoided	£207.20	£789.03	-£1,357.13	-£399.71	£1,726.97	£1,290.90	£1,799.65
Threshold Analysis for effectiveness of AIMS to be entirely cost saving							
Number of ED attendances needed per shift to reduce AIMS to break-even in costs	15.27	9.72	9.95	7.25	10.61	8.14	11.02

A cost utility analysis was not possible with the data available. At the design stage it decided that it would not be feasible to collect this information as it would require too many assumptions to estimate utilities about not just the impact on the person in the ED but those also in attendance.

Table S5: Sensitivity analysis including ambulance costs – cost-effectiveness results

	A	B	C	F	G	H	Overall
Measure of effectiveness							
Reduction in ED attendances (per night AIMS open)	-6.39	-1.75	0.00	3.93	-1.05	-1.05	-1.05
% brought in by ambulance	45.9	51.75	43.6	51.41	46.92	48.08	48.08
Mean number of AIMS attendances per night	11.838	9.242	6.8	8.121	2.696	5.392	7.348
Cost Analysis							
Cost of AIMS per annum	£253,643	£158,654	£165,279	£109,650	£61,389	£126,820	£145,906
Average cost per shift	£2,265	£1,442	£1,476	£1,075	£1,574	£1,208	£1,635
Average cost per attendance in AIMS	£191.33	£156.03	£217.06	£132.37	£583.83	£224.04	£222.50
ED attendance cost (DoH ref cost, 2016)	£148.36	£148.36	£148.36	£148.36	£148.36	£148.36	£148.36
Ambulance cost see, treat and convey (DoH ref cost, 2016)	£247.00	£247.00	£247.00	£247.00	£247.00	£247.00	£247.00
Cost per ED attendance including ambulance costs	£261.73	£276.18	£256.05	£275.34	£264.25	£267.12	£267.12
Saving in ED attendance (Reduction in ED attendances * cost per ED attendance)	-£1,671.41	-£483.32	£0.00	£1,082.64	-£277.73	-£280.74	-£280.74
Net incremental costs per shift	£593.59	£958.69	£1,476.00	£2,157.64	£1,296.27	£927.26	£1,354.26
Incremental cost-effectiveness of implement AIMS compared with before implementation in each centre							
Mean incremental cost per ED attendance avoided	£92.95	£547.82	N/A	-£548.74	£1,233.37	£882.26	£1,288.54
Threshold Analysis for effectiveness of AIMS to be entirely cost saving							
Number of ED attendances needed per shift to reduce AIMS to break-even in costs	8.65	5.22	5.76	3.9	5.96	4.52	6.12

Table S6: Sensitivity analysis including ambulance costs and inpatient admission costs– cost-effectiveness results

City	A	B	C	F	G	H	Overall
Measure of effectiveness							
Reduction in ED attendances (per night AIMS open)	-6.39	-1.75	0	3.93	-1.05	-1.05	-1.05
% brought in by ambulance	45.9	51.75	43.6	51.41	46.92	48.08	48.08
% brought in as inpatient	21.45	28.43	49.94	46.09	49.81	40.76	40.76
% of those admitted who are alcohol attributable	19.72	17.72	15.05	24.14	24.27	26.7	20.85
Mean number of AIMS attendances per night	11.838	9.242	6.8	8.121	2.696	5.392	7.35
Cost Analysis							
Cost of AIMS per annum	£253,643	£158,654	£165,279	£109,650	£61,389	£126,820	£145,906
Average cost per shift	£2,265	£1,442	£1,476	£1,075	£1,574	£1,208	£1,635
Average cost per attendance in AIMS	£191.33	£156.03	£217.06	£132.37	£583.83	£224.04	£222.50
ED attendance cost (DoH ref cost, 2016)	£148.36	£148.36	£148.36	£148.36	£148.36	£148.36	£148.36
Ambulance cost see, treat and convey (DoH ref cost, 2016)	£247.00	£247.00	£247.00	£247.00	£247.00	£247.00	£247.00
Average inpatient cost (method 1)	£3,723.13	£3,156.09	£2,579.06	£2,925.84	£2,954.29	£2,763.32	£2,994.50
Average inpatient cost (method 2)	£2,471.34	£2,497.03	£2,365.16	£2,173.74	£2,601.44	£2,438.42	£2,423.75
Method 1							
Cost per ED attendance including ambulance costs and inpatient costs	£419.22	£435.18	£449.89	£600.88	£621.39	£567.85	£521.60
Saving in ED attendance (Reduction in ED attendances * cost per ED attendance)	-£2,677.13	-£761.56	£0.00	£2,362.64	-£653.08	-£596.81	-£548.21
Net incremental costs per shift	-£412.13	£680.44	£1,476.00	£3,437.64	£920.92	£611.19	£1,086.79
Incremental cost-effectiveness of implement AIMS compared with before implementation in each centre							
Mean incremental cost per ED attendance avoided	£64.54	-£388.82	N/A	£874.27	-£876.23	-£581.53	-£1,034.06
Threshold Analysis for effectiveness of AIMS to be entirely cost saving							
Number of ED attendances needed per shift to reduce AIMS to break-even in costs	5.4	3.31	3.28	1.79	2.53	2.13	3.13
Method 2							
Cost per ED attendance including ambulance costs and inpatient costs	£366.27	£401.98	£433.82	£517.20	£578.74	£532.49	£473.10
Saving in ED attendance (Reduction in ED attendances * cost per ED attendance)	-£2,339.00	-£703.46	£0.00	£2,033.61	-£608.25	-£559.65	-£497.23
Net incremental costs per shift	-£74.00	£738.54	£1,476.00	£3,108.61	£965.75	£648.35	£1,137.77
Incremental cost-effectiveness of implement AIMS compared with before implementation in each centre							
Mean incremental cost per ED attendance avoided	£11.59	-£422.02	N/A	£790.59	-£918.88	-£616.89	-£1,082.56

Threshold Analysis for effectiveness of AIMS to be entirely cost saving

Number of ED attendances needed per shift to reduce AIMS to break-even in costs	6.18	3.59	3.4	2.08	2.72	2.27	3.46
---	------	------	-----	------	------	------	------

Reference

Curtis L, Burns A. Unit costs of health and social care 2015, Personal Social Services Research Unit, University of Kent. 2016.