

This is an Open Access document downloaded from ORCA, Cardiff University's institutional repository: <https://orca.cardiff.ac.uk/id/eprint/140490/>

This is the author's version of a work that was submitted to / accepted for publication.

Citation for final published version:

Garjani, Afagh, Middleton, Rodden, Tuite-Dalton, Katherine, Coles, Alasdair, Dobson, Ruth, Duddy, Martin, Hughes, Stella, Pearson, Owen, Rog, David, Tallantyre, Emma, das Nair, Roshan, Nicholas, Richard and Evangelou, Nikos 2021. COVID-19 is associated with new symptoms of multiple sclerosis that are prevented by disease modifying therapies. Multiple Sclerosis and Related Disorders 52, 102939. 10.1016/j.msard.2021.102939

Publishers page: <http://dx.doi.org/10.1016/j.msard.2021.102939>

Please note:

Changes made as a result of publishing processes such as copy-editing, formatting and page numbers may not be reflected in this version. For the definitive version of this publication, please refer to the published source. You are advised to consult the publisher's version if you wish to cite this paper.

This version is being made available in accordance with publisher policies. See <http://orca.cf.ac.uk/policies.html> for usage policies. Copyright and moral rights for publications made available in ORCA are retained by the copyright holders.




Supplementary Material

Statistical analysis

Directed acyclic graphs (DAG) of the COVID-19 and MS Symptoms study were created using DAGitty, a browser-based environment for creating, editing, and analysing DAGs (<http://www.dagitty.net/>). The DAG model is provided in Figure B.1.

Figure B.1. Directed acyclic graphs (DAG) of the COVID-19 and MS Symptoms study



The following DAG code can be used to reproduce the model using DAGitty:

```
dag {
```

```
bb="0,0,1,1"
```

```
"Developing new MS symptoms" [pos="0.551,0.324"]
```

```
"Disability during COVID-19 infection" [pos="0.735,0.562"]
```

```
"MS duration" [pos="0.536,0.790"]
```

"Type of MS" [pos="0.427,0.704"]

"Web-based Expanded Disability Status Scale" [pos="0.302,0.791"]

"Worsening of pre-existing MS symptoms" [pos="0.645,0.420"]

Age [pos="0.204,0.428"]

Anxiety [pos="0.386,0.569"]

DMT [pos="0.599,0.704"]

Depression [pos="0.390,0.437"]

Ethnicity [pos="0.206,0.633"]

Sex [pos="0.206,0.530"]

"Disability during COVID-19 infection" -> "Worsening of pre-existing MS symptoms"

"MS duration" -> "Type of MS"

"MS duration" -> "Web-based Expanded Disability Status Scale"

"Type of MS" -> "Developing new MS symptoms"

"Type of MS" -> "Web-based Expanded Disability Status Scale"

"Type of MS" -> "Worsening of pre-existing MS symptoms"

"Type of MS" -> DMT

"Web-based Expanded Disability Status Scale" -> "Disability during COVID-19 infection"

"Web-based Expanded Disability Status Scale" -> "Worsening of pre-existing MS symptoms"

"Web-based Expanded Disability Status Scale" -> Anxiety

"Web-based Expanded Disability Status Scale" -> Depression

Age -> "Developing new MS symptoms"

Age -> "Disability during COVID-19 infection"

Age -> "MS duration"

Age -> "Type of MS"

Age -> "Web-based Expanded Disability Status Scale"

Age -> "Worsening of pre-existing MS symptoms"

Age -> Anxiety

Age -> Depression

Anxiety -> "Developing new MS symptoms"

Anxiety -> "Disability during COVID-19 infection"

Anxiety -> "Worsening of pre-existing MS symptoms"

DMT -> "Developing new MS symptoms"

DMT -> "Disability during COVID-19 infection"

DMT -> "Web-based Expanded Disability Status Scale"

DMT -> "Worsening of pre-existing MS symptoms"

Depression -> "Developing new MS symptoms"

Depression -> "Disability during COVID-19 infection"

Depression -> "Worsening of pre-existing MS symptoms"

Ethnicity -> "Disability during COVID-19 infection"

Ethnicity -> Anxiety

Ethnicity -> Depression

Sex -> "Disability during COVID-19 infection"

Sex -> "Type of MS"

Sex -> "Web-based Expanded Disability Status Scale"

Sex -> Anxiety

Sex -> Depression

}