

Wales COVID-19 Evidence Centre (WC19EC) Rapid Review

A rapid review of the effectiveness of alternative education delivery strategies for undergraduate and postgraduate medical, dental, nursing and pharmacy education during the COVID-19 pandemic

Report Number: RR00004 (August 2021)

Rapid Review Details

Review conducted by:

Wales Centre for Evidence Based Care

Review Team:

- Deborah Edwards,
- Judith Carrier,
- Elizabeth Gillen,
- Maggie Hendry

Review submitted to the WC19EC on:

30th July 2021

Stakeholder consultation meeting:

11th August 2021

Report issued by the WC19EC on:

03rd September 2021

WC19EC Team:

- Adrian Edwards, Ruth Lewis, Alison Cooper, Micaela Gal, Natalie Joseph-Williams, Rebecca-Jane Law involved in drafting Topline Summary, review and editing

This rapid review should be cited as:

A rapid review of the effectiveness of alternative education delivery strategies for undergraduate and postgraduate medical, dental, nursing and pharmacy education during the COVID-19 pandemic. Report RR00004. Wales COVID-19 Evidence Centre, August 2021.
http://www.primecentre.wales/resources/RR/Clean/RR00004_Wales_COVID-19_Evidence_Centre_Rapid_Review_Healthcare_Education_August-2021.pdf

Disclaimer: The views expressed in this publication are those of the authors, not necessarily Health and Care Research Wales. The WC19EC and authors of this work declare that they have no conflict of interest.

A rapid review of the effectiveness of alternative education delivery strategies for undergraduate and postgraduate medical, dental, nursing and pharmacy education during the COVID-19 pandemic

Report Number: RR00004 (August 2021)

TOPLINE SUMMARY

What is a Rapid Review?

Our rapid reviews use a variation of the systematic review approach, abbreviating or omitting some components to generate the evidence to inform stakeholders promptly whilst maintaining attention to bias. They follow the methodological recommendations and minimum standards for conducting and reporting rapid reviews, including a structured protocol, systematic search, screening, data extraction, critical appraisal, and evidence synthesis to answer a specific question and identify key research gaps. They take 1- 2 months, depending on the breadth and complexity of the research topic/ question(s), extent of the evidence base, and type of analysis required for synthesis.

Background / Aim of Rapid Review

Education delivery in higher education institutions was severely affected by the COVID-19 pandemic, especially for healthcare students whose continuing education is imperative to maintain a well-educated healthcare workforce. Emergency remote teaching, without prior contingency planning, was developed and adapted promptly for the circumstances. We investigated the **effectiveness of alternative education delivery strategies during the COVID-19 pandemic** to ensure **medical, dental, nursing and pharmacy students** acquired the relevant knowledge to become effective practitioners, able to translate learning into clinical practice, and how this informs either further planned education delivery or adaptations in emergencies.

Key Findings

Extent of the evidence base

- No relevant existing reviews were identified during preliminary work, so the review focused on **23 primary studies**, all in undergraduate education and none was UK-based.
- These comprise 10 single cohort descriptive studies; 11 comparative descriptive studies of remote versus in-person learning (previous pre-COVID academic year or same academic year, 2019/20); and two RCTs comparing bespoke interactive online platforms with standard video format or textbook-based preparation.
- Studies included medical (12 descriptive studies, 2 RCTs), dental (2 studies), nursing (3 studies) and pharmacy (4 studies) education.
- There was considerable variability between studies in terms of students, type of distance learning and platforms used, and outcome measures applied; most focused on knowledge gained.
- Most studies were low or very low quality with small sample sizes.

Recency of the evidence base

- All studies were published in 2020 – 2021.

Evidence of effectiveness

- Remote teaching was valued, and learning was achieved, but the **comparative effectiveness of virtual versus in-person teaching is less clear.**

- In medicine, self-reported competency and confidence, and demonstrable suturing skills were achieved through participating in remote learning. However, **lower levels of knowledge (including exam results)** were obtained by students who received virtual or blended learning compared to in-person teaching (low - very low confidence).
- Using **bespoke interactive platforms** in undergraduate medical training was superior to standard video (low confidence) or 'textbook' presentations (very low confidence).
- In dentistry, remote learning led to knowledge gained (low confidence), but **self-reported practical and interpersonal skills were lower** with remote rather than in-person learning (very low confidence).
- In nursing, remote learning led to knowledge gained (low confidence). However, **knowledge and self-reported competency levels were similar** (very low confidence), but confidence higher when learning or assessment was conducted virtually (2020) compared to in-person, pre-COVID (2019) (low confidence).
- In pharmacy, **virtual learning was associated with higher skills** (in objective structured clinical examinations) but lower knowledge (exam scores) than in the pre-COVID cohort; self-reported competency and confidence scores were similar between the two groups (very low confidence).

The best quality evidence

- RCT of e-Learning module with interactive content vs standard video-based distance learning of the National Institutes of Health Stroke Scale to 5th year medical students (n=75) (Suppan et al. 2021) showing increased knowledge scores.

Policy implications

- Remote learning is appreciated by students and enables continued teaching and learning in the short-term within the emergency circumstance.
- **Supplementary alternative or in-person practical sessions** may be required post-emergency to address learning needs for some disadvantaged student groups.
- The transition from the **traditional into remote teaching methods seems to affect students' performance at exams**, particularly for practical-based subjects in dentistry and medicine.
- The available evidence is insufficient to demonstrate equivalence **for other healthcare student speciality groups**.
- It is unclear whether planned remote teaching, rather than relying on emergency adaptation, would be more effective.
- **Further research with robust methods** to evaluate alternative education delivery strategies is needed to inform policy decision-making in this area.

Strength of Evidence

Currently, the confidence in the strength of evidence is rated as "**low confidence**".

TABLE OF CONTENTS

TABLE OF CONTENTS.....	4
1. BACKGROUND.....	6
1.1 Purpose of this review	6
1.2 Research Question	6
2. RESULTS.....	7
2.1 Summary of evidence base for medical students	7
2.1.1 Competency	8
2.1.2 Confidence	8
2.1.3 Knowledge.....	8
2.1.5 Bottom line results for medical students.....	9
2.2 Summary of the evidence base for dental students.....	9
2.2.1 Knowledge and skills.....	9
2.2.2 Bottom line results for dental students.....	9
2.3 Summary of evidence base for nursing students.....	10
2.3.1 Competency	10
2.3.2 Confidence	10
2.3.3 Knowledge.....	10
2.3.4 Bottom line results for nursing students	11
2.4 Summary of the evidence base for pharmacy students	11
2.4.1 Competency	11
2.4.2 Confidence	11
2.4.3 Knowledge.....	11
2.4.4 Skills.....	12
2.4.5 Bottom line results for pharmacy students	12
2.5 Summary table	13
3. DISCUSSION.....	15
3.1 Summary	15
3.2 Implications for policy and practice	16
3.3 Limitations of the available evidence	16
3.4 Strengths and limitations of this Rapid Review	17
3.4.1 Strengths	17
3.4.2 Limitations.....	17
4. REFERENCES	18
5. APPENDICES	21
Table 1: Characteristics of included studies focusing on medical students	21
Table 2: Characteristics of included studies focusing on dental students.....	26

Table 3: Characteristics of included studies focusing on nursing students	27
Table 4: Characteristics of included studies focusing on pharmacy students	29
6. RAPID REVIEW METHODS	32
6.1 Eligibility criteria.....	32
6.2 Literature search	32
6.3 Study selection process.....	32
6.4 Data extraction.....	32
6.5 Quality appraisal	33
6.6 Synthesis	33
6.7 Assessment of body of evidence.....	33
6.8 Study selection flow chart.....	33
7. ADDITIONAL INFORMATION	35
7.1 Information available on request	35
7.2 Conflicts of interest.....	35
7.3 Acknowledgements.....	35
7.4 Abbreviations	35
8. ABOUT THE WALES COVID-19 EVIDENCE CENTRE (WC19EC)	35

1. BACKGROUND

This Rapid Review was conducted as part of the Wales COVID-19 Evidence Centre Work Programme. The above question was suggested by Professor Steve Riley (Head of School of Medicine, Dean of Medical Education, Cardiff University). Traditional education delivery in higher education institutes has been severely affected by the COVID-19 pandemic. This has been a particular issue for healthcare students whose continuing education is imperative to maintain a well-educated healthcare workforce ready for practice. A transition to emergency remote learning has been implemented worldwide and a wide range of alternative education delivery strategies utilised, ranging from blended programmes, where remote and classroom learning are combined, to fully remote learning. Remote learning programmes vary widely from synchronous ‘virtual classroom’ approaches (where resources are delivered live, allowing real time questions and discussion, and student participation follows the pattern of a traditional face-to-face course) to asynchronous (i.e., all the resources are available online, allowing students to access pre-recorded lectures whenever they like, and as many times as they like) (TASO, 2021). The aim of such approaches is to enable efficient remote learning, using digital tools to replace the in-person teaching environment and in the context of COVID-19 it is therefore important to be able to determine their effectiveness.

1.1 Purpose of this review

This Rapid Review investigated the effectiveness of alternative education delivery strategies that have been put into place to ensure healthcare students acquire the relevant knowledge to become effective, theoretically informed practitioners with the ability to translate learning into clinical practice. Prior to preparing this review, a Rapid Evidence Summary, as part of the PHASE I rapid evidence process was initiated (May 2021). Following searches of repositories specific to COVID-19 literature, a number of reviews were identified. One previous systematic review looked at the effectiveness of virtual teaching for medical education and suggested that was effective, but the review was poorly conducted (Wilcha 2020). A further systematic review explored the use of synchronous distance education (videoconference or web conference, online classroom or virtual classroom) compared with traditional education for medical, dental, nurse, pharmacy students and other health science-related students). It was found that there were no significant differences in terms of knowledge or skills, but that satisfaction was rated higher for distance education (He et al. 2021). For nursing students, a scoping review suggested that when delivered purposefully, blended learning (a mix of face-to-face and online study) can positively influence and impact on the achievements of students, especially when utilised to manage and support distance education (Jowsey et al. 2020). It was determined that there were no reviews that specifically explored effectiveness of alternative education delivery strategies for medical, nursing, dental and pharmacy students, or allied health professionals during the COVID-19 pandemic. A further initial scope of the evidence base for these healthcare disciplines identified a large volume of primary research in the area for medical, nursing, dental and pharmacy students but very little for other healthcare disciplines including allied health professionals. This rapid review therefore focused on medical, dental and pharmacy education and a separate summary was produced for each discipline.

1.2 Research Question

Review question	
What is the effectiveness of alternative education delivery strategies for undergraduate and postgraduate medical, dental, nursing and pharmacy students during the COVID-19 pandemic?	
Participants	Undergraduate students Post-graduate students Medicine Dentistry Nursing

	Pharmacy
Intervention / exposure	Specific educational delivery (including clinical skills delivery) during COVID-19
Comparison	Education delivery (including clinical skills delivery) prior to COVID-19
Outcomes	Educational outcomes of knowledge, skills, confidence, competency
Other Study Considerations	
Primary research Quantitative (experimental and observational)	

2. RESULTS

Of the 10,978 citations retrieved from our searches, **21 descriptive studies and two RCTs** met our eligibility criteria. These focused on medical students (n=14), dental students (n=2), nursing students (n=3) and pharmacy students (n=4).

2.1 Summary of evidence base for medical students

Five comparative descriptive studies, seven single cohort descriptive studies and two RCTs provided evidence of the effectiveness of alternative education delivery strategies for undergraduate medical students during the COVID-19 pandemic (see Table 1). The majority (n=7) were conducted in the USA (Martini et al. 2021; Monday et al. 2020; Nathaniel and Black 2021; Pang et al. 2021; Qaranto et al. 2021; Redinger and Greene. 2021; Rosenthal et al. 2021). The remaining studies were conducted in Germany (Darici et al. 2021; Harendza et al. 2020; Schmitz et al. 2021); Japan (Kasai et al. 2021); South Korea (Kim et al. 2020); Switzerland (Suppan et al. 2021) and Greece (Totlis et al. 2021).

These covered a wide range of both university and clinical based modules/ courses and included neurosurgery (Martini et al. 2021), surgical instruments, knot tying and suturing (Qaranto et al. 2021), digital histology (Darici et al. 2021), a residency preparation course (Monday et al. 2020), simulated patient consultations, documentation, and case presentation (Harendza et al. 2020), simulated clinical experience in respiratory unit and general medicine (Kasai et al. 2021), generic medical education (Kim et al. 2020), neuroanatomy (Nathaniel and Black 2021), emergency medicine (Redinger and Greene. 2021; Rosenthal et al. 2021), musculoskeletal system anatomy and neuroanatomy (Totlis et al. 2021), the National Institutes of Health Stroke Scale (Suppan et al. 2021), operative techniques and skills (Schmitz et al. 2021) and informed consent for surgical procedures (Pang et al. 2021).

A large variety of different online platforms were used to deliver synchronous learning; five used the Zoom video conferencing platform (Darici et al. 2021; Kasai et al. 2021; Martini et al. 2021; Qaranto et al. 2021; Harendza et al. 2020), three used the University Supported Management Systems: CANVAS (Monday et al. 2020; Nathaniel and Black 2021) or Meducator (Totlis et al. 2021), one used Microsoft teams (Redinger and Greene . 2021), another Skype for business (Totlis et al. 2021), and three did not specify the type of video communication software used (Kim et al. 2020; Pang et al. 2021; Rosenthal et al. 2021). Other methods included neuroanatomical interactive virtual activities using "Digital Neuroanatomy" software (Nathaniel and Black 2021), Simulated patient encounters employing online MedEd Case X videos (Redinger and Greene 2021), and structural specimens replaced by photographs (Totlis et al. 2021). Five studies also incorporated asynchronous elements using pre-recorded lectures (Kim et al. 2020; Totlis et al. 2021; Pang et al. 2021) or readily available podcasts (Redinger and Greene 2021; Rosenthal et al. 2021). For one further study the course content (8 topics) was organised by 12 rising fourth-year medical students under supervision (Redinger and Greene 2021). The two RCTs used bespoke interactive online platforms (Schmitz et al. 2021; Suppan et al. 2021) and compared the outcomes to those students learning the same topic via a standard video format (Schmitz et al. 2021) or textbook based preparation (Suppan et al. 2021). Two studies were RCTs (Schmitz et al. 2021; Suppan et al. 2021), six were pre-test / post-test designs (Kasai et al. 2021; Martini et al 2021; Monday et al. 2020; Pang et al. 2021; Qaranto et al. 2021; Rosenthal

et al. 2021) and six were post-test only designs (Darici et al. 2021; Harendza et al. 2020; Kim et al. 2020; Nathaniel and Black 2021;. 2021; Totlis et al. 2021).

Seven studies were conducted with final year (Clerkship / Interns) students (Harendza et al. 2020, Kasai et al. 2021; Monday et al 2020; Qaranto et al. 2021; Redinger and Greene 2021; Rosenthal et al. 2021; Suppan et al. 2021). Two were conducted with first years (Totlis et al. 2021; Nathaniel and Black 2021), one with second and third years (Darici et al. 2021), one with third years (Pang et al. 2021), one across all years (Martini et al 2021) and a further two did not specify the year of study (Kim et al. 2020; Schmitz et al. 2021). Outcomes explored were confidence (n= 5) (Harendza et al. 2020; Martini et al 2021; Monday et al. 2020; Rosenthal et al. 2021; Qaranto et al. 2021), competency (n=2) (Kasai et al. 2021; Pang et al. 2021) and knowledge (n=6) (Darici et al. 2021; Kim et al. 2020; Nathaniel and Black 2021; Redinger and Greene 2021; Suppan et al. 2021; Totlis et al. 2021).

2.1.1 Competency

Self-reported competency was assessed using pre-test / post-test Likert scales (Kasai et al. 2021; Pang et al. 2021). Items assessed were four domains around obtaining informed consent and the ability to apply recommended quality frameworks (Pang et al. 2021), or across nine domains relevant to clinical practice in respiratory and general medicine (medical interviewing, physical examination, humanistic qualities/professionalism, clinical judgment, counselling, organization or efficiency, overall clinical competence, writing daily medical records, writing medical summaries) (Kasai et al. 2021). Over the course of the learning in both studies the self-assessed evaluation scores indicated significant improvements in competency ($p < 0.001$) in all domains.

2.1.2 Confidence

Self-reported confidence was assessed using Likert scales (Harendza et al. 2020; Martini et al. 2021; Monday et al. 2020; Rosenthal et al. 2021) in relation to emergency medicine (Rosenthal et al. 2021), patient history taking, management phase time and case presentations (Harendza et al. 2020), core concepts across various neurosurgical subdisciplines (Martini et al. 2021), or the American Academy of Medical Colleges core competencies (Monday et al. 2020). One further study used a baseline and follow-up questionnaire to assess students' confidence in their knot tying and suturing techniques, but the question format was not reported (Quaranto et al. 2021).

For the comparative descriptive study there were no significant differences in self-assessed levels of confidence when learning was conducted virtually (2020) compared to in-person pre COVID (2019) (Harendza et al. 2020). All of the single cohort studies used pre-test/post-test design and reported significant increases in confidence across all learning objectives over the course of the learning: knot-tying ($p = 0.028$) and suturing ($p < 0.002$) (Quaranto et al. 2021), eight topics related to emergency medicine ($p < 0.05$) (Rosenthal et al. 2021), eight core concepts of neurosurgery ($p < 0.001$) (Martini et al. 2021) and thirteen core competencies of the American Academy of medical Colleges ($p < 0.001$) (Monday et al. 2020).

2.1.3 Knowledge

Knowledge was assessed through end of course/module examinations (Darici et al. 2021; Kim et al. 2020; Monday et al. 2020; Nathaniel and Black 2021; Totlis et al. 2021; Redinger and Greene 2021; Schmitz et al. 2021) or quizzes (Suppan et al. 2021), covering anatomy, biochemistry, histology, gastrointestinal system, respiratory system and the circulatory system (Kim et al. 2020), digital histology (Darici et al. 2021), musculoskeletal system anatomy and neuroanatomy (Totlis et al. 2021), neuroanatomy (Nathaniel and Black 2021) or the American Academy of Medical Colleges core competencies (Monday et al. 2020).

The two RCTs compared bespoke interactive platforms with standard video format as the control (Suppan et al. 2021) or textbook based preparation (Schmitz et al. 2021). They found significant differences in mean quiz scores ($p < 0.001$) (Suppan et al. 2021) and percentage of correct and incorrect choices ($p = 0.0001$ and $p = 0.04$ respectively) (Schmitz et al. 2021), all in favour of the bespoke platform interventions. The four comparative descriptive studies reported mixed results. Nathaniel and Black, 2021 reported that in-person neuroscience laboratory activities (conducted pre-COVID) which involved the dissection of the brain during wet neuroanatomy laboratory activities and small group discussion of clinical cases were associated with a better performance when compared with the adaptive blended learning of all the materials used during COVID ($p = 0.009$). Redinger and Greene 2021 found that there were no significant differences in students' knowledge at the course conclusion between those participating in a virtual clerkship in emergency

medicine compared to those who had completed a traditional rotation in the specialty. Kim et al. 2020 found significantly decreased scores were observed for anatomy, biochemistry and the respiratory system when learning was conducted virtually (2020) compared to in-person pre COVID (2019), but that knowledge scores for the other domains were similar ($p > 0.05$). Totlis et al. 2021 reported that students who had experienced a mixture of asynchronous and synchronous learning in musculoskeletal system anatomy and neuroanatomy in 2020, performed significantly worse in musculoskeletal anatomy ($p < 0.001$) and neuroanatomy ($p < 0.001$) compared to the in-person pre-COVID cohort. Both single cohort descriptive studies reported that knowledge had improved over the course of the learning. Darici et al. 2021 reported that 75% of second years and between 74% and 75% of third years (repeating and without repeating respectively) had passed the final multiple choice exam after undertaking an online digital histology course undertaken an online digital histology course. Monday et al. 2020 reported that there was a significant increase in self-assessed knowledge ($p < 0.001$) over the course of the learning and all students passed the post-test assessment, with 94% achieving a score of 70% or higher.

2.1.4 Skills

Knot tying and suturing techniques were assessed in one study (Quaranto et al. 2021). All students successfully visually demonstrated successful two-handed knot and simple suture techniques skills via Zoom.

2.1.5 Bottom line results for medical students

This section summarised evidence from five comparative descriptive studies, seven single cohort descriptive studies and two RCTs from across six countries. Low to very low quality evidence from single cohort descriptive studies showed that levels of competency, confidence and skills were found to have improved across the course of learning. Very low quality evidence from one comparative descriptive study suggested that levels of confidence were the same when learning was conducted virtually (2020) compared to in-person pre COVID (2019). Low to very low quality evidence from the RCTs showed that knowledge was greater when learning was conducted using bespoke interactive platforms as compared with a standard video format or textbook based preparation during the COVID pandemic. Low to very low quality evidence from the comparative descriptive studies showed mixed results for knowledge assessed and compared between cohorts at the end of virtual learning (2020) and in-person learning (2019). Three of the studies reported lower levels of knowledge for students in the virtual cohort and one reported found no difference. Low quality evidence from single cohort descriptive studies suggested that knowledge had improved over the course of the learning.

2.2 Summary of the evidence base for dental students

One single cohort descriptive study and one comparative descriptive study provided evidence of the effectiveness of alternative education delivery strategies for undergraduate dental students studying specific modules or courses in conservative dentistry with endodontics (Nijakowski et al. 2021) or operative dentistry (Kanzow et al. 2021) during the COVID-19 pandemic (see Table 2). These were both post-test descriptive studies conducted in Poland (Nijakowski et al. 2021) and Germany (Kanzow et al. 2021) In one study the teaching consisted of asynchronous online screencasts (screen-captured PowerPoint presentations with narrated audio), using Stud-IP, a source learning management system, and discussions via synchronous video meetings using the Zoom video videoconferencing platform (Kanzow et al. 2021). The other study used a blended learning approach using the Blackboard Collaborate platform (Nijakowski et al. 2021). The outcomes of interest that were explored across both studies was knowledge and skills .

2.2.1 Knowledge and skills

One study assessed knowledge in operative dentistry via examination (Kanzow et al. 2021) and the other study explored self-reported theoretical knowledge, practical skills, and interpersonal skills in conservative dentistry with endodontics using a Likert scale (Nijakowski et al. 2021). There were significant increases in self-assessment scores for theoretical knowledge, practical skills, and interpersonal skills between third and fourth years. However, when in-person learning was compared to virtual learning for third year students, those who had experienced virtual learning reported significantly lower practical skills (Kanzow et al. 2021).

2.2.2 Bottom line results for dental students

This section summarised evidence from single cohort descriptive study and one comparative descriptive from Poland and Germany regarding a blended learning approach in conservative dentistry with

endodontics using the Blackboard Collaborate and asynchronous learning with synchronous video meetings. Low quality evidence from the single cohort study demonstrated that these approaches could improve knowledge in conservative dentistry with endodontics or operative dentistry and improve skills in operative dentistry as assessed at the end of the learning only. However, very low quality evidence from the comparative descriptive study suggests lower levels of knowledge for the subtopic of periodontology and lower levels of practical skills for 3rd year dental students when learning was conducted virtually compared to in-person.

2.3 Summary of evidence base for nursing students

Two comparative descriptive studies and one single cohort descriptive study (see Table 3) provided evidence for the effectiveness of alternative educational delivery strategies for nursing students studying a specific module in human genomics (Kawasaki et al. 2021), simulation in paediatric clinical practice (Weston and Zauche 2020) and for the delivery of remote OSCEs for COPD patients (Arrogante et al. 2021) during the COVID-19 pandemic. These were conducted in Spain (Arrogante et al. 2021), Japan (Kawasaki et al. 2021) and USA (Weston and Zauche 2020). All three studies compared a group of students receiving a remotely delivered educational package with a group receiving standard, in-person education. In two studies the comparison group were students from the previous, pre-COVID academic year, however, Weston and Zauche studied a cohort of students from the same academic year, 2019-2020, where half had received the standard educational package before the alternative version was introduced. Only one study used a pre-test / post-test design and thus compared results within as well as between groups (Kawasaki et al. 2021). In this study, the conventional course was transferred to remote synchronous learning (narrative over PowerPoint) and uploading handouts and worksheets with no changes to content (Kawasaki et al. 2021). Arrogante et al. used the virtual classroom platform Blackboard Collaborate to conduct OSCEs comprising eight simulated clinical scenarios with standardised patients. Weston and Zauche substituted virtual simulation using the i-Human platform to replace in-person clinical practice and simulation laboratory learning. Outcomes explored were competency (n=2) (Arrogante et al. 2021, Kawasaki et al. 2021), confidence (n=1) (Kawasaki et al. 2021), and knowledge (n=2) (Kawasaki et al. 2021; Weston and Zauche 2020).

2.3.1 Competency

Two comparative descriptive studies assessed self-reported competency using a Likert scale (Kawasaki et al. 2021) or a checklist (Arrogante et al. 2021), to evaluate participants' ability to apply four elements of human genomics knowledge in different clinical scenarios (Kawasaki et al. 2021) or for nursing competencies applied to the OSCE for patients with COPD (Arrogante et al. 2021). Kawasaki et al. reported that students in both groups (virtual and in-person learning) achieved a statistically significant increase in mean scores for all four competencies ($p < 0.001$), but between groups there was only one statistically significant finding; the mean score for competency relating to explaining human diversity using genomic information was significantly higher ($p = 0.003$) when learning was conducted virtually (2020) compared to in-person pre COVID (2019). There were no significant differences in levels of competency when undertaking OSCEs virtually (2020) or in-person pre COVID (2019) (Arrogante et al. 2021).

2.3.2 Confidence

Self-reported confidence was assessed in one study using a Likert scale, based on a single question in the course evaluation questionnaire, 'I gained confidence in human genetic health counselling' (Kawasaki et al. 2021). The mean score was significantly higher ($p = 0.009$) when learning was conducted virtually (2020) compared to in-person pre COVID (2019).

2.3.3 Knowledge

Knowledge was assessed in two studies using end of course assessments/examinations (Kawasaki et al. 2021; Weston and Zauche 2020). Kawasaki et al. reported a significant increase in mean knowledge at the end of the course regardless of whether the learning had taken place virtually (2020) or in-person pre COVID (2019) and when cohorts were compared levels of knowledge post-test were similar. There were no significant differences in the Assessment Technologies Institute examination in the nursing care of children between students who had paediatric clinical practice in person and students who completed their paediatric clinical practicum hours using the virtual simulation, i-Human ($p > 0.05$) (Weston and Zauche, 2020).

2.3.4 Bottom line results for nursing students

This section summarised evidence from two comparative descriptive studies and one single cohort studies from three countries. Low to very low evidence suggests that levels of competency were the same when learning or assessment was conducted virtually (2020) compared to in-person pre COVID (2019). Low quality evidence suggests that levels of confidence were higher when learning or assessment was conducted virtually (2020) compared to in-person pre COVID (2019). Low quality evidence indicates that knowledge improves regardless of whether the learning has been conducted virtually (2020) or in-person pre COVID (2019).

2.4 Summary of the evidence base for pharmacy students

Two comparative descriptive studies and two single cohort studies (see Table 4), all conducted in the USA, provided evidence for the effectiveness of alternative education delivery strategies for undergraduate pharmacy students studying specific modules or courses in integrated patient care (Phillips et al. 2021), hypertension/drug information (Coward and Updike 2020), advanced pharmacy experience (Singh et al. 2020) and delivery of remote OSCEs for patient counselling and taking a medical history (Scoular et al. 2021) during the COVID-19 pandemic. Two studies used a pre-test/post-test design (Coward and Updike 2020; Singh et al. 2020), the remaining two reported a post-test only study design, with a comparison between the study population and an earlier (pre-COVID) cohort of students (Phillips et al. 2021; Scoular et al. 2021).

In one study the teaching comprised an element of remote synchronous learning (Singh et al. 2020), three studies used the Zoom video videoconferencing platform (Phillips et al. 2000; Scoular et al. 2021; Singh et al. 2020), two studies used the University platform Blackboard Collaborate (Coward and Updike, 2021) and one study also used the University Supported Management System: CANVAS (Singh et al. 2020). The outcomes of interest that were explored were competency (n=2) (Coward and Updike 2020; Phillips et al. 2000), confidence (n=2)(Coward and Updike 2020; Singh et al. 2020), knowledge (n=2) (Phillips et al. 2000; Singh et al. 2020), skills (n=2) (Scoular et al. 2021; Singh et al. 2020).

2.4.1 Competency

Self-reported competency was assessed using Likert scales (Coward and Updike 2020; Phillips et al. 2020), relating to blood pressure techniques, application of drug information and communication skills (Coward and Updike 2020) and application of drug therapy guidelines, clinical reasoning and patient care skills (Phillips et al. 2020). Coward and Updike in the single cohort descriptive study reported a significant improvement in competency for communication skills ($p=0.007$) but no significant change in competency for blood pressure techniques ($p>0.05$) or application of drug information ($p>0.05$) over the course of the learning. Phillips et al. found no significant differences in levels of self-reported competency between the current virtual (2020) and retrospective in-person pre COVID (2019) cohorts in the comparative descriptive study.

2.4.2 Confidence

Self-reported confidence was assessed using Likert scales (Coward and Updike 2020; Phillips et al. 2020) or a purposefully designed scale (Singh et al. 2020), relating to blood pressure techniques, application of drug information and communication skills (Coward and Updike 2020); the application of drug therapy guidelines, clinical reasoning and patient care skills (Phillips et al. 2020) or in relation to eight specific learning outcomes (Singh et al 2020). Over the course of the learning in a single cohort study, Coward and Updike reported a statistically significant improvement in confidence across all three domains ($p=0.002$) for application of drug information; $p<0.001$ for to blood pressure techniques and communication skills). Singh et al. found the mean difference in the students' response showed a greater than average 10-point improvement in their ability to demonstrate learning outcomes, although no statistical analysis was conducted to confirm this. However, Phillips et al. found no significant difference in the level of student confidence in skill development and performance between the current virtual (2020) and retrospective in-person pre COVID (2019) cohorts ($p>0.05$) in the comparative cohort study.

2.4.3 Knowledge

Knowledge was assessed by quizzes and examinations (Phillips et al. 2020) or across multiple activities including quizzes, presentations, journal clubs and an examination (Singh et al 2020). More specifically, knowledge was explored in relation to drug therapy (Phillips et al. 2020) or in relation to eight specific learning outcomes (Singh et al 2020). Phillips et al. found that there was a mixed effect on the development

of knowledge and that the improvements made during the initial period of online learning decreased when higher levels of skills or knowledge were assessed at the end of the course. They also found that students in the current virtual cohort (2020) scored significantly lower compared to the retrospective, in-person, pre-COVID (2019) cohort ($p>0.05$). In a single cohort study, Singh et al. reported that the mean scores for knowledge and skills combined across the eight student learning outcomes examined ranged from 75.51% to 80.42%. There was a target minimum average of 80%, which was only achieved in two of the student learning outcomes.

2.4.4 Skills

One comparative descriptive study assessed skills via remotely-delivered OSCEs (specifically: empathy, trust, professionalism, and general verbal and non-verbal communication skills and patient centred communication (Scoular et al. 2021). Student scores were significantly higher for the patient-centred communication OSCE across all domains ($p<0.005$). For the cumulative OSCE, student scores were significantly higher in the 2020 cohort for the global feedback variable of establishing trust but students performed similarly between virtual (2020) and in-person pre COVID OSCE (2019) on all other variables.

2.4.5 Bottom line results for pharmacy students

This section summarised evidence from two comparative descriptive studies and two single cohort studies in four countries. Very low quality evidence suggests competency outcomes improved across the course of learning and were similar when learning was conducted virtually (2020) compared to in-person pre COVID (2019). Very low quality evidence also found that confidence improved across the course of learning and levels of confidence were the same when learning was conducted virtually (2020) compared to in-person pre COVID (2019). However, very low quality evidence suggested that lower levels of knowledge when learning was conducted virtually compared to in-person pre COVID. Additionally, very low quality evidence suggests that, overall, students performed similarly between in-person (2019) and online (2020) OSCEs although for some skills performance was higher when student undertook these virtually.

2.5 Summary table

	Medicine	Overall confidence in the evidence	Dental	Overall confidence in the evidence	Nursing	Overall certainty in the evidence	Pharmacy	Overall confidence in the evidence
Comparative descriptive study designs								
Competency					Post-test only (n=1) Summative assessment (Arrogante et al. 2021) Pre-test/post-test Self-assessment Kawasaki et al.2021	Low to Very low	Post-test only (n=1) Self-assessment (Phillips et al. 2021)	Very low
Confidence	Post-test only (n=1) Self-assessment (Harendza et al. 2020)	Very low			Pre-test/post-test (n=2) Self-assessment (Kawasaki et al.2021)	Low	Post-test only (n=1) Self-assessment (Phillips et al. 2021)	Very low
Knowledge	Post-test only (n=4) Summative assessment (Kim et al. 2020; Nathaniel & Black, 2021; Redinger & Greene 2021; Totlis et al. 2021)	Low to very low	Post-test only (n=1) Self-assessment (Nijakowski et al. 2021)	Very low	Pre-test/post-test (n=1) Summative assessment (Kawasaki et al. 2021)	Low	Post-test only (n=1) Summative assessment (Phillips et al. 2021)	Very low
Skills			Post-test only (n=1) Self-assessment (Nijakowski et al. 2021)	Very low			Post-test only (n=1) Summative assessment (Scoular et al. 2021)	Very low
Single cohort descriptive study designs								
Competency	Pre-test/post-test (n=2) Self-assessment (Kasai et al. 2021; Pang et al. 2021)	Very low					Pre-test/post-test (n=1) Self-assessment (Cowart & Updike 2021)	Very low
Confidence	Pre-test/post-test (n=4) Self-assessment (Martini et al. 2021; Monday et al. 2020;	Low to very low					Pre-test/post-test (n=1) Self-assessment (Cowart & Updike 2021) Pre-test/post-test (n=1)	Very low

	Quaranto et al.2021; Rosenthal et al. 2020)						Formative assessment (Singh et al. 2021)	
Knowledge	Pre-test/post-test (n=1) Summative assessment (Monday et al. 2020) Post test (n=1) Summative assessment (Darici et al. 2021)	Low	Post-test only (n=1) Summative assessment (Kanzow et al. 2021)	Low	Post-test only ^b (n=1) Summative assessment (Weston & Zauche, 2020)	Very low	Post-test only (n=1) Formative assessment (Singh et al. 2021)	Very low
Skills	Pre-test/post-test (n=1) Summative assessment (Quaranto et al. 2021)	Very low						
Randomised control trials								
Competency								
Confidence								
Knowledge	RCT (n=2) Summative assessment (Schmitz et al. 2021; Suppan et al. 2021)	Low to very low						
Skills								

^a didn't compare the results of the 2020 COVID cohort to the 2019 pre COVID cohort for this outcome

^b compared the results of 2020 COVID cohort before and after the introduction of virtual learning

3. DISCUSSION

3.1 Summary

Previous reviews conducted as a result of COVID-19 have identified that healthcare education has been severely impacted with many courses transitioning to a period of remote emergency teaching (Dedeilia et al. 2020; NSW Health COVID-19 Critical Intelligence Unit, 2020; Wilcha, 2020). Other reviews have highlighted the challenges in migrating to remote education (Moretti-Pires et al. 2021; Santos et al. 2021) which include poor knowledge by staff on how to deal with technology, poor internet connections and difficulty in transitioning content for online learning (Moretti-Pires et al. 2021; Santos et al. 2021). Students and staff report satisfaction with remote learning (He et al. 2021; NSW Health COVID-19 Critical Intelligence Unit, 2020), especially when collaboration and engagement with peers is facilitated (NSW Health COVID-19 Critical Intelligence Unit, 2020). None of these reviews, however investigated the effectiveness of alternative education delivery strategies for undergraduate and postgraduate medical, dental, nursing and pharmacy students during the Covid 19 pandemic.

The findings of this rapid review are based on very limited poor-quality evidence for medical (12 descriptive studies and two RCTs), dental (2 descriptive studies), nursing (3 descriptive studies) and pharmacy education (2 descriptive studies). As expected, levels of knowledge, competency and confidence improved over the course of the virtual learning. However, when results were compared to students who had completed in-person learning in the years before the Covid-19 pandemic, results were mixed. The majority of studies across the disciplines reported similar levels across all outcome variables suggesting that virtual learning was just as effective as in-person learning. One study that involved the asynchronous presentation of the course content using voice of PowerPoint reported higher levels of confidence in human genomics for the virtual (2020) cohort of nursing students compared to the in-person cohort (2019), however this finding was rated as having low confidence. Another study reported that student scores were higher when the effectiveness of remotely delivered OSCEs was compared to in-person OSCEs for pharmacy students. However, the effect sizes were small and authors concluded that the difference was more likely to be due to changes in grading patterns due to the pandemic.

Very low and low quality confidence evidence from the two RCTs in medical education showed that knowledge was greater when learning was conducted using bespoke interactive platforms compared with non-interactive formats, reported during the COVID pandemic. In one of these studies (Schmitz et al. 2021), the authors reported that students randomised to the intervention arm studied six surgical topics using interactive videos that were developed by “processing” video-recorded procedures that took place in their operating theatres, and achieved higher exam scores than the control group who studied the relevant section of a textbook. Unfortunately, there was no further description of the content of the videos, how the students interacted with them, or the methods by which they were processed. In the second study (Suppan et al. 2021) an e-learning intervention was developed to teach National Institutes of Health Stroke Scale. The intervention was based on an existing video, that acted as the control, and was developed using Articulate Storyline 3 (Articulate Global) software to create content that could be accessed on regular computers as well as on smartphones and tablets. Students in the intervention group performed better in a 50-question quiz than the control group who watched the traditional video.

All of these findings concur with research conducted in the field prior to Covid-19, with three systematic reviews suggesting that online eLearning for undergraduates in health professions is equivalent, possibly superior to traditional learning (George et al. 2014; Liu et al. 2016; Vallee et al. 2020). George et al conducted a systematic review of the effectiveness of online eLearning in terms of knowledge, skills, attitudes and satisfaction. Sixty RCTs were identified that compared online eLearning and traditional learning or various modes of online learning. Post-intervention knowledge was not significantly different between eLearning and traditional learning in 24 (48%) of the studies, and 29% showed significantly higher knowledge gains. Forty percent of studies showed significantly greater skill acquisition; 67% of the studies showed no difference in attitude and 14% of the studies showed higher satisfaction with online eLearning than traditional learning. Liu et al. explored the effectiveness of blended learning for health professionals (a combination of traditional face-to-face learning and asynchronous or synchronous) and demonstrated a consistent positive effect in comparison with no intervention, and to be more effective than or at least as

effective as non-blended instruction for knowledge acquisition in health professions (Liu et al. 2016). More recently, another systematic review on blended learning demonstrated consistently better effects on knowledge outcomes when compared with traditional learning in health education (Vallee et al. 2020). However, the majority of these reviews also found that the evidence was of low quality, meaning that further research is very likely to change the findings and that strong conclusions cannot be drawn. This rapid review concurs with these reviews conducted before the pandemic and with earlier scoping work conducted during the Covid-19 pandemic in identifying a lack of high quality studies that can serve as models for future development in remote learning and teaching (Daniel et al. 2021; Gordon et al. 2020).

This rapid review also reported that the transition from the traditional teaching method into remote methods seems to affect the students' performance at exams, particularly so for the practical based subjects in dentistry and medicine. It is recognised that emergency remote teaching and learning differs from planned on-line learning (Hodges et al. 2020; TASO, 2021). The majority of remote teaching and learning that initially took place during the Covid-19 pandemic was not planned and was adapted promptly due to the emergency circumstances that presented.

3.2 Implications for policy and practice

For some healthcare students, academic achievement appears to decline when practical learning is insufficient, and this is something that will need to be addressed. However, this could be attributed to the sudden transition to online learning mid semester in which students did not have a chance to mentally prepare to plan and how they may need to adjust their own learning strategies.

There is insufficient high-quality programme evaluation, especially RCTs on remote teaching and learning for healthcare students and no evidence from the UK.

3.3 Limitations of the available evidence

Out of the 22 included studies none were conducted within the UK, all focused on undergraduates and the majority (n=20) were descriptive studies. Of these, nine studies employed a pre-test/post-test design and the remainder were post-test evaluations. The post-test evaluations utilised Likert scales as part of a wider evaluation questionnaire or formal assessment processes customarily applied to the standard, in-person version of the course and thus allowing comparison with previous academic year groups. However, two of the studies did not make any comparisons with previous cohorts. Statistically significant outcomes were reported following remote learning, compared with baseline, as would be expected. Studies that only made this comparison could not assess whether the level of achievement was adequate. However, between-group comparisons generally found no significant difference between the virtual delivery group and previous academic year groups implying that the virtual delivery of learning was effective or there was insufficient power to detect a difference, which more likely to be the case in most studies. The two RCTs both used a quiz or examination to assess knowledge, but these evaluated two different interventions and therefore statistical pooling of data using meta-analysis was not appropriate. Furthermore, both studies had small sample sizes and poor response rates (75/158 and 44/58).

All but one of the descriptive studies that evaluated students' knowledge and/or performance (n=12) used objective measures that included quizzes, tests, or examinations. Two of these used externally set examinations; in the remaining seven the content appeared to be internally set and was often not described, therefore it is difficult to draw any firm conclusions from the findings of such studies. However, one descriptive study evaluated dental students' knowledge (Nijakowski et al. 2021) using subjective measures through a Likert scale asking them if they felt their knowledge had increased. Only one descriptive study assessed competency using objective measures, with five using subjective measures through a Likert scale asking them if they felt their competency had improved. Four studies assessed knowledge, skills and competencies in medicine, nursing and dentistry using interactive platforms that allowed students to be tested in real time based on a physical or oral assessment of their performance, for example in knot-tying and suturing or via an objective structured clinical examination. A limitation of using subjective assessments is that self-perceived confidence, competence, knowledge, or skill may not

accurately reflect *actual* confidence, competence etc. It is well recognised that Likert scale surveys are subject to biases including extreme responding bias, where respondents choose only the most extreme options available, or central tendency bias, where they avoid the extremes and choose responses close to the midpoint. Furthermore, it is difficult to say whether responses in relation to two different conditions, standard teaching methods and distance learning, are directly comparable.

In the context of the COVID-19 pandemic, educational interventions were designed and implemented with remarkable speed, as were the means to evaluate them. It is probable that no appropriate validated outcome measures existed, and there was little time to develop new ones. Overall, the pre-existing questionnaires used were likely not specifically designed for research, but for teaching purposes i.e. for evaluating the acceptability to students of the course content and delivery as well as for assessing the achievement of learning objectives.

The quality of reporting in some studies was poor. There was often little baseline data reported with respect to the student population, including non-responders, and on the whole, there was no comparison with previous academic year groups in terms of these variables. This leads to the possibility of sampling bias and, where different groups are compared, no certainty that they were directly comparable. In some studies, the learning platform and/or the course content were not described.

There was considerable heterogeneity among the included studies in terms of the study population (professional course, stage/year of study, topic, or module), type of distance learning (synchronous or asynchronous) and platform used (videoconference, virtual reality, webinar, online recorded lectures etc.), and outcome measures (questionnaires, quizzes, examinations, practical skills demonstrations etc.) making it difficult to draw generalisable conclusions.

The majority of findings in this rapid review were of low or very low quality. The quality was rated for each outcome using the GRADE or adapted GRADE approach. The low ratings were mainly due to serious imprecision because of small samples sizes and/or confidence intervals not being reported and/or serious limitations because of baseline levels of the outcome of interest not being controlled for and/or inappropriate outcome measures.

3.4 Strengths and limitations of this Rapid Review

3.4.1 Strengths

Several previous systematic reviews have shown online learning outcomes to be comparable to in-person learning. However, none have evaluated the effects of suddenly and unexpectedly transitioning to an online format in the middle of a semester. To our knowledge this is the first rapid review of the effectiveness of alternative education delivery strategies for undergraduate and postgraduate medical, dental, nursing and pharmacy education during the Covid 19 pandemic. Although this review was conducted rapidly, it should be noted that data screening, data extraction and critical appraisal of each study were undertaken by different reviewers and then independently checked for accuracy and consistency by the same second reviewer.

3.4.2 Limitations

In order to complete the review within a short timeframe a limited number of databases were searched, and it is difficult to say whether further studies would have been identified if additional bibliographic databases were used to carry out the literature search.

Initially a rapid review of published systematic reviews was intended but there were insufficient reviews across any of the healthcare disciplines. The searches for primary research, however, identified a large volume of literature and given the short time-frame, it was decided, with the guidance of the stakeholder group, to only include studies from OECD countries and to exclude publications relating to medical residents or fellows. The tool used for evaluating the confidence of the quantitative descriptive studies is an adaptation of GRADE and has not been approved by the tool's originators.

4. REFERENCES

- Arrogante O, López-Torre EM, Carrión-García L, et al. (2021) High-fidelity virtual objective structured clinical examinations with standardized patients in nursing students: An innovative proposal during the COVID-19 pandemic. *Healthcare* 9(3). DOI: 10.3390/healthcare9030355.
- Cowart K and Updike WH (2021) Pharmacy student perception of a remote hypertension and drug information simulation-based learning experience in response to the SARS-CoV-2 pandemic. *JACCP Journal of the American College of Clinical Pharmacy* 4(1): 53–59. DOI: <http://dx.doi.org/10.1002/jac5.1348>.
- Daniel M, Gordon M, Patricio M, et al. (2021) An update on developments in medical education in response to the COVID-19 pandemic: A BEME scoping review: BEME Guide No. 64. *Medical Teacher* 43(3): 253–71. DOI: 10.1080/0142159X.2020.1864310.
- Darici D, Reissner C, Brockhaus J, et al. (2021) Implementation of a fully digital histology course in the anatomical teaching curriculum during COVID-19 pandemic. *Ann Anat* 236: 151718. DOI: 10.1016/j.aanat.2021.151718.
- Dedeilia A, Sotiropoulos MG, Hanrahan JG, et al. (2020) Medical and surgical education challenges and innovations in the COVID-19 era: A systematic review. *In Vivo* 34(3 suppl): 1603–11. DOI: 10.21873/invivo.11950.
- George PP, Papachristou N, Belisario JM, et al. (2014) Online eLearning for undergraduates in health professions: A systematic review of the impact on knowledge, skills, attitudes and satisfaction. *J Glob Health* 4(1): 010406. DOI: 10.7189/jogh.04.010406.
- Gordon M, Patricio M, Horne L, et al. (2020) Developments in medical education in response to the COVID-19 pandemic: A rapid BEME systematic review: BEME Guide No. 63. *Medical Teacher* 42(11): 1202–15. DOI: 10.1080/0142159X.2020.1807484.
- Guyatt GH, Oxman AD, Vist GE, et al. (2008) GRADE: an emerging consensus on rating quality of evidence and strength of recommendations. *BMJ* 336(7650): 924–6.
- Harendza S, Gartner J, Zelesniack E, et al. (2020) Evaluation of a telemedicine-based training for final-year medical students including simulated patient consultations, documentation, and case presentation. *GMS J Med Educ* 37(7): Doc94. DOI: 10.3205/zma001387.
- He L, Yang N, Xu L, et al. (2021) Synchronous distance education vs traditional education for health science students: A systematic review and meta-analysis. *Medical Education* 55(3): 293–308. DOI: 10.1111/medu.14364.
- Hodges C, Moore S, Lockee B, et al. (2020) The difference between emergency remote teaching and online learning. *Educause review* 27: 1–12.
- Jowsey T, Foster G, Cooper-loelu P, et al. (2020) Blended learning via distance in pre-registration nursing education: A scoping review. *Nurse education in practice* 44: 102775. DOI: 10.1016/J.NEPR.2020.102775.
- Kanzow P, Krantz-Schäfers C and Hülsmann M (2021) Remote teaching in a preclinical phantom course in operative dentistry during the COVID-19 pandemic: observational case study. *JMIR Medical Education* 7(2): e25506. DOI: 10.2196/25506.
- Kasai H, Shikino K, Saito G, et al. (2021) Alternative approaches for clinical clerkship during the COVID-19 pandemic: online simulated clinical practice for inpatients and outpatients-A mixed method. *BMC Med Educ* 21(1): 149. DOI: 10.1186/s12909-021-02586-y.

- Kawasaki H, Yamasaki S, Masuoka Y, et al. (2021) Remote teaching due to COVID-19: An exploration of its effectiveness and issues. *Int J Environ Res Public Health* 18(5): 1–17. DOI: 10.3390/ijerph18052672.
- Kim JW, Myung SJ, Yoon HB, et al. (2020) How medical education survives and evolves during COVID-19: Our experience and future direction. *PLoS ONE* 15(12): e0243958. DOI: 10.1371/journal.pone.0243958.
- Liu Q, Peng W, Zhang F, et al. (2016) The effectiveness of blended learning in health professions: Systematic review and meta-analysis. *J Med Internet Res* 18(1): e2.
- Martini ML, Yaeger KA, Kellner CP, et al. (2021) Student survey results of a virtual medical student course developed as a platform for neurosurgical education during the coronavirus disease 2019 pandemic. *World Neurosurg* 28: 28. DOI: 10.1016/j.wneu.2021.05.076.
- Monday LM, Gaynier A, Berschback M, et al. (2020) Outcomes of an Online Virtual Boot Camp to Prepare Fourth-Year Medical Students for a Successful Transition to Internship. *Cureus* 12(6): e8558. DOI: 10.7759/cureus.8558.
- Moretti-Pires RO, de Campos DA, Zeno Junior CT, et al. (2021) Pedagogical strategies in medical education to the challenges of Covid-19: Scoping review. *Revista Brasileira de Educação Médica* 45(1): e025–e025.
- Nathaniel TI and Black AC (2021) An Adaptive Blended Learning Approach in the Implementation of a Medical Neuroscience Laboratory Activities. *Med Sci Educ* 29: 1–11. DOI: 10.1007/s40670-021-01263-5.
- Nijakowski K, Lehmann A, Zdrojewski J, et al. (2021) The effectiveness of the blended learning in conservative dentistry with endodontics on the basis of the survey among 4th-year students during the COVID-19 pandemic. *International Journal of Environmental Research and Public Health*. 18(9). DOI: 10.3390/ijerph18094555.
- NSW Health COVID-19 Critical Intelligence Unit (2020) *The impact of COVID-19 on clinical education and training*. New South Wales: NSW Health COVID-19 Critical Intelligence Unit.
- Page MJ, McKenzie JE, Bossuyt PM, et al. (2021) The PRISMA 2020 statement: an updated guideline for reporting systematic reviews. *BMJ* 372: n71. DOI: 10.1136/bmj.n71.
- Pang JH, Finlay E, Fortner S, et al. (2021) Teaching effective informed consent communication skills in the virtual surgical clerkship. *J Am Coll Surg* 233(1): 64-72 e2. DOI: 10.1016/j.jamcollsurg.2021.04.026.
- Phillips BB, Palmer R, Chastain DB, et al. (2021) Impact of remote delivery on a pharmacists' patient care process capstone course on the development of patient work-up skills. *Journal of the American College of Clinical Pharmacy* 4(2): 162–168. DOI: <http://dx.doi.org/10.1002/jac5.1376>.
- Quaranto BR, Lamb M, Traversone J, et al. (2021) Development of an Interactive Remote Basic Surgical Skills Mini-Curriculum for Medical Students During the COVID-19 Pandemic. *Surg Innov* 28(2): 220–225. DOI: 10.1177/15533506211003548.
- Redinger KE and Greene JD (2021) Virtual emergency medicine clerkship curriculum during the COVID-19 pandemic: Development, application, and outcomes. *West J Emerg Med* 22(3): 792–798. DOI: 10.5811/westjem.2021.2.48430.
- Rosenthal HB, Sikka N, Lieber AC, et al. (2020) A near-peer educational model for online, Interactive learning in emergency medicine. *West J Emerg Med* 22(1): 130–135. DOI: 10.5811/westjem.2020.12.49101.

- Ryan R and Hill S (2016) *How to GRADE the quality of the evidence*. Version 3.0. Cochrane Consumers and Communication Group. Available at: <http://cccr.org.cochrane.org/author-resources>. (accessed 10 March 2021).
- Santos GNM, da Silva HEC, Leite AF, et al. (2021) The scope of dental education during COVID-19 pandemic: A systematic review. *Journal of Dental Education* Mar 23. Online ahead of print. DOI: 10.1002/jdd.12587.
- Schmitz SM, Schipper S, Lemos M, et al. (2021) Development of a tailor-made surgical online learning platform, ensuring surgical education in times of the COVID19 pandemic. *BMC Surg* 21(1): 196. DOI: 10.1186/s12893-021-01203-5.
- Scoular S, Huntsberry A, Patel T, et al. (2021) Transitioning Competency-Based Communication Assessments to the Online Platform: Examples and Student Outcomes. *Pharmacy (Basel)* 9(1): 52. DOI: 10.3390/pharmacy9010052.
- Singh H, Al Jammali Z, Bookman N, et al. (2021) Zooming forward: An advanced pharmacy practice experience utilizing virtual case-based learning in response to COVID-19. *Journal of the American College of Clinical Pharmacy* 4(2): 184–194. DOI: <http://dx.doi.org/10.1002/jac5.1384>.
- Singh S, Roy D, Sinha K, et al. (2020) Impact of COVID-19 and lockdown on mental health of children and adolescents: A narrative review with recommendations. *Psychiatry Research* 293: 113429.
- Suppan M, Stuby L, Carrera E, et al. (2021) Asynchronous distance learning of the National Institutes of Health Stroke Scale during the COVID-19 pandemic (e-learning vs video): Randomized controlled trial. *J Med Internet Res* 23(1): e23594. DOI: 10.2196/23594.
- TASO (2021) Online teaching and learning (post-entry). Available at: <https://taso.org.uk/intervention/online-teaching-and-learning-post-entry/>.
- Thomas J and Harden A (2008) Methods for the thematic synthesis of qualitative research in systematic reviews. *BMC Medical Research Methodology* 8: 45.
- Totlis T, Tishukov M, Piagkou M, et al. (2021) Online educational methods vs. traditional teaching of anatomy during the COVID-19 pandemic. *Anat Cell Biol* 25: 25. DOI: 10.5115/acb.21.006.
- Vallee A, Blacher J, Cariou A, et al. (2020) Blended learning compared to traditional learning in medical education: Systematic review and meta-analysis. *Journal of Medical Internet Research* 22(8): e16504. DOI: 10.2196/16504.
- Weston J and Zauche LH (2020) Comparison of Virtual Simulation to Clinical Practice for Prelicensure Nursing Students in Pediatrics. *Nurse Educ* 07: 07. DOI: 10.1097/NNE.0000000000000946.
- Wilcha R-J (2020) Effectiveness of virtual medical teaching during the COVID-19 crisis: Systematic review. *JMIR Medical Education* 6(2): e20963–e20963.
- World Health Organisation (2017) *Communicating risk in public health emergencies. A WHO guideline for emergency risk communication (ERC) policy and practice*. Geneva: World Health Organisation. Available at: https://www-ncbi-nlm-nih.gov.abc.cardiff.ac.uk/books/NBK540729/pdf/Bookshelf_NBK540729.pdf (accessed 22 July 2021).

5. APPENDICES

Table 1: Characteristics of included studies focusing on medical students

Author/s Country Focus Remote platform	Participants Outcomes/outcome measures	Study design Type of analysis	Findings
Darici et al. 2021 Germany Online digital histology course Zoom video conferencing platform 19 days	<u>Participants</u> Academic year 2019/2020 Second years (n=132/192 sat the exam) Third years (n=175/201 sat the exam) <u>Outcomes</u> Knowledge <u>Outcome measures</u> Multiple choice final exam	<u>Study design</u> Single cohort Descriptive study Post-test only <u>Type of analysis</u> Descriptive statistics % passing exam <u>Quality appraisal rating</u> Score of 6 out of 7 <u>Confidence evaluation</u> Knowledge –Low	<u>Knowledge</u> Second years Median was 71% correct answers (SD 18.5%, 95% CI 65%, 72%) Third years including repeating students Median was 74% correct answers (SD 20.2%, CI 67%, 73%) Third years without repeating students Median 76% correct answers (SD 19.8, 95% CI 68%, 75%)
Harendza et al. 2020 Germany Virtual training including simulated patient consultations, documentation, and case presentation Zoom video conferencing platform Training included a consultation hour with four simulated patients per participant, patient documentation and management with a newly developed electronic patient chart, and one case presentation per participant in hand-off format	<u>Participants</u> Academic year 2020/2021 Final years (n=32) Online learning Academic year 2019/2020 Final years (n=103) Clinical learning <u>Outcomes</u> Confidence <u>Outcome measures</u> 5-point self-assessment Likert scale 1=does not apply, 2= somewhat applies, 3=partly applies, 4=rather applies, 5= fully applies	<u>Study design</u> Comparative descriptive study Post test <u>Type of analysis</u> Analytical statistics Mean scores Comparison between remote and in person learning across two academic years <u>Quality appraisal rating</u> Score of 4 out of 7 <u>Confidence evaluation</u> Confidence – Very low	<u>Confidence (Mean±SD)</u> I felt confident during history taking Clinical learning (3.67±0.87); Virtual (3.88±0.79), p>0.05 I felt confident during the management phase time Clinical learning (3.12±0.9); Virtual (3.16±0.72), p>0.05 I felt confident during the case presentation Clinical learning (3.33±0.96); Virtual (3.42±0.92), p>0.05
Kasai et al. 2021 Japan Online simulated clinical practice for the respiratory unit and general medicine Zoom video conferencing platform 4 weeks	<u>Participants</u> Academic Year 2019/2020 Fifth years (Clerkship)(n=43) <u>Outcomes</u> Competency Across 9 domains Medical interviewing, physical examination, humanistic qualities/professionalism, clinical judgment, counselling, organization or efficiency, overall clinical competence, writing daily medical records, writing medical summaries <u>Outcome measures</u> 9-point self-assessment Likert scale 1 (extremely poor) to 9 (extremely good)	<u>Study design</u> Single cohort Descriptive study Pre-test / Post test <u>Type of analysis</u> Analytical statistics Mean scores <u>Quality appraisal rating</u> Score of 3 out of 7 <u>Confidence evaluation</u> Competency– Very low	Students indicated improvement across all nine competency domains which were all significant at p<0.001
Kim et al. 2020 South Korea Remote teaching for medical undergraduates e-Teaching and Learning System	<u>Participants</u> Academic years 2017/2018 (n=149 to 152) sitting exams (year of study ns) Academic year 2018/2019 (n=147 to 158) sitting exams (year of study ns)	<u>Study design</u> Comparative Descriptive study Post-test only <u>Type of analysis</u> Analytical statistics Mean scores	<u>Knowledge (Mean±SD)</u> Anatomy 2018 (86.0±7.0); 2019 (88.1±10.3); 2020 (82.0±11.5), p<0.001 Effect size 2018 & 2019 compared to 2020, p=-0.5150 Biochemistry

<p>Pre-recorded video lectures or live-streamed using video communication software</p> <p>Platforms not specified</p>	<p>Academic year 2019/2020 (n=143 to 145) sitting exams (year of study ns)</p> <p><u>Outcome</u> Knowledge Anatomy, biochemistry, histology, gastrointestinal system, respiratory system, circulatory system</p> <p><u>Outcome measures</u> Examination scores</p>	<p>Comparison across three academic years</p> <p><u>Quality appraisal rating</u> 3 out of 7</p> <p><u>Confidence evaluation</u> Knowledge– Low</p>	<p>2018 (79.7±11.5); 2019 (70.9±17.1); 2020 (74.1±17.3), p<0.001 Effect size 2019 & 2019 compared to 2020 = -0.0754</p> <p>Histology 2018 (86.2±6.7); 2019; (85.1±12.9); 2020 (83.4±12.0), p=0.0754 Effect size 2019 & 2019 compared to 2020 = -0.2127</p> <p>Gastrointestinal system 2018 (86.6±8.8); 2019 (88.4±10.5); 2020 (85.9±10.4), p=-0.0825 Effect size 2019 & 2019 compared to 2020 = -0.1605</p> <p>Respiratory system 2018; (78.7±13.1); 2019 (88.2±9.2); 2020 (76.9±11.7); p<0.0001 Effect size 2019 & 2019 compared to 2020 = -0.5504</p> <p>Circulatory system 2018 (79.2±10.6); 2019 80.1±10.5); 2020 (77.3±12.1), p=0.0854 Effect size 2019 & 2019 compared to 2020 =-0.2116</p>
<p>Martini et al. 2021 USA</p> <p>Virtual neurosurgery seminar series</p> <p>Zoom video conferencing platform</p> <p>16 one-hour seminars that were conducted biweekly over the course of a 2-month period</p>	<p><u>Participants</u> June, July 2020 595 medical students (from all school years 1 to 5) across the countries registered with an average of 82 students participating live in each weekly lecture (range, 41-150)</p> <p>Completing pre and post-test study (n=32)</p> <p><u>Outcomes</u> Confidence with material pertaining to core concepts across various neurosurgical subdisciplines.</p> <p><u>Outcome measures</u> Self-assessment scale of 1-10 (1=not confident at all; 10= very confident)</p>	<p><u>Study design</u> Single cohort descriptive study Pre-test / Post-test</p> <p><u>Type of analysis</u> Analytical statistics Mean scores</p> <p><u>Quality appraisal rating</u> Score of 7 out of 7</p> <p><u>Confidence evaluation</u> Confidence – Low</p>	<p><u>Confidence (Mean±SD)</u> Cerebrovascular neurosurgery Pre (5.90±0.34); Post (8.36±0.19), p<0.0001</p> <p>Malignant brain tumours Pre (4.95± 0.45); Post (8.28 ± 0.23), p<0.0001</p> <p>Head trauma Pre (5.54± 0.34); Post (7.97± 0.27), p<0.0001)</p> <p>Spine trauma Pre (4.96± 0.38); Post (8.19± 0.26, p<0.0001)</p> <p>Neuroendocrinology/pituitary pathology Pre (6.79± 0.31); Post (8.74± 0.19), p<0.0001)</p> <p>Pediatric neurosurgery Pre (5.79± 0.33); Post (8.25±0.26) p<0.0001)</p> <p>Neurocritical care Pre (4.86± 0.44); Post (8.25± 0.26), p<0.0001)</p> <p>Minor neurosurgical procedures Pre (4.48± 0.44); Post (7.86± 0.28), p<0.0001)</p>
<p>Nathaniel and Black, 2021 USA</p> <p>Remote, blended learning approach for teaching neuroanatomy</p>	<p><u>Participants</u> Academic year 2019/2020 First years n=103) and 2020 (n=104)</p> <p>Academic year 2020/2021 First years (n=104)</p>	<p><u>Study design</u> Comparative Descriptive study Post-test only</p> <p><u>Type of analysis</u> Analytic statistics Mean scores</p>	<p><u>Knowledge (Mean±SD)</u> Final laboratory summative examination 2019 (92± 0.15); 2020 (90± 0.11), p=0.009</p>

<p>Neuroanatomical interactive virtual activities "Digital Neuroanatomy" software</p> <p>Lectures Recorded on WebEx/Panopto and posted online on the Canvas platform</p> <p>4 weeks</p>	<p><u>Outcome</u> Knowledge</p> <p><u>Outcome measures</u> Weekly laboratory quizzes Final laboratory examinations</p>	<p>Comparison across two academic years</p> <p><u>Quality appraisal rating</u> 5 out of 7</p> <p><u>Confidence evaluation</u> Knowledge – Very low</p>	
<p>Monday et al. 2020 USA</p> <p>Online virtual internship boot camp</p> <p>Residency preparation course</p> <p>Canvas online learning management system</p> <p>26 sessions (22 mandatory and 4 optional) over one month</p>	<p><u>Participants</u> Academic years 2019/2020 Fourth years (n=89)</p> <p>Self-assessed confidence and knowledge response rates Pre-test (76–87%) Post-test (60-82%)</p> <p>Post-test assessment Response rate 99%</p> <p><u>Outcomes</u> Confidence and knowledge for 14 out of the 26 sessions across the American Academy of Medical Colleges 13 core competencies</p> <p><u>Outcome measures</u> 5-point self-assessment Likert scale (1 meaning confidence or knowledge was very poor, 3 meaning neutral, and 5 meaning very high)</p> <p><u>Knowledge</u> 53 item competency-based exam</p>	<p><u>Study design</u> Single cohort Descriptive study Pre-test / Post-test</p> <p><u>Type of analysis</u> Analytical statistics Mean scores</p> <p><u>Quality appraisal rating</u> Score of 4 out of 7</p> <p><u>Confidence evaluation</u> Confidence – Low Knowledge – Low</p>	<p><u>Confidence</u> A significant increase in self assessed confidence across all the American Academy of Medical Colleges 13 core competencies was demonstrated (p<0.001)</p> <p><u>Knowledge</u> A significant increase in self assessed knowledge across all the American Academy of Medical Colleges 13 core competencies was demonstrated (p<0.001)</p> <p>All students passed post-test assessment 83 (94%) achieved a score of 70% or higher, 4 (4.5%) scored in the 60-70% range, and 1 scored 55%</p>
<p>Pang et al. 2021 USA</p> <p>An Informed Consent activity module within a virtual surgical clerkship</p> <p>A pre-recorded lecture with presentation slides</p> <p>A videoconference with 3 students, 2 standardised patients and a facilitator to practice obtaining informed consent for a common surgical procedure</p> <p>Platforms not specified</p>	<p><u>Participants</u> Academic year 2019/2020</p> <p>Third years (34/ 90; 38%) who completed the module and took part in the evaluation</p> <p><u>Outcomes</u> Competency in 4 domains: The ability to identify the key elements of informed consent The ability to describe common challenges in the informed consent process The ability to apply the recommended quality framework (NM-CCS) The ability document informed consent.</p> <p><u>Outcome measure</u> Self-assessment 6-point scale (0 being none/no competence and 5 being an extremely high level of competence)</p>	<p><u>Study design</u> Single group descriptive study Pre-test / Post-test (retrospective)</p> <p><u>Type of analysis</u> Analytical statistics Mean scores</p> <p><u>Quality appraisal rating</u> Score 3 out of 7</p> <p><u>Confidence evaluation</u> Competency – Very low</p>	<p>Results for 4 domains: (Mean±SD) Identifying the elements of informed consent: Pre-test (1.9±1.4); Post-test (3.5±0.93), p<0.001</p> <p>Describing common challenges in informed consent: Pre-test (1.0±1.15); Post-test (3.3±0.90), p<0.001</p> <p>Applying NM-CCS quality framework: Pre-test (2.1±1.24); Post-test (3.5±0.66), p<0.001</p> <p>Documenting informed consent: Pre-test (2.0±1.19); Post-test (3.4±0.61), p<0.001</p>
<p>Redinger and Greene, 2021 USA</p>	<p><u>Participants</u> Academic year 2019/2020 Traditional rotation Fourth years (Clerkship) (n=48)</p>	<p><u>Study design</u> Comparative Descriptive study Post-test only</p>	<p><u>Knowledge (Mean±SD)</u> Virtual rotation (81.18± 6.55); Traditional rotation (79.38±6.85), p= 0.174, 95% CI [-0.808, 4.415].</p>

<p>Virtual clerkship in emergency medicine</p> <p>Microsoft Teams platform for video conferences, news feed with chat functions, class assignments, daily quizzes, and grade book.</p> <p>Simulated patient encounters employing Online MedEd Case X (Online MedEd, Austin, TX) videos and Emergency Medicine Reviews and Perspectives (EM:RAP) podcast audio of emergency medicine patients and relevant cases</p> <p>4 weeks</p>	<p>Academic year 2020/2021 Virtual rotation Fourth years (Clerkship) (n=56)</p> <p><u>Outcome</u> Knowledge</p> <p><u>Outcome measures</u> Emergency medicine shelf exam</p>	<p><u>Type of analysis</u> Analytical statistics Mean scores</p> <p>Comparison across two academic years</p> <p><u>Quality appraisal rating</u> 4 out of 7</p> <p><u>Confidence evaluation</u> Knowledge – Very low</p>	
<p>Rosenthal et al. 2020 USA</p> <p>Peer led online learning course in emergency medicine</p> <p>Course content (8 topics) organised by 12 rising fourth-year medical students under supervision of faculty mentor/Director for Undergraduate Medical Education</p> <p>Online Video Conferencing software</p> <p>Pre-lectures and lectures made use of: Podcasts; Publications, Clinical vignettes, Online content reviews, Video conferencing</p> <p>Platforms not specified</p>	<p><u>Participants</u> Academic year 2019/2020 Fourth years (n=61)</p> <p><u>Outcomes</u> Confidence (Comfort) Imaging Chest pain and EKG Stroke and lumbar puncture Abdominal pain Altered mental status and toxicology Shortness of breath and ventilators Shock and sepsis Trauma and FAST Exams</p> <p><u>Outcome Measures:</u> Self-assessments using a 5-point Likert scale of 1-5, ranging from “very uncomfortable” to “very comfortable.”</p>	<p><u>Study design</u> Single cohort descriptive study Pre-test / Post-test</p> <p><u>Type of analysis</u> Analytic statistics Mean scores</p> <p><u>Quality appraisal rating</u> Score 4 out of 7</p> <p><u>Confidence evaluation</u> Confidence– Very low</p>	<p>Mean confidence scores improved across all learning objectives (p<0.05)</p>
<p>Quaranto et al. 2021 USA</p> <p>Interactive remote sessions on surgical instruments, knot tying and suturing (“remote coach model”)</p> <p>Zoom video conferencing platform</p> <p>Three sessions</p>	<p><u>Participants</u> Academic year 2019/2020 Third years enrolled in surgical clerkship (n=31)</p> <p><u>Outcomes</u> Knot tying confidence and skills Suturing ability confidence and skills</p> <p><u>Outcome measures</u> Visual demonstration of knot tying and suturing Self-assessment of confidence but details of the scale not reported</p>	<p><u>Study design</u> Single cohort Descriptive study Pre-test / Post-test</p> <p><u>Type of analysis</u> Analytical statistics Mean scores</p> <p><u>Quality appraisal rating</u> Score of 4 out of 7</p> <p><u>Confidence evaluation</u> Confidence – Very low Skills – Very Low</p>	<p><u>Confidence (Mean±SD)</u> Knot tying Pre (7.86±0.66); Post (9.65±0.85), p=0.028</p> <p>Suturing techniques Pre (8.0±1.3); Post (13.8±0.9), p<0.001</p> <p><u>Skills</u> All students successfully demonstrated their ability to tie two-handed knots and perform simple sutures</p>
<p>Schmitz et al. 2021 Germany</p> <p>Surgical online learning platform</p> <p>Interactive online platform to teach operative techniques and</p>	<p><u>Participants</u> Academic year ns (n=44/58 completed the study) Second years (82%) Intervention group (n=21) Control group (n=23)</p>	<p><u>Study design</u> RCT</p> <p>Intervention group Video based preparation</p> <p>Control group</p>	<p>Percentage of correct choices Intervention group:(0.67±0.02); Control group (0.60±0.02), p=0.0001</p> <p>Percentage of incorrect choices Intervention group (0.24±0.19); Control group (0.29 ± 0.223); p=0.04</p>

<p>skills. Surgical procedures were videorecorded in our operating theatre and processed in order to design an interactive video format</p> <p>Seven educational sessions</p>	<p><u>Outcomes</u> Knowledge</p> <p><u>Outcome measures</u> Online exam consisting of 10 multiple choice questions</p>	<p>Textbook based preparation</p> <p><u>Type of analysis</u> Analytical statistics Percentage of correct, incorrect and 'don't know' choices</p> <p><u>Quality appraisal rating</u> Score of 7 out of 11</p> <p><u>Confidence evaluation</u> Knowledge Very Low</p>	
<p>Suppan et al. 2021 Switzerland</p> <p>Asynchronous distance learning of the National Institutes of Health Stroke Scale</p> <p>Web-based platform e-learning module interactive content, including gamified modules and serious games, which can be accessed on regular computers as well as on smartphones and tablet compared to standard video based learning</p>	<p><u>Participants</u> Academic year 2019/2020 Fifth years (n=75/158; rr 47.5% completed the trial)</p> <p>Numbers completing course evaluation E learning module (n=35/79; rr 44.3%) Video group (26/79; rr 32.9%)</p> <p><u>Outcomes</u> Knowledge</p> <p><u>Outcome measures</u> 50-question quiz</p>	<p><u>Study design</u> RCT</p> <p>Intervention group E-Learning module</p> <p>Control group Video</p> <p><u>Type of analysis</u> Analytical statistics Mean scores</p> <p><u>Quality appraisal rating</u> Score of 10 out of 11</p> <p><u>Confidence evaluation</u> Knowledge - Low</p>	<p>Overall quiz score (Mean±SD) e-learning module (38±3, 95% CI 37-39); video group (35±3, 95% CI 34-36), p<0.001</p>
<p>Totlis et al. 2021 Greece</p> <p>Musculoskeletal system anatomy and neuroanatomy</p> <p>Skype for Business; the university platform Meducator. Structural specimens replaced by photographs</p> <p>5 weeks Online or pre-recorded theoretical lectures and laboratory lectures</p>	<p><u>Participants</u> Academic year 2018/2019 In-Person First years studying musculoskeletal anatomy (n=252) Second years studying neuroanatomy (n=211)</p> <p>Academic year 2019/2020 Virtual First years studying musculoskeletal anatomy (n=272) Second years studying neuroanatomy (n=295)</p> <p><u>Outcomes</u> Knowledge</p> <p><u>Outcome measures</u> Exam grades Exam grades compared with previous year (2018/2019) when traditional teaching was used (face to face including practical sessions, anatomical models, cadaveric bones etc)</p>	<p><u>Study design</u> Comparative descriptive study Post-test only</p> <p><u>Type of analysis</u> Analytical statistics Mean scores</p> <p>Comparison between remote and in person learning across two academic years</p> <p><u>Quality appraisal rating</u> Score of 4 out of 7</p> <p><u>Confidence evaluation</u> Knowledge – Very low</p>	<p><u>Knowledge (Mean±SD)</u> Musculoskeletal anatomy: In-Person (6.88±2.12); Virtual (6.59±1.67), p<0.001</p> <p>Neuroanatomy In-Person (6.10±2.23); Virtual (5.70±1.61), p<0.001</p>

Key: EKG : Electrocardiogram; FAST: Focused Assessment with Sonography for Trauma; NM-CCS: New Mexico Clinical Communication Scale; RCT: Randomised Controlled Trial

^a High-fidelity simulation refers to simulation experiences that are extremely realistic and provide a high level of interactivity and realism for the learner

Table 2: Characteristics of included studies focusing on dental students

Author/s Country	Participants	Study design Type of analysis	Findings
Focus Remote platform	Outcomes / Outcome measures	Quality appraisal rating	
<p>Kanzow et al. 2021 Germany</p> <p>Preclinical phantom course in operative dentistry</p> <p>Theoretical knowledge was taught via screen-captured PowerPoint presentations with narrated audio)</p> <p>Stud.IP, an open-source learning management system by using a MediaCast plugin</p> <p>3 a week for 10 weeks</p> <p>Live and interactive video meetings using Zoom video conferencing platform</p> <p>Physical skills taught onsite using phantom heads with natural tooth model</p>	<p><u>Participants</u> Summer term 2020 Students enrolled in the pre-clinical phantom course in operative dentistry (n=33)</p> <p>31 students were eligible to take the final exam</p> <p><u>Outcomes</u> Knowledge Cariology, restorative dentistry and, preventative dentistry, endodontology and periodontology</p> <p><u>Outcome measures</u> Summative electronic examination of theoretical knowledge. 30 equally-weighted questions including multiple choice, true/false and open-ended items. A fixed pass mark of 60%. Students had to perform a pre-defined number of treatments in the physical skills part of the course to be admitted to the exam</p>	<p><u>Study design</u> Single cohort descriptive study Post-test only</p> <p><u>Analytical statistics</u> Mean scores</p> <p>Comparison of scores between topics</p> <p><u>Quality appraisal rating</u> Score 4 out of 7</p> <p><u>Confidence evaluation</u> Knowledge - Low</p>	<p><u>Knowledge</u> Credit (%) awarded in each topic (mean±SD) Cariology, Restorative Dentistry and Preventive Dentistry: 75.8±34.5 Endodontology: 79.2±31.2 Periodontology: 58.9±37.2 Overall credit: 74.5±34.6 Examination items in periodontology showed inferior results compared with other topics (p<.001)</p>
<p>Nijakowski et al. 2021 Poland</p> <p>Blended learning in conservative dentistry with endodontics</p> <p>Blackboard Collaborate</p> <p>2019/2020 Online classes</p> <p>2021/2021 Full blended learning, clinical classes, e-learning seminars, and online meetings via Microsoft teams</p>	<p><u>Participants</u> Academic year 2019/2020 Third years Clinical classes (n=39) Online only classes (n=35)</p> <p>Who then progressed to Fourth years (n=74) In the following academic years 2020/2021</p> <p><u>Outcomes</u> Theoretical knowledge, practical skills, and interpersonal skills</p> <p><u>Outcome measures</u> 5-point self-assessment Likert scales</p>	<p><u>Study design</u> Comparative descriptive study Post test only</p> <p><u>Type of analysis</u> Analytic statistics Mean scores</p> <p>Comparison between remote and in person learning within the same academic year</p> <p>Comparison between academic years (retrospective self-assessment during the third year compared to fourth year)</p> <p><u>Quality appraisal rating</u> Score 4 out of 7</p> <p><u>Confidence evaluation</u> Knowledge – Very low Skills – Very low</p>	<p><u>Theoretical knowledge</u> (Mean: Q₁-Q₃) 3rd year (retrospective) 3.0 (3.0 -4.0); 4th Year 4.0 (4.0-4.0), p=0.001 3rd year (retrospective) In-Person 3.0 (3.0-4.0); 3rd year (retrospective) Virtual 3.0 (3.0-4.0), p=0.702 4th year In-Person 4.0 (4.0-4.0); 4th year Virtual 4.0 (4.0-4.0), p=0.879</p> <p><u>Practical skills</u> 3rd year (retrospective) 3.0 (2.0-4.0); 4th Year 4.0 (3.0-4.0), p<0.001 3rd year (retrospective) In-Person 3.0 (2.0-4.0); 3rd year (retrospective) Virtual 2.0 (1.0-2.0), p<0.001 4th year In-Person Year 4.0 (3.0-4.0), 4th year Virtual 3.0 (3.0-4.0), p=0.083</p> <p><u>Interpersonal skills</u> 3rd year (retrospective) 4.0 (3.0-5.0); 4th Year 4.0 (4.0-5.0), p=0.048 3rd year (retrospective) In-Person 4.0 (3.0-5.0); 3rd year (retrospective) Virtual 3.0 (2.0-4.0), p=0.008 4th year In-Person 4.0 (4.0-5.0), 4th year Virtual 4.0 (4.0-5.0), p=0.952</p>

Key: Q: quartiles

Table 3: Characteristics of included studies focusing on nursing students

Author/s Country Focus Remote platform	Participants Outcomes/outcome measures	Study design Type of analysis	Findings
<p>Arrogante et al. 2021 Spain</p> <p>High-fidelity^a virtual OSCEs with standardized patients</p> <p>Blackboard Collaborate</p> <p>A total of eight simulated clinical scenarios were designed related to hospitalized patients or treated in primary care</p>	<p><u>Participants</u> Academic year 2018/2019 Fourth years In-person OSCEs (n=111)</p> <p>Academic year 2019/2020 Fourth years High fidelity virtual OSCEs (n=123)</p> <p><u>Outcomes</u> Competency - Nursing assessment - Clinical judgment/decision-making - Clinical management / nursing care - Communication / interpersonal relationships - Teamwork</p> <p><u>Outcome measures</u> Checklist of the required nursing competencies in the exacerbation of Chronic Obstructive Pulmonary Disease</p>	<p><u>Study design</u> Comparative descriptive study Post-test only</p> <p><u>Type of analysis</u> Analytical statistics Mean scores</p> <p>Comparing nursing competencies acquisition through virtual and in-person OSCE modalities across two academic years</p> <p><u>Quality appraisal rating</u> Score 4 out of 7</p> <p><u>Confidence evaluation</u> Competency – Low</p>	<p><u>Competence (Mean±SD)</u> Nursing assessment) (In-Person 11.89±4.31; Virtual 11.67±4.11, p=0.50, effect size 0.27)</p> <p>Clinical judgement and decision-making (In-Person 10.27±5.39; Virtual 9.84±4.70, p=0.33, effect size 0.29)</p> <p>Clinical management and nursing care (In-Person 21.08±5.29; Virtual 20.88±5.38, p=0.56, effect size 0.26)</p> <p>Communication and interpersonal relationships (In-Person 12.65±2.75; Virtual 12.13±2.44, p=0.10, effect size 0.32)</p> <p>Teamwork (In-Person 12.97±5.20; Virtual 12.45±4.07, p=0.24, effect size 0.30)</p> <p>Overall (In-Person 68.82±13.96; Virtual 68.13±17.96, p=0.10, p=0.42)</p>
<p>Kawasaki et al. 2021 Japan</p> <p>Remotely taught course in human genomics</p> <p>PowerPoint presentations prepared previously for the conventional face-to-face course by adding recorded explanations to the slides, along with uploading the handouts and worksheets to the online educational system with no changes to the topics or content.</p>	<p><u>Participants</u> Academic year 2019/2020 In-Person Third years (n=46/62, 74.2%)</p> <p>Academic year 2020/2021 Virtual Third years (n=56/59, 94.9%)</p> <p><u>Outcomes</u> Knowledge Confidence Competency</p> <p><u>Outcome measures</u> <u>Knowledge</u> Genetics knowledge assessment consisting of 12 true/false, 12 fill-in-the-blanks, and 14 essay questions. Points were allocated to each problem for a perfect score of 100</p> <p><u>Confidence</u> Single question</p>	<p><u>Study design</u> Comparative descriptive study Pre-test / Post-test</p> <p><u>Type of analysis</u> Analytical statistics Mean scores</p> <p>Comparison within and between academic years</p> <p><u>Quality appraisal rating</u> Score 4 out of 7</p> <p><u>Confidence evaluation</u> Knowledge – Low Confidence – Low Competency – Very low</p>	<p><u>Knowledge (Mean ±SD)</u> In-Person: Pre (19.09±7.03); Post (71.24±16.84), p<0.001 Virtual: Pre-test (34.05±8.81); Post-test (91.34±9.05), p<0.001 Mean difference In-Person (52.15±16.47); Virtual (57.29±9.53), p>0.05</p> <p><u>Confidence (Mean ±SD)</u> In-Person (2.89±0.90); Virtual (3.38±0.91), p=0.009</p> <p><u>Competency (Mean ±SD)</u> I am familiar with the term “human genomics” In-Person: (Pre 3.13±0.89); Post (4.11±0.80), p<0.001 Virtual: (Pre 3.52±0.85); Post (4.52±0.57), p>0.001</p> <p>I can explain diabetes by referring to hereditary and environmental factors In-Person: (Pre 2.28±0.83); Post (3.17±0.85), p<0.001 Virtual: (Pre 3.05±0.86); Post (3.91±0.84), p>0.001</p>

	<p>'I gained confidence in human genetic health counselling'</p> <p>5-point self-assessment Likert scale was used to assess the attainment of course goals.</p> <p>1=Not at all true of me; 2=A little true of me; 3=True of me half the time; 4=Quite true of me; and 5=Very true of me</p> <p><i>Competency</i> Self assessment question within wider study I am familiar with the term human genomics I can explain diabetes by referring to hereditary and environmental factors I can fully explain human diversity by using genomic information I can respond to concerns raised by a member of the community by using knowledge of genetics (same Likert scale as above)</p>		<p>I have had the opportunity to obtain accurate information about genomic diseases In-Person: (Pre 2.26±0.90); Post (3.74±0.80), p<0.001 Virtual: (Pre 2.87±1.01); Post (4.25±0.72), p>0.001</p> <p>I can fully explain human diversity using genomic information In-Person: (Pre 1.52±0.62); Post (2.98±0.88), p<0.001 Virtual: (Pre 2.07±0.74); Post (4.02±0.80), p>0.001</p> <p>I can respond to concerns raised by a member of the community by using knowledge of genetics In-Person: (Pre 1.46±0.55); Post (2.98±0.72), p<0.001 Virtual: (Pre 1.75±0.75); Post (3.46±0.85), p>0.001</p> <p>I can fully explain human diversity using genomic information In-Person: (Pre 1.46±0.89); Virtual: (1.95±0.92), p=0.003</p> <p>All other learning domains non significant</p>
<p>Weston and Zauche, 2020 USA</p> <p>Virtual simulation to clinical practice for prelicensure nursing students in pediatrics</p> <p>Half completed in-person pediatric clinical practice and simulation</p> <p>Half completed virtually using I-Human www.ihuman.com</p> <p>In-Person simulation Laboratory 5 weeks</p> <p>Virtual simulation 35 hours of virtual simulation using the i-Human platform over 5 weeks</p>	<p><u>Participants</u> Academic year 2019/2020</p> <p>First years (n=186) In-Person (n=88) Virtual (n=98)</p> <p>Traditional BSN students In-person (n=47) Virtual (n=45)</p> <p>Second-degree BNS students In-Person (n=41) Virtual (n=53)</p> <p><u>Outcomes</u> Knowledge</p> <p><u>Outcome Measure:</u> Assessment Technologies Institute (ATI) Nursing care of children examination Including foundations of nursing care of children, age-specific developmental expectations, and care for children with chronic conditions and acute illnesses</p>	<p><u>Study design</u> Single cohort descriptive study Post-test</p> <p><u>Type of analysis</u> Analytical statistics Mean scores</p> <p>Comparing knowledge through virtual and in-person simulation</p> <p><u>Quality appraisal rating</u> Score of 4 out of 7</p> <p><u>Confidence evaluation</u> Knowledge – Very low</p>	<p>ATI Scores (Mean±SD) Total sample In-Person (61.91±10.76); Virtual (60.64±12.99%), p=0.485; 95% CI -2.24 to 4.71</p> <p>Second-degree BSN students In-Person (63.95±9.50); Virtual (64.59 ± 11.01), p=0.77; 95% CI -4.93 to 3.65.</p> <p>Second-degree BSN students In-Person (60.13 ±11.55); Virtual (56.06±13.75), p=0.13, 95% CI -1.19 to 9.32</p>

Key: ATI: Assessment Technologies Institute; OSCE's: Objective Structured Clinical Examinations

Table 4: Characteristics of included studies focusing on pharmacy students

Author/s Country Focus Remote platform	Participants Outcomes / Outcome measures	Study design Type of analysis	Findings
<p>Cowart and Updike, 2021 USA</p> <p>Remote delivery of a hypertension/drug information simulation-based learning</p> <p>Blackboard Collaborate</p> <p>Across 3 days after 1.5 hours didactic lectures and 2.5 hours laboratory instructive session, pre case vignettes</p>	<p><u>Participants</u> Academic year 2019/2020 First years (n=87)</p> <p>Response rate pre-test (95%) Response rate post test (62%)</p> <p><u>Outcomes</u> Blood pressure techniques Application of drug information Assessment of communication skills</p> <p><u>Outcome measures</u> <u>Competency</u> 4-point self-assessment Likert scale (1=strongly disagree, 2=disagree, 3=agree, 4=strongly agree)</p> <p><u>Confidence</u> 5-point self-assessment Likert-scale (0=not at all confident, 1=slightly confident, 2=somewhat confident, 3=moderately confident, 4=very confident)</p>	<p><u>Study design</u> Single cohort descriptive study Pre-test / Post-test</p> <p><u>Type of analysis</u> Analytical statistics Mean scores</p> <p><u>Quality appraisal rating</u> Score 3 out of 7</p> <p><u>Confidence evaluation</u> Confidence - Low Competency – Very low</p>	<p><u>Confidence (Mean ±SD)</u> Blood pressure techniques (Pre 2.75±0.99; Post 4.13±0.7, p<0.001)</p> <p>Application of drug information (Pre 3.55±1.06; Post 4.39±0.81; p=0.002)</p> <p>Assessment of communication skills (Pre 3.05±0.99; Post 3.87±0.83), p<0.001)</p> <p><u>Competency (Mean ±SD)</u> Blood pressure techniques (Pre 3.28±0.57, Post 3.22±0.67, p=0.859)</p> <p>Application of drug information (Pre 3.17±0.51, Post 3.30±0.66, p=0.864)</p> <p>Assessment of communication (Pre 3.17±0.51, post 3.44±0.54, p=0.007)</p>
<p>Phillips et al. 2021 USA</p> <p>Remote delivery of Integrated Patient Care Capstone course</p> <p>Zoom video conferencing platform</p> <p>60% of the course competed in-person before transitioning to remote learning which consisted of weekly class sessions</p>	<p><u>Participants</u> Academic year 2019/2020 In-person Third (n=134)</p> <p>Academic year 2020/2021 60% course completed in person before moving to remote learning Third years (n=126)</p> <p><u>Outcomes</u> Drug therapy knowledge Application of drug therapy guidelines Improving clinical reasoning, strengthening pharmacists' patient care process, skill development</p> <p><u>Outcome measures</u> <u>Knowledge / performance:</u> Quizzes Mid-term examination result Final examination results</p> <p><u>Competency & confidence:</u> 6-item self-assessment scale</p>	<p><u>Study design</u> Comparative descriptive study Post-test only</p> <p><u>Type of analysis</u> Analytical statistics Mean scores</p> <p>Comparison between remote and in person learning within the same academic year</p> <p>Comparison between two academic years</p> <p><u>Quality appraisal rating</u> Score 3 out of 7</p> <p><u>Confidence evaluation</u> Knowledge – Very Low Confidence - Low Competency – Low</p>	<p><u>Knowledge</u> Quiz average (Mean ±SD) 2019 cohort (23.0±3.0); 2020 cohort (23.6±1.9), p>0.05)</p> <p>2020 Spring semester In-Person (7.7 ± 1.8); 2020 summer semester Virtual (8.2 ± 1.6), p<0.05)</p> <p>Mid-term examination (Mean ±SD) 2019 cohort (21.3±4.8); 2020 cohort 22.1±5.0, p>0.05)</p> <p>Final examination (Mean ±SD) 2019 cohort (23.1±5.4); 2020 cohort 21.3±5.4, p<0.01)</p> <p>2020 Spring semester In-Person (23.1 ± 5.4), 2020 summer semester Virtual (21.3 ± 5.4); p<0.05)</p> <p><u>Competency</u> No significant difference in self-assessed skill development when compared between 2019 and 2020 using anonymous course evaluation data (Mann-Whitney U test; p>0 05).</p> <p><u>Confidence</u> No significant associations were found between level of student confidence in skill development and performance on the final practical exam or in the overall</p>

			course in 2020 (Spearman Correlation test, $p>0.05$)
<p>Scoular et al. 2021 USA</p> <p>Remote delivery of OSCEs in patient counselling and taking a medical history</p> <p>Zoom video conferencing platform</p>	<p><u>Participants</u> Academic year 2019/2020 First years (n=144)</p> <p>Academic years 2020/2021 First years (n=106)</p> <p><u>Outcomes</u> Skills (Patient centred communication; empathy; trust; professionalism; general verbal and non-verbal communication skills)</p> <p><u>Outcome measures</u> Cumulative OSCE Patient centred communication OSCE Students were required to counsel a standardized patient on two prescription products with unique dosage forms (e.g., inhalers). Students' skills were graded by standardized patients</p>	<p><u>Study design</u> Comparative descriptive study Post-test only</p> <p><u>Type of analysis</u> Analytical statistics Mean scores</p> <p>Comparison between remote and in person learning</p> <p>Comparison of performance scores between two academic years</p> <p><u>Quality appraisal rating</u> Score 5 out of 7</p> <p><u>Confidence evaluation</u> Skillssupp – Very low</p>	<p>Patient centred communication OSCE Overall score (Median, range) 2019 (96.47, 36.47); 2020 (99.00, 23.00), $p=0.000$ effect size -0.29</p> <p>Comparison between 2019/2020 for sub domains Establishing a trusting relationship ($p=0.000$), effect size -0.32 Effective verbal and non-verbal communication ($p=0.001$, effect size -0.21) Provided patient friendly education ($p=0.026$, effect size -0.14) Organizing the encounter ($p=0.044$, effect size -0.13)</p> <p>Cumulative OSCE Total variable score (Median) 2019 (16.00, 10.00); 2020 (16.0, 16.00), $p=0.039$, effect size -0.13</p> <p>Comparison between 2019/2020 for sub domains Demonstrates empathy ($p=0.245$) Appropriate non-verbal communication ($p=0.259$) Professionalism ($p=0.750$) Global feedback: Establishing Trust ($p=0.015$, effect size -0.15)</p>
<p>Singh et al. 2021 USA</p> <p>Virtual case-based learning elective rotation for Advanced Pharmacy Experience</p> <p>Asynchronous independent work and synchronous video conferencing University Supported Management System: CANVAS</p> <p>Zoom video conferencing platform</p> <p>6-weeks</p>	<p><u>Participants</u> Students (n=68/70) No further details provided</p> <p><u>Outcomes</u> Confidence (based on SLOs below)</p> <p>Knowledge Student Learning Outcomes (SLOs) (n=8) SLO 1: Retrieve evidence-based medicine in the patient decision-making process SLO 2: Evaluate and apply evidence-based medicine in the patient decision-making process SLO 3: Analyse patient-specific background (i.e., informational, functional, socioeconomic, cultural, and behavioural) to establish patient-specific goals SLO 4: Prepare and communicate patient care plans SLO 5: Design, and redesign as appropriate, a safe, and effective patient specific plan SLO 6: Develop patient-specific monitoring plans to assess efficacy and safety SLO 7: Develop drug-related education materials</p>	<p><u>Study design</u> Single cohort descriptive study</p> <p><u>Confidence</u> Pre-test / Post test</p> <p><u>Knowledge</u> Post-test</p> <p><u>Type of analysis</u> Descriptive statistics Mean scores</p> <p><u>Quality appraisal rating</u> Score 4 out of 7</p> <p><u>Confidence evaluation</u> Knowledge – Very Low Confidence – Low</p>	<p><u>Knowledge</u> (SLO's: mean scores) SLO 1: 76.31% SLO 2 80.42% SLO 3 76.31% SLO 4 81.14% SLO 7 :75.51% SLO 8: 75.77%. The average score for the one graded activity mapped to SLO 5 and SLO 6 was 76.31%</p> <p><u>Confidence</u> The mean difference in the students' responses showed a greater than average 10-point improvement in their ability to demonstrate learning outcomes</p>

	<p>SLO: 8: Clearly communicate educational materials to preceptors and peers</p> <p><u>Outcome Measures:</u></p> <p><i>Confidence</i> 100-point levelled ability scale with each of five levels of ability spanning a range of 0 to 20</p> <p><i>Knowledge</i> Seven graded activities (case-based quizzes, drug consultations and presentations, journal club activities, and the closeout exams) were used to assess the achievement of SLOs, with a target minimum average of 80% as an acceptable level for achieving outcomes</p>		
--	--	--	--

Key:_OSCE's : Objective Structured Clinical Examinations; SLO: Student Learning Outcomes

6. RAPID REVIEW METHODS

6.1 Eligibility criteria

We included any quantitative primary research designed to determine the effectiveness of any alternative education delivery strategies (including clinical skills delivery) for undergraduate and postgraduate medical, dental, nursing and pharmacy students during the COVID-19 pandemic? The outcomes of interest were knowledge, skills, confidence and competency. The context was all academic and healthcare institutions that deliver undergraduate or post graduate education.

Exclusions

- All other allied health professions
- Research conducted within non-OECD countries
- Assessment / examination processes
- Continuing professional development not leading to a postgraduate qualification

6.2 Literature search

Search strategy

An initial search of MEDLINE was undertaken (medicine or medical or nurs* or dental or dentistry or pharmacy or pharmacist or education* or train* or teach* or student* or undergraduate* or postgraduate* AND COVID* or coronavirus) followed by analysis of the text words contained in the title and abstract, and of the index terms used to describe article. This informed the development of a search strategy which was then tailored for each information source. The reference list of all included studies was screened for additional studies.

Sources searched

[Searches](#) were conducted across four databases. On the OVID platform: MEDLINE and Embase, on the EBSCO platform: CINAHL and ERIC, from December 2019 to 8th June 2021 for English language citations.

6.3 Study selection process

All citations retrieved from the database searches were imported or entered manually into EndNote™ (Thomson Reuters, CA, USA) and duplicates removed. Irrelevant citations were removed by searching for keywords within the title using the search feature within the Endnote software. The project team agreed which keywords to use to identify papers which did not meet the inclusion criteria. At the end of this process the citations that remained were exported as an XML file and then imported to Covidence™.

Two reviewers dual screened 20% of the citations using the information provided in the title and abstract, using the software package Covidence™, and resolved all conflicts. The remaining citations were then screened by a single reviewer, screening into categories of include and [exclude](#). To streamline the review process, the project team decided against a third category of 'unsure' and instead, where there was uncertainty about a citation, it was categorised as 'include' to enable a decision to be made based on the full text.

For citations that appeared to meet the inclusion criteria, or in cases in which a definite decision could not be made based on the title and/or abstract alone, the full text of all citations were retrieved.

The full texts were screened for inclusion by one reviewer using a purposely designed form which was piloted using approximately 10 manuscripts. One reviewer then screened full text manuscripts, and another reviewer checked all excluded manuscripts.

6.4 Data extraction

All demographic data were extracted directly into tables by one reviewer, and checked by another. The data extracted included specific details about the interventions, populations, study methods and outcomes of significance to the review question and specific objectives. A template for the data extraction process

was piloted on manuscripts for each of the included study designs before use. All outcome data were extracted directly into tables by one reviewer and checked by another.

6.5 Quality appraisal

The methodological quality of all the research studies was assessed by one reviewer, and judgements verified by a second reviewer, using JBI design-specific critical appraisal tools (<https://jbi.global/critical-appraisal-tools>). When a study met a criterion a score of one was given. Where a particular item was regarded as “unclear” it was given a score of zero. Where a particular item was regarded as “not applicable” a point was deducted from the total score. All included studies were assessed using this method and their overall [critical appraisal scores](#) calculated.

6.6 Synthesis

Two RCTs were included in the review but there was insufficient homogeneity across the studies and therefore we were unable to perform a meta-analysis. The findings from the RCTs, along with data from descriptive studies, were thematically presented (Thomas and Harden, 2008).

6.7 Assessment of body of evidence

The [confidence in the synthesised findings](#) were assessed by one reviewer and judgements verified by a second reviewer and these were conducted separately for the RCTs and the descriptive studies as follows:

- RCTs - Grading of Recommendations, Assessment, Development and Evaluation (GRADE) approach (Guyatt et al. 2008).
Final quality ratings were
 - High quality (it is highly likely that new research will not modify the finding substantially)
 - Moderate quality (it is somewhat likely that new research will not modify the finding substantially)
 - Low quality (it is somewhat likely that new research will modify the finding substantially)
 - Very low quality (it is highly likely that new research will modify the finding substantially)


- Quantitative descriptive studies by applying the principles of GRADE (World Health Organisation, 2017).
Final quality ratings were
 - High quality (highly likely that new evidence will not substantially modify the study findings)
 - Moderate quality (somewhat likely that new evidence will not substantially modify the study findings)
 - Low quality (somewhat likely that new evidence will substantially modify the study findings)
 - Very low quality (highly likely that new evidence will substantially modify the study findings)

Due to heterogeneity of the different interventions within similar settings outcome, data was only available for results that arose from single studies and guidance was followed on undertaking GRADE for data of this type (Ryan and Hill, 2016).

6.8 Study selection flow chart

The flow of citations through each stage of the review process is displayed in a PRISMA flowchart (Page et al. 2021), see Figure 1.

Figure 1: PRISMA flow diagram



7. ADDITIONAL INFORMATION

7.1 Information available on request or please download here:

- [Full search strategies](#)
- [Critical appraisal scores](#)
- Tool for assessing the confidence of synthesised findings from quantitative descriptive studies
- [Evaluation of confidence using GRADE](#)
- [Excluded studies](#)

7.2 Conflicts of interest

The authors declare they have no conflicts of interest to report.

7.3 Acknowledgements

The authors would like to thank Steve Riley, Michal Tombs and Assim Javaid for their contributions during stakeholder meetings to guide the focus of the review and interpret findings. In addition, thanks to Professor Jane Noyes for passing on the information regarding the adaption of the GRADE approach for quantitative descriptive studies.

7.4 Abbreviations

Acronym	Full Description
GRADE	Grading of Recommendations, Assessment, Development and Evaluation
RCT	Randomised controlled trial
OECD	Organisation for Economic Co-operation and Development
OSCEs	Objective structured clinical examination
TASO	Transforming Access and Student Outcomes in Higher Education

8. ABOUT THE WALES COVID-19 EVIDENCE CENTRE (WC19EC)

The WC19EC integrates with worldwide efforts to synthesise and mobilise knowledge from research. We operate with a core team as part of [Health and Care Research Wales](#), are hosted in the [Wales Centre for Primary and Emergency Care Research \(PRIME\)](#), and are led by [Professor Adrian Edwards of Cardiff University](#).

The core team of the centre works closely with collaborating partners in [Health Technology Wales](#), [Wales Centre for Evidence-Based Care](#), [Specialist Unit for Review Evidence centre](#), [SAIL Databank](#), [Bangor Institute for Health and Medical Research/ Health and Care Economics Cymru](#), and the [Public Health Wales Observatory](#).

Together we aim to provide around 50 reviews per year, answering the priority questions for policy and practice in Wales as we meet the demands of the pandemic and its impacts.

Director:

Professor Adrian Edwards

Contact Email:

WC19EC@cardiff.ac.uk

Website:

<https://healthandcareresearchwales.org/about-research-community/wales-covid-19-evidence-centre>

Search strategies

Ovid Medline ALL: 08/06/2021

#		Results
1	exp Education, Medical/	171,333
2	exp Students, Medical/	36,453
3	exp Education, Graduate/	89,166
4	exp Clinical Clerkship/	5,324
5	exp Education, Premedical/	782
6	exp Education, Dental/	19,706
7	exp Education, Predental/	148
8	exp Students, Dental	6,695
9	exp Education, Nursing	84,950
10	exp Students, Nursing	25,798
11	exp Education, Pharmacy	8,288
12	exp Students, Pharmacy	3,504
13	((medical or medicine or dental or dentist* or nurs* or pharmacist* or pharmacy) adj3 (education* or training or teach* or student* or undergraduate* or postgraduate* or lecture* or syllabus or curriculum or curricular or college* or school* or learn* or trainee* or bachelor* or master*)).ti,ab,kw	262,059
14	OR 1-13	450,681
15	exp Coronavirus/	76,778
16	COVID-19/	83,208
17	((corona* or corono*) adj1 (virus* or viral* or virinae*)).ti,ab,kw	3,149
18	(coronavirus* or coronavir* or coronaviri* or 2019-nCoV or 2019nCoV or nCoV2019 or nCoV-2019 or covid-19* or covid19* or ncov* or n-cov* or HCoV* or SARS-CoV-2 or SARSCoV-2 or SARSCov2 or SARS-CoV2 or severe acute respiratory syndrome).ti,ab,kw	153,396
19	((outbreak* or pandemic* or epidemic*) adj10 (wuhan or hubei or china or Chinese or Huanan)).ti,ab,kw	8,045
20	OR 15-19	165,278
21	14 and 20	3,888
22	21 and 2019:2021.(sa_year).	3,794
23	Limit 22 to English language	3665

Ovid EMBASE 1945-Present: 08/06/2021

#		Results
1	exp medical education/	353,341
2	exp medical student/	77,495
3	exp masters education/	409
4	exp postgraduate education/	16,710
5	exp dental education/	23,753

6	exp dental student/	8,240
7	exp nursing education/	90,538
8	exp nursing student/	28,638
9	exp pharmacy student/	7,785
10	((medical or medicine or dental or dentist* or nurs* or pharmacist* or pharmacy) adj3 (education* or training or teach* or student* or undergraduate* or postgraduate* or lecture* or syllabus or curriculum or curricular or college* or school* or learn* or trainee* or bachelor* or master*)).ti,ab,kw	352,540
11	OR 1-10	648,645
12	exp Coronavirinae/	52,472
13	exp coronavirus disease 2019/	118,528
14	exp severe acute respiratory syndrome/	10,043
15	exp Coronavirus infection/	137,973
16	((corona* or corono*) adj1 (virus* or viral* or virinae*)).ti,ab,kw	2,823
17	(coronavirus* or coronavir* or coronaviri* or 2019-nCoV or 2019nCoV or nCoV2019 or nCoV-2019 or covid-19* or covid19* or ncov* or n-cov* or HCoV* or SARS-CoV-2 or SARSCoV-2 or SARSCov2 or SARS-CoV2 or severe acute respiratory syndrome).ti,ab,kw	152,351
18	((outbreak* or pandemic* or epidemic*) adj10 (wuhan or hubei or china or Chinese or Huanan)).ti,ab,kw	8,165
19	OR 12-18	176,298
20	11 and 19	5,952
21	20 and 2019:2021.(sa_year).	5,652
22	Limit 21 to English language	5,493

EBSCOhost CINAHL 08/06/2021

#		Results
1	(MH "Education, Medical")	31,814
2	(MH "Students, Medical")	16,418
3	(MH "Education, Graduate+")	15,426
4	(MH "Education, Continuing+")	35,671
5	(MH "Education, Diploma Programs+")	1,067
6	(MH "Education, Dental")	4,083
7	(MH "Students, Dental")	2,817
8	(MH "Education, Nursing+")	84,609
9	(MH "Students Nursing+")	40,129
10	(MH "Education, Pharmacy")	1,882
11	(MH "Students Pharmacy")	1,389
12	TI (medical or medicine or dental or dentist* or nurs* or pharmacist* or pharmacy) N3 (education* or training or teach* or student* or undergraduate* or postgraduate* or	82,569

	lecture* or syllabus or curriculum or curricular or college* or school* or learn* or trainee* or bachelor* or master*)	
13	AB (medical or medicine or dental or dentist* or nurs* or pharmacist* or pharmacy) N3 (education* or training or teach* or student* or undergraduate* or postgraduate* or lecture* or syllabus or curriculum or curricular or college* or school* or learn* or trainee* or bachelor* or master*)	119,149
14	OR 1-13	271,077
15	(MH "Coronavirus+")	2,015
16	(MH "Coronavirus Infections+")	27,868
17	(MH "COVID-19 Pandemic")	14,129
18	TI (corona* or corono) N1 (virus* or viral* or virinae*)	151
19	AB (corona* or corono) N1 (virus* or viral* or virinae*)	368
20	TI (coronavirus* or coronovirus* or coronaviri* or 2019-nCoV or 2019nCoV or nCoV2019 or nCoV-2019 or covid-19* or covid19* or ncov* or n-cov* or HCoV* or SARS-CoV-2 or SARSCoV-2 or SARSCov2 or SARS-CoV2 or severe acute respiratory syndrome)	40,642
21	AB (coronavirus* or coronovirus* or coronaviri* or 2019-nCoV or 2019nCoV or nCoV2019 or nCoV-2019 or covid-19* or covid19* or ncov* or n-cov* or HCoV* or SARS-CoV-2 or SARSCoV-2 or SARSCov2 or SARS-CoV2 or severe acute respiratory syndrome)	30,024
22	TI (outbreak* or pandemic* or epidemic*) N10 (wuhan or hubei or china or Chinese or Huanan)	687
23	AB (outbreak* or pandemic* or epidemic*) N10 (wuhan or hubei or china or Chinese or Huanan)	1,311
24	OR 15-23	59,528
25	14 and 24 (limited to 20191201-20210631; English Language)	1,786

EBSCOhost ASSIA 08/06/2021

#		Results
1	TI (medical or medicine or dental or dentist* or nurs* or pharmacist* or pharmacy) N3 (education* or training or teach* or student* or undergraduate* or postgraduate* or lecture* or syllabus or curriculum or	9,751

	curricular or college* or school* or learn* or trainee* or bachelor* or master*)	
2	AB (medical or medicine or dental or dentist* or nurs* or pharmacist* or pharmacy) N3 (education* or training or teach* or student* or undergraduate* or postgraduate* or lecture* or syllabus or curriculum or curricular or college* or school* or learn* or trainee* or bachelor* or master*)	23,055
3	OR 1-2	24,942
4	TI (corona* or corono) N1 (virus* or viral* or virinae*)	0
5	AB (corona* or corono) N1 (virus* or viral* or virinae*)	18
6	TI (coronavirus* or coronovirus* or coronaviri* or 2019-nCoV or 2019nCoV or nCoV2019 or nCoV-2019 or covid-19* or covid19* or ncov* or n-cov* or HCoV* or SARS-CoV-2 or SARSCoV-2 or SARSCov2 or SARS-CoV2 or severe acute respiratory syndrome)	1,141
7	AB (coronavirus* or coronovirus* or coronaviri* or 2019-nCoV or 2019nCoV or nCoV2019 or nCoV-2019 or covid-19* or covid19* or ncov* or n-cov* or HCoV* or SARS-CoV-2 or SARSCoV-2 or SARSCov2 or SARS-CoV2 or severe acute respiratory syndrome)	2,041
8	TI (outbreak* or pandemic* or epidemic*) N10 (wuhan or hubei or china or Chinese or Huanan)	16
9	AB (outbreak* or pandemic* or epidemic*) N10 (wuhan or hubei or china or Chinese or Huanan)	38
10	OR 4-9	2,148
11	3 AND 10	34

Critical appraisal scores

Table of critical appraisal scores from descriptive surveys

	Q1	Q2	Q3	Q4	Q5	Q6	Q7	Q8
Arrongante et al 2021	Y	N	Y	N/A	N	N	Y	Y
Cowart et al 2000	Y	N	Y	N/A	N	N	UC	Y
Darici et al 2021	Y	Y	Y	N/A	Y	N	Y	Y
Harendze et al 2020	Y	N	Y	N/A	N	N	Y	Y
Kasai et al 2021	Y	N	Y	N/A	N	N	N	Y
Kawasaki et al 2021	Y	Y	Y	N/A	N	N	UC	Y
Kim et al 2020	UC	UC	Y	N/A	N	N	Y	Y
Martini et al 2021	Y	Y	Y	N/A	Y	Y	Y	Y
Monday et al 2020	Y	N	Y	N/A	N	N	Y	Y
Nathaniel and Black 2021	Y	Y	Y	N/A	N	N	Y	Y
Nijakowski et al 2021	Y	Y	Y	N/A	N	N	N	Y
Phillips et al 2021	Y	N	Y	N/A	N	N	UC	Y
Qaranto et al 2021	Y	N	Y	N/A	Y	N	UC	Y
Redinger and Greene 2021	Y	N	Y	N/A	N	N	Y	Y
Rosenthal et al 2021	Y	N	Y	N/A	N	N	Y	Y
Scoular et al 2021	Y	N	Y	N/A	Y	N	Y	Y
Singh et al 2020	Y	N	Y	N/A	N	N	Y	Y
Totlis et al 2021	Y	Y	Y	N/A	N	N	Y	N
Weston et al 2020	Y	N	Y	N/A	N	N	Y	Y
Kanzow et al 2021	Y	N	Y	N/A	N	N	Y	Y
Pang et al 2021	Y	N	Y	N/A	N	N	N	Y

1. Were the criteria for inclusion in the sample clearly defined?
2. Were the study subjects and the setting described in detail?
3. Was the exposure measured in a valid and reliable way?
4. Were objective, standard criteria used for measurement of the condition?
5. Were confounding factors identified?
6. Were strategies to deal with confounding factors stated?
7. Were the outcomes measured in a valid and reliable way?
8. Was appropriate statistical analysis used?

Table of critical appraisal scores from randomised controlled trials

	Q1	Q2	Q3	Q4	Q5	Q6	Q7	Q8	Q9	Q10	Q11	Q12	Q13
Suppan et al 2021	Y	Y	Y	N/A	N/A	Y	Y	N	Y	Y	Y	Y	Y
Schmitz et al 2021	Y	Y	UC	N/A	N/A	UC	Y	N	Y	Y	Y	Y	UC

1. Was true randomization used for assignment of participants to treatment groups?
2. Was allocation to treatment groups concealed?
3. Were treatment groups similar at the baseline?
4. Were participants blind to treatment assignment?
5. Were those delivering treatment blind to treatment assignment?
6. Were outcomes assessors blind to treatment assignment?
7. Were treatment groups treated identically other than the intervention of interest?
8. Was follow up complete and if not, were differences between groups in terms of their follow up adequately described and analysed?
9. Were participants analysed in the groups to which they were randomized?
10. Were outcomes measured in the same way for treatment groups?
11. Were outcomes measured in a reliable way
12. Was appropriate statistical analysis used?
13. Was the trial design appropriate, and any deviations from the standard RCT design (individual randomization, parallel groups) accounted for in the conduct and analysis of the trial?

Evaluation of confidence using GRADE

Table of evaluation of confidence using an adapted version GRADE for descriptive studies

Citation Outcome	Limitations	Imprecision	Indirectness	Inconsistency	Quality
Arrogante et al. 2021 Competency	Serious limitations Rate down one level (Confounding not accounted for and baseline levels of the outcome of interest were not controlled for)	Very serious imprecision Rate down by two levels (Sample size under 200 and no CIs presented)	No serious indirectness	No serious inconsistency	Very Low (Due to serious limitations and very serious imprecision)
Cowart et al. 2000 Competency	Serious limitations Rate down one level (Confounding not accounted for and Likert scale not appropriate)	Very serious imprecision Rate down by two levels (Sample size under 200 and no CIs presented)	No indirectness	No serious inconsistency	Very Low (Due to serious limitations and very serious imprecision)
Cowart et al. 2000 Confidence	No serious limitations Do not downgrade (Confounding not accounted for)	Very serious imprecision Rate down by two levels (Sample size under 200 and no CIs presented)	No indirectness	No serious inconsistency	Low (Due to very serious imprecision)
Darici et al. 2021 Knowledge	Serious limitations Rate down one level (Confounding not accounted for, baseline levels of the outcome of interest were not controlled for)	Serious imprecision Rate down by one level (Sample size under 200)	No serious indirectness	No serious inconsistency	Low (Due to serious limitations and serious imprecision)
Harendze et al. 2020 Confidence	Serious limitations Rate down one level (Confounding not accounted for and baseline levels of the outcome of interest were not controlled for)	Very serious imprecision Rate down by two levels	No serious indirectness	No serious inconsistency	Very Low (Due to serious limitations and very serious imprecision)

		(Sample size under 200 and no CIs presented)			
Kanzow et al. 2021 Knowledge	No serious limitations Do not downgrade (Confounding not accounted for)	Very serious imprecision Rate down by two levels (Sample size under 200 and no CIs presented)	No serious indirectness	No serious inconsistency	Low (Due to very serious imprecision)
Kasai et al. 2021 Competency	Serious limitations Rate down one level (Confounding not accounted for and Likert scale not appropriate)	Very serious imprecision Rate down by two levels (Sample size under 200 and no CIs presented)	No serious indirectness	No serious inconsistency	Very Low (Due to serious limitations and very serious imprecision)
Kawasaki et al. 2021 Knowledge	No serious limitations Do not downgrade (Confounding not accounted for)	Very serious imprecision Rate down by two levels (Sample size under 200 and no CIs presented)	No serious indirectness	No serious inconsistency	Low (Due to very serious imprecision)
Kawasaki et al. 2021 Competency	Serious limitations Downgrade by one level (Confounding not accounted for and Likert scale not appropriate)	Very serious imprecision Rate down by two levels (Sample size under 200 and no CIs presented)	No serious indirectness	No serious inconsistency	Very Low (Due to very serious limitations and very serious imprecision)
Kawasaki et al. 2021 Confidence	No serious limitations Do not downgrade (Confounding not accounted for)	Very serious imprecision Rate down by two levels (Sample size under 200 and no CIs presented)	No serious indirectness	No serious inconsistency	Low (Due to very serious imprecision)

Kim et al. 2020 Knowledge	No serious limitations Do not downgrade (Confounding not accounted for)	Very serious imprecision Rate down by two levels (Sample size under 200 and no CIs presented)	No serious indirectness	No serious inconsistency	Low (Due to very serious imprecision)
Martini et al. 2021 Confidence	No serious limitations Do not downgrade (Confounding not accounted for)	Very serious imprecision Rate down by two levels (Sample size under 200 and no CIs presented)	No serious indirectness	No serious inconsistency	Low (Due to very serious imprecision)
Monday et al. 2020 Confidence	No serious limitations Do not downgrade (Confounding not accounted for)	Very serious imprecision Rate down by two levels (Sample size under 200 and no CIs presented)	No serious indirectness	No serious inconsistency	Low (Due to very serious imprecision)
Monday et al. 2020 Knowledge	No serious limitations Do not downgrade (Confounding not accounted for)	Very serious imprecision Rate down by two levels (Sample size under 200 and no CIs presented)	No serious indirectness	No serious inconsistency	Low (Due to very serious imprecision)
Nathaniel and Black 2021	Serious limitations Rate down one level (Confounding not accounted for and baseline levels of the outcome of interest were not controlled for)	Very serious imprecision Rate down by two levels (Sample size under 200 and no CIs presented)	No serious indirectness	No serious inconsistency	Very Low (Due to very serious limitations and very serious imprecision)
Nijakowski et al. 2021 Knowledge	Very serious limitations Rate down two levels	Very serious imprecision	No serious indirectness	No serious inconsistency	Very Low

	(Confounding not accounted for, Likert scale not appropriate and baseline levels of the outcome of interest were not controlled for)	Rate down by two levels (Sample size under 200 and no CIs presented)			(Due to very serious limitations and very serious imprecision)
Nijakowski et al. 2021 Skills	Very serious limitations Rate down two levels (Confounding not accounted for, Likert scale not appropriate and baseline levels of the outcome of interest were not controlled for)	Very serious imprecision Rate down by two levels (Sample size under 200 and no CIs presented)	No serious indirectness	No serious inconsistency	Very Low (Due to very serious limitations and very serious imprecision)
Pang et al. 2021 Competency	Very serious limitations Rate down two levels (No confounding and no controlling for baseline levels of the outcome of interest -retrospective assessment only and Likert scale not appropriate)	Very serious imprecision Rate down by two levels (Sample size under 200 and no CIs presented)	No serious indirectness	No serious inconsistency	Very Low (Due to very serious limitations and very serious imprecision)
Phillips et al. 2021 Knowledge	Serious limitations Rate down one level (Confounding not accounted for and baseline levels of the outcome of interest were not controlled for)	Very serious imprecision Rate down by two levels (Sample size under 200 and no CIs presented)	No serious indirectness	No serious inconsistency	Very Low (Due to very serious limitations and very serious imprecision)
Phillips et al. 2021 Competency	Very serious limitations Rate down two levels (Confounding not accounted for, Likert scale not appropriate and baseline levels of the outcome of interest were not controlled for)	Very serious imprecision Rate down by two levels (Sample size under 200 and no CIs presented)	No serious indirectness	No serious inconsistency	Very Low (Due to very serious limitations and very serious imprecision)
Phillips et al. 2021 Confidence	Serious limitations Rate down one level (Confounding not accounted for and baseline levels of the outcome of interest were not controlled for)	Very serious imprecision Rate down by two levels	No serious indirectness	No serious inconsistency	Very Low (Due to very serious limitations and very serious imprecision)

		(Sample size under 200 and no CIs presented)			
Qaranto et al. 2021 Confidence	Serious limitations Downgrade by one level (Confounding acknowledged but not accounted for and details of outcome measures not reported)	Very serious imprecision Rate down by two levels (Sample size under 200 and no CIs presented)	No serious indirectness	No serious inconsistency	Very low (Due to serious limitations and very serious imprecision)
Redinger and Greene 2021 Knowledge	Serious limitations Rate down one level (Confounding not accounted for and baseline levels of the outcome of interest were not controlled for)	Very serious imprecision Rate down by two levels (Sample size under 200 and no CIs presented)	No serious indirectness	No serious inconsistency	Very low (Due to serious limitations and very serious imprecision)
Rosenthal et al. 2021 Confidence	No serious limitations Do not downgrade (Confounding not accounted for)	Very serious imprecision Rate down by two levels (Sample size under 200 and no CIs presented)	No serious indirectness	No serious inconsistency	Very low (Due to serious limitations and very serious imprecision)
Scoular et al. 2021 Skills	Very serious limitations Rate down two levels (No confounding and no controlling for baseline levels of the outcome of interest)	Very serious imprecision Rate down by two levels (Sample size under 200 and no CIs presented)	No serious indirectness	No serious inconsistency	Very Low (Due to very serious limitations and very serious imprecision)
Singh et al. 2020 Knowledge	Very serious limitations Rate down two levels (No confounding and no controlling for baseline levels of the outcome of interest)	Very serious imprecision Rate down by two levels (Sample size under 200 and no CIs presented)	No serious indirectness	No serious inconsistency	Very Low (Due to very serious limitations and very serious imprecision)

Singh et al. 2020 Confidence	No serious limitations Do not downgrade (Confounding not accounted for)	Very serious imprecision Rate down by two levels (Sample size under 200 and no CIs presented)	No serious indirectness	No serious inconsistency	Low (Due to very serious imprecision)
Totlis et al. 2021 Knowledge	Very serious limitations Rate down two levels (No confounding and no controlling for baseline levels of the outcome of interest)	Serious imprecision Rate down by one level (no CIs presented)	No serious indirectness	No serious inconsistency	Very Low (Due to very serious limitations and serious imprecision)
Weston et al. 2020 Knowledge	Very serious limitations Rate down two levels (No confounding and no controlling for baseline levels of the outcome of interest)	Serious imprecision Rate down by one level (Sample size under 200)	No serious indirectness	No serious inconsistency	Very Low (Due to very serious limitations and serious imprecision)

Publication bias was not relevant

We did not downgrade based on the absence of identifying and/or dealing with confounding factors

GRADE evidence profile - Limitations

Citation	Start	Randomisation	Allocation concealment	Blinding	Loss to follow up
Schmitz et al. 2021	Low risk of bias No serious limitations	Yes	Yes	N/A	Yes Of the 58 students initially randomized, 44 students (75% female) completed the study. In the control group, data from 23, in the test group, data from 21 students remained for analysis No analysis of differences undertaken
Suppan et al. 2021	Low risk of bias No serious limitations	Yes	Yes	N/A	Yes Numbers completing course evaluation E learning module (n=35/79; rr 44.3%) Video group (26/79; rr 32.9%). No analysis of differences undertaken

Table of evaluation of confidence using GRADE for RCTs

Citation	Limitations	Imprecision	Indirectness	Inconsistency	Quality
Schmitz et al. 2021 Knowledge	Serious limitations Rate down one level Students lost to follow up and not accounted for in any analysis	Very serious imprecision Rate down two levels Small sample size and no CI presented	No serious indirectness	Not relevant	Very Low
Suppan et al. 2021 Knowledge	Serious limitations Rate down one level Students lost to follow up and not accounted for in any analysis	Serious imprecision Rate down one level Small sample size	No serious indirectness	Not relevant	Low

Excluded on full text screening

Description of innovations only

1. Gallenga et al 2021: Virtual learning solutions in COVID-19 era: University Italian Ophthalmology department perspective
Reason for exclusion: No outcome data

Wrong study design

2. Osbourne et al 2021: Using medical reality television as a technology-enhanced learning strategy to provide authentic patient care experiences during clinical placements: a case study research investigation
Reason for exclusion: Qualitative study

3. Neumann-Podczaska 2021: An experimental education project for consultations of older adults during the pandemic and healthcare lockdown
Reason for exclusion: Qualitative study

Non-OECD countries

4. Alsharif et al 2020: Effectiveness of whatsapp as a part of a hybrid learning environment: An opportunity for post-covid-19 pandemic pedagogy
Reason for exclusion: non-OECD country - Taibah University Dental College, Saudi Arabia
5. Alamer and Alharbi 2021: Synchronous distance teaching of radiology clerkship promotes medical students' learning and engagement
Reason for exclusion: non-OECD country: Qassim University, Saudi Arabia
6. Dutta et al 2020: Evaluation of e-OSPE as compared to traditional OSPE: A pilot study
Reason for exclusion: non-OECD country: All India Institute of Medical Sciences, India
7. Liu et al 2021: Medical morphology training using the Xuexi tong platform during the covid-19 pandemic: development and validation of a web-based teaching approach.
Reason for exclusion: non-OECD country - China
8. Joshi et al 2021: A comparative evaluation of students' insight of face-to-face classroom lectures and virtual online lectures
Reason for exclusion: non-OECD country – India
9. Eurboonyanun et al 2021: Adaptation to open-book online examination during the COVID-19 pandemic
Reason for exclusion: non-OECD country – Thailand
10. Foo et al 2021: A comparative study regarding distance learning and the conventional face-to-face approach conducted problem-based learning tutorial during the COVID-19 pandemic
Reason for exclusion: non-OECD country – Hong Kong

11. Jiang and Ning 2021: The impact and evaluation of COVID-19 pandemic on the teaching model of medical molecular biology course for undergraduates major in pharmacy

Reason for exclusion: Xi'an Jiaotong University Health Science Center, Xi'an, China

12. Rehman et al 2021: An innovation in Flipped Class Room: A teaching model to facilitate synchronous and asynchronous learning during a pandemic

Reason for exclusion: Pakistan

13. Zhou et al 2020: The distance teaching practice of combined mode of massive open online course micro-video for interns in emergency department during the COVID-19 epidemic period

Reason for exclusion: Tongji Hospital Affiliated to Tongji Medical College of Huazhong University of Science and Technology, China

Wrong professional group

14. Ekert et al 2021: Medical student-led simulation in COVID-19 crisis

Reason for exclusion: A training exercise for staff (doctors, nurses, healthcare assistants and domestic staff) redeployed to look after Covid patients.

15. Elsayes et al 2020: Online liver imaging course; pivoting to transform radiology education during the SARS-CoV-2 pandemic

Reason for exclusion: Online liver imaging course for a mixture of practicing radiologists, fellows, residents or medical students and a pooled analysis conducted

16. Morgan et al 2021: Simulation via instant messaging – Birmingham advance (SIMBA): an innovative simulation-based learning model that helped to keep medical education continue during the COVID-19 pandemic

Reason for exclusion: One page research summary and it is not clear who the participants were or how they were recruited

17. Sukumar et al 2021: Designing and implementing a novel virtual rounds curriculum for medical students' internal medicine clerkship during the COVID-19 pandemic

Reason for exclusion: mixture of students, residents and attending and about perceptions and general evaluation

Not primary research

18. Song and Haley 2020: Initial student perspective on plastic surgery virtual away rotations

Reason for exclusion: -one page opinion article

19. Oldenburg and Marsch 2020: Optimizing tele dermatology visits for dermatology resident education during the COVID-19 pandemic

Reason for exclusion: Letter

20. Wald et al 2021: Incorporating a virtual simulation exercise into the preclerkship undergraduate curriculum

Reason for exclusion: Conference abstract

21. Ali et al 2021: Electronic learning for healthcare e-dermatology modules as a key educational tool for trainees during the COVID-19 pandemic: A regional experience
Reason for exclusion: Letter
22. Ghassemi et al 2020: Summary of performance in a first-year, integrated, doctor of pharmacy course using on-campus versus on-line instruction: A curricular comparison in response to COVID-19
Reason for exclusion: Conference proceedings
23. Goldhamer et al 2020: Can covid catalyze an educational Transformation? competency-based advancement in a crisis
Reason for exclusion: On page opinion article
24. Asher et al 2021: Remote one-to-one virtual surgical skills training: Evolving the delivery of operative skills training in the UK
Reason for exclusion: Conference poster
25. Kuo et al 2021: Efficacy of vascular virtual medical student education during the coronavirus disease 2019 pandemic
Reason for exclusion: one page summary of research study
26. Ashrafzadeh et al 2021: Strategies for effective medical student education in dermatology during the COVID-19 pandemic
Reason for exclusion: Letter
27. Kilpatrick et al 2021: Assessing the utility of online simulation software for medical student evaluation
Reason for exclusion: Conference abstract
28. Liu et al 2021: A distance-learning approach to POCUS training curriculum: An innovative ultrasound educational response to the COVID-19 pandemic
Reason for exclusion: Conference abstract
29. Dalton et al 2020: Effect of video conference clinics on medical education
Reason for exclusion: Letter
30. Faiz et al 2020: Teaching Operative Surgery to Medical Students Using Live Streaming During COVID-19 Pandemic
Reason for exclusion: Letter
31. Maeda et al 2020: Experience with online lectures about endoscopic sinus surgery using a video conferencing app
Reason for exclusion: Letter
32. Singh et al 2020: Using simulation to assess cardiology fellow performance of transthoracic echocardiography: lessons for training in the COVID-19 pandemic
Reason for exclusion: Letter

33. Shah et al 2020: In-person musculoskeletal exam demonstration by rheumatologist more effective than virtual powerpoint presentation in teaching internal medicine residents
Reason for exclusion: Letter
34. Pascoe et al 2021: Sustaining medical education in a lockdown environment. Student perceptions of a free online access medical education platform as an adjunct to the traditional undergraduate curriculum during lockdown
Reason for exclusion: Letter
35. Sam et al 2020: Digital clinical placement for medical students in response to covid-19
Reason for exclusion: Letter
36. Torlinski et al 2020: Postgraduate education and specialty training in anaesthesia and intensive care medicine during the COVID-19 pandemic: experience from a large teaching hospital in the United Kingdom
Reason for exclusion: Letter
37. Foral et al 2020: Evaluation of an introductory pharmacy practice experience to reinforce student learning and increase student confidence immediately prior to advanced pharmacy practice experiences Amid a COVID-19 pandemic
Reason for exclusion: Conference abstract
38. Park et al 2021: Simulation during the COVID-19 pandemic: A novel approach to increase trainee access with video
Reason for exclusion: Conference abstract
39. Horn and McFarland 2021: "Escape the trauma room": A simulated learning experience
Reason for exclusion: Conference poster
40. Ng et al 2021: Innovative pedagogical methods of delivering regular pediatrics online education within a hospital setting during COVID-19 pandemic
Reason for exclusion: Conference poster
41. Zaver et al 2021: Remote surgical education for medical students at UK universities in the time of COVID-19
Reason for exclusion: Conference poster
42. Yiannakopoulou and Fasoï 2021: Web based course of pharmacokinetics for teaching undergraduate nursing students during COVID-19 pandemic
Reason for exclusion: Conference poster
43. Cosimetti and Thompson 2020: Evaluating online undergraduate geratology teaching at the University of Oxford Medical School during the Covid 19 pandemic
Reason for exclusion: Conference poster

44. Wilken et al 2021: Effectiveness of e-learning module vs Echo360 on interpreting panoramic radiographs
Reason for exclusion: Conference poster

45. Lara et al 2020: Remote assessment of clinical skills during COVID-19: A virtual, high-stakes, summative pediatric objective structured clinical examination
Reason for exclusion: Research in brief one page article with no sample details

46. Roy and Cecchini 2020: Implementing a structured digital-based online pathology curriculum for trainees at the time of COVID-19
Reason for exclusion: one page description of implementation

47. Nadgir et al 2020: teaching remotely: educating radiology trainees at the workstation in the COVID-19 era
Reason for exclusion: Opinion article

Small samples with inappropriate statistical analysis or no statistical analysis

48. Devaro et al 2021: Ophthalmology education in COVID-19: A remote elective for medical students
Reason for exclusion: n=18, used non parametric statistics

49. Steehler et al 2021: Implementation and evaluation of a virtual elective in Otolaryngology in the time of COVID-19
Reason for exclusion: n=5, completed the pre-test and post-test survey

50. Durfee et al 2020: Medical student education roadblock due to covid-19: virtual radiology core clerkship to the rescue
Reason for exclusion: No analytical statistics conducted

51. Belfi et al 2021: Medical student education in the time of COVID-19: A virtual solution to the introductory radiology elective
Reason for exclusion: n=26, completed the pre-test and post-test survey

52. Bode et al 2021: Interprofessional learning during SARS-CoV-2 (COVID-19) pandemic conditions: the learning project I-reCovEr as a substitute for a rotation on an interprofessional training ward
Reason for exclusion: n= 6 student nurses and n=9 medical students completed the pre-test and post-test survey

53. Atli et al 2020: A comprehensive multicomponent neurosurgical course with use of virtual reality: modernizing the medical classroom
Reason for exclusion: n=12 completed the pre-test and post-test survey

54. Singhal 2021: Facilitating virtual medicinal chemistry active learning assignments using advanced zoom features during COVID-19 campus closure
Reason for exclusion: The authors stated that statistical analysis was performed but this was not reported

55. De Pietro et al 2020: Medical student education during the COVID-19 pandemic: Initial experiences implementing a virtual Interventional radiology elective course
Reason for exclusion: n=10 and n=7 completed post-test survey –knowledge of what interventional radiologists do and the procedures they perform
56. Fritsche et al 2020: Use of simulation patients in the third section of the medical examination
Reasons for exclusion: Comparison of exam grades between 2019 and 2020 cohorts but no statistical analysis conducted
57. Huber et 2021: The use of the online Inverted Classroom Model for digital teaching with gamification in medical studies
Reason for exclusion: General evaluation but no actual sample details or results reported just that the Inverted classroom model does not lead to worse results
58. Kahn et al 2021: Increasing medical student engagement through virtual rotations in radiation oncology
Reason for exclusion: n=12 completed the pre-test and post-test survey
59. Kiles et al 2021: Development of a remote public health advanced pharmacy practice experience in response to COVID-19
Reason for exclusion: n=16 completed the pre-test and post-test survey
60. Krawlec and Myers 2020: Remote assessment of video-recorded oral presentations centered on a virtual case-based module: A COVID-19 feasibility study
Reason for exclusion: n=12; post test assessment
61. Manalo et al 2020: A strategy for undergraduate medical education in urology during the COVID19 pandemic
Reason for exclusion: n=9 completed the pre-test and post-test survey
62. Krasowski et al 2021: Teaching pathology in an integrated preclinical medical school curriculum and adaptations to COVID-19 restrictions
Reason for exclusion: Discussion of a change in curriculum pre COVID and how that could be adapted
63. Warren et al 2021: Using online simulation experiences to increase student nurses' confidence
Reason for exclusion: Confidence measured but no statistical analysis conducted
64. Blythe et al 2021: Undertaking a high stakes virtual OSCE ("VOSCE") during Covid-19
Reason for exclusion: n=9, just states that six students passed the VOSCE
65. Looi et al 2021: Conduct and evaluation of final-year medical student summative assessments in Psychiatry and Addiction Medicine during COVID-19: an Australian University Medical School experience
Reason for exclusion: No statistical analysis conducted

66. Kronenfeld et al 2020: Medical student education during COVID-19: Electronic education does not decrease examination scores
Reason for exclusion: Under 30 students in each cohort

67. Reynolds et al 2020: Educational methods and technological innovations for introductory experiential learning given the contact-related limitations imposed by the SARS-CoV2/COVID-19 pandemic
Reason for exclusion: n=6; post test assessment

68. Shin et al 2020: Efficacy of virtual case-based general surgery clerkship curriculum during covid-19 distancing
Reason for exclusion: n=16, post test assessment

69. Seifert et al 2021:
Reason for exclusion: statistical analysis conducted for exam scores but mean scores not presented

Wrong study design: Post-test only

70. Gomez et al 2020: Innovation born in isolation: rapid transformation of an in-person medical student radiology elective to a remote learning experience during the covid-19 pandemic
Reasons for exclusion: post test only; n=116, all students passed

71. White et al 2021: Continuing undergraduate pathology medical education in the coronavirus disease 2019 (COVID-19) Global pandemic: the Johns Hopkins virtual surgical pathology clinical elective
Reason for exclusion: Post-test only, n=not specified, Just states that all students received a final pass grade

72. Williams et al 2021: Adapting to the educational challenges of a pandemic: development of a novel virtual urology sub internship during the time of COVID-
Reason for exclusion: n=10, post assessment only

Pre COVID or not COVID related

73. Ceri et al 2021: Effect of non-cadaveric methods on the anatomy education of medical students
Reason for exclusion: The aim is to explore alternative methods of teaching anatomy because of a shortage of cadavers

74. Rohle et al 2021: Practical teaching in undergraduate human and dental medical training during the COVID-19 crisis. Report on the COVID-19-related transformation of peer-based teaching in the Skills Lab using an Inverted Classroom Model
Reason for exclusion: Research conducted pre COVID and no outcomes of interest

75. Salameh et al 2020: Effects of a complex case study and high-fidelity simulation on mechanical ventilation on knowledge and clinical judgment of undergraduate nursing students
Reason for exclusion: Research conducted pre COVID

76. Yakin and Linden 2021: Adaptive e-learning platforms can improve student performance and engagement in dental education
Reason for exclusion: Research conducted pre COVID

77. Kim et al 2020: Effects of the non-contact cardiopulmonary resuscitation training using smart technology
Reason for exclusion: Data were collected from 13 June 2016 to 9 June 2017

78. Poncette et al 2020: Undergraduate medical competencies in digital health and curricular module development: Mixed methods study
Reason for exclusion: Digital Health module developed over 2 years and implemented for the first time in January 2020

Wrong outcomes

79. Cooke et al 2021: Developing a blended learning postgraduate teaching programme in anaesthesia: pandemic and beyond
Reason for exclusion: Experience and satisfaction

80. Johnston et al 2021: Implementation and evaluation of a virtual learning advanced pharmacy practice experience
Reason for exclusion: Survey of perceptions and experiences

81. Nolan et al 2021: Changes to summative skills-based assessments within the Big Ten Academic Alliance Performance-Based Assessment Collaborative (BTAA-PBAC) due to COVID-19
Reason for exclusion: Experience of pharmacy skills lab coordinators when transitioning summative skills-based assessments

82. Austin et al 2020: COVID-19 educational innovation: Hybrid in-person and virtual simulation for emergency medicine trainees
Reason for exclusion: Satisfaction

83. Hampshire et al 2020: Medical school in the era of COVID-19: Innovations in direct near peer teaching of immunology/microbiology content during the pandemic
Reason for exclusion: Student experience

84. Allande-Cusso et al 2020: Creating learning scenarios for final-year nursing students during the COVID-19 pandemic
Reason for exclusion: Knowledge about how to treat COVID-19 patients

85. Armon et al 2021: The efficacy of different types of pedagogical methods used such as lectures, discussions, and PBL sessions using 5 point Likert scales
Reason for exclusion: Survey related to satisfaction and challenges

86. Carmody et al 2020: Preparing for work-integrated learning during COVID-19: How a new virtual orientation tool facilitated access for all
Reason for exclusion: Survey related to satisfaction and critical reflection of the teaching

87. Yang et al 2021: A telesimulation elective to provide medical students with pediatric patient care experiences during the COVID pandemic
Reason for exclusion: Survey related to satisfaction and experience
88. Tanaka et al 2021: Perceptions of a remote learning pathology elective for advanced clinical medical students
Reason for exclusion: Student engagement -and overall quality
89. Pettit-Schieber et al 2021: Implementation and evaluation of eight virtual surgical electives for medical students during the COVID-19 pandemic. Levels of comfort, interest in pursuing career and understanding of speciality
Reason for exclusion: Levels of comfort, interest in pursuing career and understanding of speciality
90. Donn et al 2020: A pilot of a Virtual Objective Structured Clinical Examination in dental education. A response to COVID-19
Reason for exclusion: Pilot study with 3 students describing the planning and organisation of an OSCE in dentistry and commenting on feasibility and acceptability to students and staff
91. Friedlander et al 2021: Diversity in reproductive health and human sexuality: assessing attitudes comfort and knowledge in learners before and after pilot curriculum
Reason for exclusion: Workshop in sexual and reproductive health piloted for 2 years because it was thought to be lacking in the regular syllabus and how confident students felt afterwards with discussing this topic
92. Guinez-Molinos 2021: Collaborative clinical scenarios for medical students: Viewpoint
Reason for exclusion: Design and development of a web platform (not specially COVID related)
93. Gulati et al 2021: Virtually prepared! Student-led online clinical assessment
Reason for exclusion: Experiences of using virtual platforms for learning and assessment process
94. Hannan et al 2021: Designing and running an online Objective Structured Clinical Examination (OSCE) on Zoom: A peer-led example
Reason for exclusion: Design and implementation of online OSCE via zoom and general feedback via interview and online form
95. Heinzmann et al 2021: Interactive, case-based seminars in the digitized pediatrics block internship from the students' perspective
Reason for exclusion: Acceptability of the mode of delivery and general usefulness 'Students said they learned a lot'.
96. Jimenez-Rodriguez & Arrogante 2020: Simulated video consultations as a learning tool in undergraduate nursing: students' perceptions
Reason for exclusion: Satisfaction and perceptions

97. Wands et al 2020: Positive outcomes of rapid freeware implementation to replace baccalaureate student clinical experiences
Reason for exclusion: General evaluation of student experience
98. Karwat et al 2021: Transition of a collaborative in-person health care innovation course to online learning
Reason for exclusion: Quality of the course, difficulty, instructor ability to engage with the students
99. Krasowski et al 2021: Teaching pathology in an integrated preclinical medical school curriculum and adaptations to COVID-19 restrictions
Reason for exclusion: Quality of the course
100. Morgan et al 2021: Moving assessment online: Experiences within a school of pharmacy
Reason for exclusion: Experiences and preferences
101. Nagjii et al 2020: Converting to connect: a rapid RE-AIM evaluation of the digital conversion of a clerkship curriculum in the age of COVID-19
Reason for exclusion: User engagement and adoption
102. Phillips et al 2021: Slack as a virtual undergraduate dermatology community: a pilot study
Reason for exclusion: Quantitative survey exploring the quality of the Slack platform and qualitative evaluation
103. Ross et al 2021: Teaching sexual history taking in health care using online technology: a PLISSIT-plus zoom approach during the coronavirus disease 2019 shutdown
Reason for exclusion: General feedback and comments
104. Wish-Baratz et al 2020: Assessment of mixed-reality technology use in remote online anatomy education
Reason for exclusion: General experiences and views presented as a research letter
105. Goob et al 2021: Dental education during the pandemic: Cross-sectional evaluation of four different teaching concepts
Reason for exclusion: advantages/disadvantages, functionality and user satisfaction of three digital learning modalities
106. Byrnes et al 2021: Evaluation of an interactive virtual surgical rotation during the COVID-19 pandemic
Reason for exclusion: General experience of the course
107. Savage et al 2021: Remote OSCE experience: What first year pharmacy students liked, learned, and suggested for future implementations.
Reason for exclusion: Experience of undertaking remote OSCEs

108. Son et al 2020: Effects of S-PBL in maternity nursing clinical practicum on learning attitude, metacognition, and critical thinking in nursing students: A quasi-experimental design

Reason for exclusion: Wrong outcomes- critical thinking, attitude and metacognition

109. Goodacre et al 2021: An educational experiment resulting from COVID-19: The use of at-home waxing and webinars for teaching a 3-week intensive course in tooth morphology to first year dental students

Reason for exclusion: Students ability to complete high-quality waxing and number of A to D grades given

110. Rutledge et al 2020: Telehealth education: An interprofessional online immersion experience in response to COVID-19

Reason for exclusion: Preparing interprofessional teams of health care students (including social work and athletic training) to use telehealth during the pandemic and beyond

111. Silva et al 2021: Where do we go from here? Assessing medical students' surgery clerkship preparedness during COVID-19

Reason for exclusion: Preparedness after disruption due to COVID-19 and performance in shelf examinations

112. Stuart et al 2021: Building a handoff communication virtual experience for nursing students using virtual humans

Reason for exclusion: Comparison of metacognitive questions and metacognitive prompts strategies whilst viewing a nursing simulation video

113. Hope et al 2021: Candidates undertaking (invigilated) assessment online show no differences in performance compared to those undertaking assessment offline

Reason for exclusion: Comparison of online and in-person assessments

Non-English language

114. Garcia-Seoane et al 2021: Changes in the Objective Structured Clinical Examination (OSCE) of University Schools of Medicine during COVID-19.

Experience with a computer-based case simulation OSCE (CCS-OSCE)

Reason for exclusion: English abstract – Spanish publication

Fellowship

1. Arrighi et al 2021: Competency-Based Medical Education for Fellowship Training During the COVID-19 Pandemic

Residency

2. Mouli et al 2020: Effectiveness of simulation based teaching of ventilatory management among non-anaesthesiology residents to manage COVID 19 pandemic - A Quasi experimental cross sectional pilot study

3. Cates et al 2020: Comparing the effectiveness of a virtual toxicology escape room at two emergency medicine residencies

4. Asselin et al 2021: Simulation of adult surgical cricothyrotomy for anesthesiology and emergency medicine residents: Adapted for COVID-19

5. Brooks et al 2020: A novel curriculum to improve resident knowledge and comfort with menopause care
6. Bhattacharyya et al 2021: Evaluating the effectiveness of the Imperial Femoral Intramedullary Nailing Cognitive Task Analysis (IFINCTA) tool in a real-time simulation setting (Distributed Interactive Simulation): A randomized controlled trial
7. Falfoul et al 2021: E-learning for Ophthalmology Training Continuity During COVID-19 Pandemic: Satisfaction of residents of Hedi Raies Institut of Ophthalmology of Tunis
8. Hoyt et al 2021: Implementation of a virtual learning and simulation curriculum for orthopaedic resident training during COVID and beyond
9. Dasgupta et al 2021: Impact of ophthalmic webinars on the resident's learning experience during COVID-19 pandemic: An insight into its present and future prospects
10. Bhattacharyya et al 2021: Evaluating the effectiveness of the Imperial Femoral Intramedullary Nailing Cognitive Task Analysis (IFINCTA) tool in a real-time simulation setting (Distributed Interactive Simulation): a randomized controlled trial
11. Fernandes Cabral et al 2020: Coronavirus Disease 2019 (COVID-19) and Neurosurgery Residency Action Plan: An Institutional Experience from the United States
12. Kwon et al 2020: Adapting Urology Residency Training in the COVID-19 Era
13. Miles et al 2021: Learning fundamentals of laparoscopic surgery manual skills: An institutional experience with remote coaching and assessment
14. Matalon et al 2020: Trainee and attending perspectives on remote radiology readouts in the era of the COVID-19 pandemic
15. Herbst et al 2021: A Virtual Reality Resident Training Curriculum on Behavioral Health Anticipatory Guidance: Development and Usability Study
16. Navia et al 2020: Adapting Plastic Surgery Residency Training During COVID-19: The Experience of a Chilean University Hospital
17. Pasricha et al 2020: Remote corneal suturing wet lab: microsurgical education during the COVID-19 pandemic
18. Gilhuly et al 2021: Bridging barriers: Assessing an innovative virtual geriatrics curriculum for family medicine residents during the COVID pandemic
19. McRoy et al 2020: Radiology Education in the Time of COVID-19: A Novel Distance Learning Workstation Experience for Residents
20. Asselin et al 2021: Simulation of adult surgical cricothyrotomy for anesthesiology and emergency medicine residents: adapted for COVID-19