

STUDY PROTOCOL

Crisis care for children and young people with mental health problems: national mapping, models of delivery, sustainability and experience (CAMH-Crisis2). A study protocol. [version 1; peer review: 1 approved, 1 approved with reservations]

Clare Bennett 101, Ben Hannigan 101, Mair B Elliott 102, Martin Elliott 3, Nicola Evans 101, Claire Fraser 104, Euan Hails 5, Aled Jones 106, Iain McMillan 7, Steven Pryjmachuk<sup>4</sup>, Leanne Sawle<sup>1</sup>, Rachael Vaughan<sup>1</sup>

V1 First published: 02 May 2023, 3:22

https://doi.org/10.3310/nihropenres.13414.1

Latest published: 30 Jun 2023, 3:22 https://doi.org/10.3310/nihropenres.13414.2


# **Abstract**

# **Background**

One in six five -16-year-olds have a probable mental health difficulty. Of these, almost half of older teenagers and a quarter of 11–16-yearolds report having self-harmed or attempted suicide. Currently, there is little research into mental health crisis services for young people, with little understanding of what services exist, who uses them, or what works best.

# Question

'How are mental health crisis responses for children and young people up to the age of 25 sustained, experienced and integrated within their local systems of services'?



<sup>&</sup>lt;sup>1</sup>School of Healthcare Sciences, Cardiff University, Cardiff, Wales, CF24 0AB, UK

<sup>&</sup>lt;sup>2</sup>Independent consultant, Wales, UK

<sup>&</sup>lt;sup>3</sup>CASCADE School of Social Sciences, Cardiff University, Cardiff, UK

<sup>&</sup>lt;sup>4</sup>School of Health Sciences, The University of Manchester, Manchester, England, M13 9PL, UK

<sup>&</sup>lt;sup>5</sup>NHS Wales Aneurin Bevan University Health Board, Newport, Wales, UK

<sup>&</sup>lt;sup>6</sup>School of Nursing and Midwifery, University of Plymouth, Plymouth, England, PL4 8AA, UK

<sup>&</sup>lt;sup>7</sup>Bridgend County Borough Council, Bridgend, UK

# **Objectives**

- 1. To describe National Health Service (NHS), local authority, education and third sector approaches to the implementation and organisation of crisis care for children and young people across England and Wales.
- 2. To identify eight contrasting case studies in which to evaluate how crisis services have developed and are currently organised, sustained, experienced and integrated within the context of their local systems of services.
- 3. To compare and contrast these services in the context of the available international evidence, drawing out and disseminating clear implications for the design and delivery of future crisis responses for children and young people and their families.

## **Methods**

A sequential mixed methods approach, underpinned by normalisation process theory will be employed. A survey will create a detailed record of how crisis responses across England and Wales are organised, implemented and used. Subsequently, eight contrasting services in relation to geographic and socioeconomic setting, populations served, and service configuration will be identified as case studies. Interviews will be conducted with children, young people and parents/carers who have used the service, as well as commissioners, managers and practitioners. Operational policies and service usage data will also be examined. Analysis of how each service is provided, experienced, implemented and sustained will be conducted both inductively and deductively, reflecting normalisation process theory constructs.

# **Plain English summary**

Background: There has been a sharp increase in children and young people experiencing extreme emotional distress and/or self-harm, which is also known as 'crisis'. Services for young people in crisis are a priority in the UK but little is currently known about what crisis services exist, who uses them, or what type of service works best.

Aim and objectives: This project aims to explore the types of mental health crisis services currently available to children and young people up to the age of 25 in England and Wales, and to examine how they are organised, perceived and integrated within other local care systems. The objectives are to:

1. Find out what NHS, local authority, education and charity sector crisis services exist for children and young people across England and Wales, to describe the services and to create a database of them.

Any reports and responses or comments on the article can be found at the end of the article.

- 2. Identify eight contrasting services from the database and evaluate how these services are organised, perceived and integrated within local care systems.
- 3. Compare and contrast these services with the available international evidence, drawing out clear implications for the design and delivery of future crisis responses for children and young people and their families.

Methods: We will use a survey to create a database of crisis response services across England and Wales. From the database we will identify eight contrasting services and we will conduct interviews with children, young people and parents/carers who have used the service as well as managers and staff. We will look at how the services work and explore how they are used and by whom. We will compare and contrast each case study and consider findings of other research studies from around the world to draw clear, actionable, lessons for the future provision of high-quality crisis services for children and young people.

## **Keywords**

Mental health crisis; children and young people; crisis services; service models; normalisation process theory; sequential mixed methods; case study; qualitative research

# Corresponding author: Clare Bennett (bennettcl3@cardiff.ac.uk)

Author roles: Bennett C: Conceptualization, Funding Acquisition, Methodology, Writing – Original Draft Preparation; Hannigan B: Conceptualization, Funding Acquisition, Methodology, Writing – Original Draft Preparation; Elliott MB: Conceptualization, Writing – Review & Editing; Elliott M: Conceptualization, Funding Acquisition, Writing – Review & Editing; Evans N: Conceptualization, Funding Acquisition, Methodology, Writing – Review & Editing; Fraser C: Conceptualization, Funding Acquisition, Methodology, Writing – Review & Editing; Hails E: Conceptualization, Writing – Review & Editing; Jones A: Conceptualization, Funding Acquisition, Methodology, Writing – Review & Editing; McMillan I: Conceptualization, Writing – Review & Editing; Pryjmachuk S: Conceptualization, Funding Acquisition, Methodology, Writing – Review & Editing; Sawle L: Methodology, Writing – Review & Editing; Vaughan R: Conceptualization, Methodology, Writing – Review & Editing

Competing interests: No competing interests were disclosed.

**Grant information:** This project is funded by the National Institute for Health Research (NIHR) under its Health and Social Care Delivery Research programme (Grant Reference Number 151811). The views expressed are those of the author(s) and not necessarily those of the NIHR or the Department of Health and Social Care.

The funders had no role in study design, data collection and analysis, decision to publish, or preparation of the manuscript.

**Copyright:** © Crown copyright, 2023 Bennett C *et al.*. This open access work is licensed under the Open Government Licence v3.0

How to cite this article: Bennett C, Hannigan B, Elliott MB *et al.* Crisis care for children and young people with mental health problems: national mapping, models of delivery, sustainability and experience (CAMH-Crisis2). A study protocol. [version 1; peer review: 1 approved, 1 approved with reservations] NIHR Open Research 2023, 3:22 https://doi.org/10.3310/nihropenres.13414.1

First published: 02 May 2023, 3:22 https://doi.org/10.3310/nihropenres.13414.1

# Plain english summary

## Background

There has been a sharp increase in children and young people experiencing extreme emotional distress and/or self-harm, which is also known as 'crisis'. Services for young people in crisis are a priority in the UK but little is currently known about what crisis services exist, who uses them, or what type of service works best.

# Aim and objectives

This project aims to explore the types of mental health crisis services currently available to children and young people up to the age of 25 in England and Wales, and to examine how they are organised, perceived and integrated within other local care systems. The objectives are to:

- 1. Find out what NHS, local authority, education and charity sector crisis services exist for children and young people across England and Wales, to describe the services and to create a database of them.
- 2. Identify eight contrasting services from the database and evaluate how these services are organised, perceived and integrated within local care systems.
- 3. Compare and contrast these services with the available international evidence, drawing out clear implications for the design and delivery of future crisis responses for children and young people and their families.

## Methods

We will use a survey to create a database of crisis response services across England and Wales. From the database we will identify eight contrasting services and we will conduct interviews with children, young people and parents/carers who have used the service as well as managers and staff. We will look at how the services work and explore how they are used and by whom. We will compare and contrast each case study and consider findings of other research studies from around the world to draw clear, actionable, lessons for the future provision of high-quality crisis services for children and young people.

### Introduction

This study protocol summarises the National Institute for Health and Care Research (NIHR) Health and Social Care Delivery Research programme funded CAMH-Crisis2 study protocol (Ref: NIHR151811). Our recent evidence synthesis, which set out to identify, appraise and synthesise international research and non-research evidence on crisis care for children and young people (CYP) (Edwards *et al.*, 2023; Evans *et al.*, 2019) identified a significant paucity of research studies originating from the UK. However, the mental health of CYP is an area of sustained and expressed need (World Health Organization, 2013) with one in six five-16 year olds in England in 2020 having a probable mental health disorder (Vizard *et al.*, 2020), a rise from one in eight five-19 year olds in 2017 (Sadler *et al.*, 2018). In those with

a mental health problem, a quarter of 11-16 year olds and almost half of 17-19 year olds are reported to have selfharmed or attempted suicide (Sadler et al., 2018). It is also known that 9% of 16-24 year olds have attempted suicide in their lifetime (McManus et al., 2016). CYP in poverty (Gutman et al., 2015) are over-represented amongst CYP with mental health problems, as are CYP with lesbian, gay, bisexual or other non-heterosexual identities (Sadler et al., 2018). CYP from black, Asian and minority ethnic (BAME) groups (Pople & Rees, 2017) and in rural communities (Allwood, 2020) face additional challenges, with the Covid-19 pandemic further exacerbating these inequalities (Welsh Parliament Health and Social Care Committee, 2022). A further concern is the mental health of looked-after CYP (also known as CYP in out-of-home care), of whom up to half have a recognisable mental health disorder (Department for Education and Department of Health, 2015) and for whom effective cross-agency coordination is particularly important (House of Commons Education Committee, 2016).

Help for most CYP with mental health difficulties is, ideally, provided through primary care and early years services, with some referred to specialist child and adolescent mental health services (CAMHS) (Garratt et al., 2022). An important goal is the provision of safe, accessible and effective care for CYP who need urgent help during periods of mental health crisis, with investments being made in dedicated crisis services in many parts of the UK (Quality Network for Community CAMHS, undated). In England, out of hours and crisis services for CYP are expanding to include provision in the National Health Service (NHS), social care and in educational settings (NHS England, 2019). In Wales, both crisis care and mental health care for CYP remain priorities (Welsh Government, 2020). Responding appropriately to CYP in crisis has also featured in recent national Crisis Care Concordats (HM Government, 2014; Welsh Government and Partners, 2016). However, despite the prioritisation of crisis care for CYP very little information is available in the UK on the organisation, delivery and sustainability of services or the experiences of CYP and families. National standards suggest that responses to crises experienced by CYP should be immediately accessible and provided by the right professional; clearly understood by CYP and families; provided in settings which are acceptable and not in hospital whenever possible; and characterised by continuity (Quality Network for Community CAMHS, undated). Reflecting the paucity of relevant UK research, it is not known how far these standards are being met in England and Wales. In addition, the characteristics of CYP using crisis services, how services are organised, delivered, sustained and experienced, and how far they reflect the best available international evidence remain unknown.

# **Protocol**

# Aims and objectives

This project aims to explore the types of mental health crisis response currently provided to CYP up to the age of 25 in England and Wales, and to examine how crisis responses are organised, sustained, experienced and integrated

within their local systems of services. It has three objectives, each linked to a work package (WP):

- To describe and map NHS, local authority, education and third sector approaches to the implementation and organisation of crisis care for children and young people across England and Wales.
- To identify eight contrasting case studies in which to evaluate how crisis services have developed and are currently organised, sustained, experienced and integrated within the context of their local systems of services.
- To compare and contrast these services in the context of the available international evidence, drawing out and disseminating clear implications for the design and delivery of future crisis responses for children and young people and their families.

# Theoretical/conceptual framework

Throughout this project, organised responses to CYP in mental health crisis will be considered to be examples of complex interventions introduced into complex systems (Hawe et al., 2009; Moore et al., 2019). To better understand the development, organisation, sustainability and experience of crisis responses for CYP as exemplars of complex interventions introduced into complex systems, normalisation process theory (NPT) will be employed throughout (May & Finch, 2009).

#### Methods

# Patient and public involvement

Patient and public involvement (PPI) is central to this study. Young people and family members directly contributing to our underpinning evidence synthesis (Edwards et al., 2023; Evans et al., 2019) helped identify the need for this new project. Co-investigators include a young person mental health activist and research advisor, and a carer. The proposal also builds on the 'Blueprint study', in which CYP played a major part (Fraser et al., 2022; Pryjmachuk et al., 2018). Ongoing involvement of CYP in this project will be supported by CASCADE Voices, which is run in partnership with Voices from Care Cymru. CASCADE Voices members, and representatives from other organisations supporting care-experienced young people, such as Become, will be approached and supported to advise on the design of the survey, participant information sheets, interview schedules and dissemination as outlined below.

# Work packages

This sequential mixed methods (Creswell & Plano Clark, 2018) research will comprise a detailed description and mapping of service models developed in England and Wales to meet the needs of CYP in mental health crisis with a comparative case study (Yin, 2013) examination of the experiences and implementation of contrasting approaches. It is made

up of three work packages (WP) which correspond with the study objectives:

# Work package 1: Describing and mapping approaches to the implementation and organisation of crisis care for CYP across England and Wales

A comprehensive database of organisations commissioning and providing dedicated responses to CYP (up to the age of 25) in crisis across England and Wales will be created. This will be achieved by drawing on the database created in the 'Blueprint study' (Fraser *et al.*, 2022; Pryjmachuk *et al.*, 2018), the expertise and contacts of members of our stakeholder advisory group (SAG) and snowball sampling. Our proposed unit of analysis in the context of database creation and survey distribution will initially be health commissioning bodies, NHS provider trusts in England, health boards in Wales, local authorities, academy chains in England, national third sector providers and universities.

A bespoke survey instrument for direct completion by a key informant in each of the crisis services we identify has been co-created with the help of members of our SAG and by CYP who are members of CASCADE Voices a group of young people who are care-experienced (some of whom also have experience of using CAMHS and crisis services) who advise on research involving CYP. The design and content will be informed by the 'Blueprint study' (Fraser et al., 2022; Pryjmachuk et al., 2018), the findings from our recent evidence synthesis (Edwards et al., 2023; Evans et al., 2019) and from the direct incorporation of NPT ideas through the use of questions derived from the Normalisation MeAsure Development (NoMAD) tool (Finch et al., 2015). It will be designed, piloted and refined with the purpose of gathering information on the commissioning, provision and normalisation of service approaches to CYP in crisis provided through the NHS, local authorities and third sector organisations in England and Wales.

Data collected from key respondents will be supplemented by desk-based research using publicly available information from service commissioner and provider websites, and data on indices of deprivation in the areas served by each crisis service available online through National Statistics (Ministry of Housing Communities & Local Government, 2020). Desk-based research will also be undertaken to gather information on service approaches in the case of non-response.

Data will be analysed descriptively, outlining the features of each locale and population served and the key components of the services provided. This descriptive analysis will also draw on data derived from the NoMAD tool to produce a summary of how each service has been normalised. Using findings on the range of approaches to crisis care available from our previous evidence synthesis (Edwards *et al.*, 2023; Evans *et al.*, 2019) as a starting point, we will create a

typology of service responses using the information gathered in this WP, bringing this forward to inform our case study sampling frame in WP2.

# Work package 2: Evaluating crisis responses within the context of their local systems of services

Using our description and typology of crisis care responses created in WP1, we will identify eight contrasting organised responses to crisis. These will include exemplars which collectively have as many of the following features as possible: from both England and Wales; provided by (or involve) social care practitioners; serve CYP who are socioeconomically disadvantaged, and/or are from diverse ethnic backgrounds, and/or are in remote locations, and/or are looked-after or in touch with youth offending services. We will work particularly closely with members of the SAG in determining our case study selection, in order that our sampling reflects not only variety of services but also the knowledge needs of stakeholders. The sex and gender of participants will not inform inclusion or exclusion criteria since these considerations are beyond the scope of this study.

With the purpose of contextualising each case study, in the first phase of data generation we will supplement and expand the information already gathered in WP1 by accessing local documents (such as operational policies and service specifications), along with additional information on service use, completed local audits and/or evaluations, and related grey literature. All additional new data in this WP will then be generated using in-depth qualitative interviews, again underpinned by commitments to the use of NPT ideas. At each of the eight sites we aim to interview five CYP, five parents or carers (who may or may not be associated with the CYP) and ten practitioners/managers and commissioners.

The purpose of interviewing CYP and family members/carers is to inform the case-by-case evaluation of each approach to crisis care in addition to helping inform our parallel, implementation-focused, interviews with managers and practitioners in each case study. This will be achieved by using CYP and family members'/carers' 'views and experiences' data to inform the ongoing refinement of the case study-specific components of our semi-structured, implementation-focused, interview schedules for use with staff.

In each case study, practitioners/managers and commissioners will be purposively sampled from within the crisis response service and from elsewhere in the local system. The specific purpose is to explore the development, organisation and normalisation of each case study approach to crisis care. Individuals fulfilling a variety of roles will therefore be recruited, including people leading and providing crisis services for CYP along with individuals located in other parts of the local health, social care and education system.

Interviews will be conducted using videoconferencing and audio-recording technology, and CYP and parents/carers will be given the option of in-person interviews. All interview schedules will be developed in consultation with our SAG and

with members of CASCADE Voices, with practitioner/manager and commissioners' interviews including the application of NPT ideas (May *et al.*, 2021).

All interview data will be transcribed in full, with data derived from interviews subjected to reflexive thematic analysis (Braun & Clarke, 2019). We will also use a deductive (or directed content) analytic approach to our CYP and family members'/carers' interview data (Hsieh & Shannon, 2005). Analysis of the practitioner/manager and commissioner data will be conducted using both *a priori* codes reflecting NPT constructs and codes developed in inductive, data-driven, style to fully surface participants' experiences. Data generation and analysis in each case study will be conducted concurrently in order that, in iterative fashion, analysis of documents and of completed interviews is available to inform subsequent interviews.

All data will be managed and analysed using the software programme NVivo (QSR International Pty Ltd, 2020), with analysis confined to a series of within-case examinations of experiences, implementation and sustainability centred on each of the eight discrete case studies. A comparative, cross-case, synthesis will follow in WP3.

# Work package 3: Comparing and contrasting services, and drawing out and disseminating clear implications for future design and delivery of crisis responses

In this final work package, we will compare and contrast the development, organisation and implementation of each case study depicted in WP2 using a matrix approach (Miles et al., 2020). This will support the comparative display of summary data addressing macro-level comparisons and contrasts reflecting the generation of data in England and Wales; the type of crisis service provided in each case study; the populations served; staff, CYP and family/carer experiences; and the implementation, normalisation and sustaining of the crisis care model. This comparative, cross-case, analytic approach will allow us to display how each contrasting crisis approach is organised, implemented, embedded and experienced and how far it both reflects and extends current best available international evidence. It will also allow us to show how each approach serves, or does not serve, diverse sets of needs in particular ways.

# **Ethics**

Throughout this study we will follow the principles of good practice set out in the UK Policy Framework for Health and Social Care Research (Health Research Authority *et al.*, 2021). Ethical issues in this project arise in WP1 (mapping) and WP2 (case studies). The primary ethical and research governance issues here are consent, anonymity, confidentiality, data protection and the safety of participants and researchers. Of particular importance to this study is the involvement of CYP as research participants.

Regarding consent, we will follow standard ethical procedures for gaining informed consent from participants which will include CYP, parents/carers, commissioners, managers and

service provider staff. In the case of CYP we will obtain 'assent' from those who are aged seven -15 years and children under seven years will be given appropriate information and asked for their views.

In relation to data protection, all data we collect will be confidential to the project and stored securely in line with current University and NHS research governance and general data protection regulations. Any identifiable data will be anonymised prior to analysis in line with good research practice.

In the context of participant safety and wellbeing, researchers will be trained in good interview practice as well as the use of distress protocols (including immediately ceasing the interview if participants become upset and providing avenues for support) and a disclosure protocol. All researchers accessing participants will be DBS checked. Regarding researcher safety, we will develop a fieldwork protocol with due regard to University and NHS guidance on lone working and safety and adhere to the Code of Practice for the Safety of Social Researchers (Social Research Association, 2001).

Ethical review and approval will be required for WP1 and WP2. WP1 involves the completion of a survey by a key respondent associated with service commissioning and/or provision. We have worked through the Health Research Authority's Decision Tool, which determines this WP as not meeting the criteria for NHS ethics review. We have, therefore,

obtained a proportionate review from the School of Healthcare Sciences Research Ethics Committee in Cardiff University as part of our commitment to good research practice, and to facilitate the publishing of our WP1 findings. WP2 involves the collection of data from staff, service users and carers. For this we will apply for NHS research ethics and governance approval via the Health Research Authority.

#### Dissemination

We will share findings from each WP as they emerge and engage with national stakeholders throughout each stage of the project. We will tailor our findings in different ways for different audiences, adhering to NIHR guidance on both dissemination (National Institute for Health Research, 2019) and impact (National Institute for Health Research, undated).

# Data availability

No data are associated with this article.

## Reporting guidelines

COREQ guidelines (Tong *et al.*, 2007) have been adhered to in developing this protocol.

# Acknowledgements

We wish to thank Aneta Taylor, Professional Support Specialist, for providing administrative support for this project. We also wish to thank CASCADE Voices for their contributions to the study to date.

#### References

Allwood L: The space between us: children's mental health and wellbeing in isolated areas. London: Centre for Mental Health. 2020.
Reference Source

Braun V, Clarke V: **Reflecting on reflexive thematic analysis.** *Qual Res Sport Exerc Health.* 2019; **11**(4): 589–597.

**Publisher Full Text** 

Creswell JW, Plano Clark VL: **Designing and conducting mixed methods research (3rd ed.).** London: Sage. 2018.

Department for Education and Department of Health: Promoting the health and well-being of looked-after children. Statutory guidance for local authorities, clinical commissioning groups and NHS England. London: Department for Education and Department of Health. 2015.

Reference Source

Edwards D, Carrier J, Csontos J, et al.: Review: Crisis responses for children and young people - a systematic review of effectiveness, experiences and service organisation (CAMH-Crisis). Child Adolesc Ment Health. 2023. PubMed Abstract | Publisher Full Text

Evans N, Carrier J, Lane R, et al.: Crisis responses for children and young people: an evidence synthesis of service organisation, effectiveness and experiences (CAMH Crisis). 2019.

Reference Source

Finch T, Girling M, May C, et al.: NoMad: Implementation measure based on Normalization Process Theory. 2015.

Fraser C, Carrington B, Crooks J, et al.: A Blueprint for Involvement: Reflections of lived experience co-researchers and academic researchers on working collaboratively. Res Involv Engagem. 2022; 8(1): 68. PubMed Abstract | Publisher Full Text | Free Full Text

Garratt K, Laing J, Long R: **Support for children and young people's mental health (England).** London: 2022.

Reference Source

Gutman LM, Joshi H, Parsonage M, et al.: Children of the new century: mental health findings from the Millennium Cohort Study. London: Centre for Mental Health 2015

Reference Source

Hawe P, Shiell A, Riley T: **Theorising interventions as events in systems.** *Am J Community Psychol.* 2009; **43**(3-4): 267–76.

PubMed Abstract | Publisher Full Text

Health Research Authority, Health and Care Research Wales, NHS Research Scotland, & Health and Social Care Northern Ireland: UK policy framework for health and social care research. 2021.

Reference Source

HM Government: Mental health crisis care concordat: improving outcomes for people experiencing mental health crisis. London: HM Government. 2014.

Reference Source

House of Commons Education Committee: Mental health and well-being of looked-after children. London: House of Commons. 2016.

Reference Source

Hsie HF, Shannon SE: **Three approaches to qualitative content analysis.** *Qual Health Res.* 2005; **15**(9): 1277–88.

PubMed Abstract | Publisher Full Text

May C, Finch T: Implementing, Embedding, and Integrating Practices: An Outline of Normalization Process Theory. Sociology. 2009; 43(3): 535–554. Publisher Full Text

May C, Murray E, Finch T, et al.: Normalization Process Theory. 2021.

McManus S, Bebbington P, Jenkins R, et al.: Adult Psychiatric Morbidity Survey: Mental Health and Wellbeing, England, 2014. 2016. Reference Source

Miles MB, Huberman AM, Saldaña J: **Qualitative data analysis: a methods sourcebook.** (4th ed.). London: SAGE. 2020.

#### **Reference Source**

Ministry of Housing Communities & Local Government: Indices of Deprivation 2019: income and employment domains combined for England and Wales. 2020

#### **Reference Source**

Moore GF, Evans RE, Hawkins J, et al.: From complex social interventions to interventions in complex social systems: future directions and unresolved questions for intervention development and evaluation. *Evaluation (Lond)*. 2019; 25(1): 23–45.

# PubMed Abstract | Publisher Full Text | Free Full Text

National Institute for Health Research: **How to disseminate your research**. 2019.

#### **Reference Source**

National Institute for Health Research: **Plan your pathway to impact.** (undated). **Reference Source** 

NHS England: **The NHS long term plan.** Leeds: NHS England, 2019. **Reference Source** 

Pople L, Rees G: **Good childhood report 2017.** London: The Children's Society, 2017.

#### **Reference Source**

Pryjmachuk S, Camacho E, Evans N, et al.: Developing a model for high quality service design for children and young people with common mental health problems. 2018.

#### Reference Source

QSR International Pty Ltd: NVivo. 2020.

#### **Reference Source**

Quality Network for Community CAMHS: **Standards for a crisis and intensive response in CAMHS.** London: Royal College of Psychiatrists. (undated). **Reference Source** 

Sadler K, Vizard T, Ford T, et al.: Mental health of children and young people in England, 2017. Leeds: NHS Digital, 2018.

#### **Reference Source**

Social Research Association: A Code of Practice for the Safety of Social Researchers. 2001; 1–8.

#### Reference Source

Tong A, Sainsbury P, Craig J: Consolidated criteria for reporting qualitative research (COREQ): a 32-item checklist for interviews and focus groups. *Int J Qual Health Care.* 2007; **19**(6): 349–357.

## PubMed Abstract | Publisher Full Text

Vizard T, Sadler K, Ford T, et al.: Mental health of children and young people in England, 2020. Wave 1 follow up to the 2017 survey. Leeds: NHS Digital, 2020.

#### **Reference Source**

Welsh Government: **Review of Together for Mental Health: The plan for 2019 to 2022 in response to COVID-19.** Cardiff: Welsh Government, 2020. **Reference Source** 

Welsh Government and Partners: **Mental Health Crisis Care Concordat.** Cardiff: Welsh Government, 2016.

#### **Reference Source**

Welsh Parliament Health and Social Care Committee: Connecting the dots: tackling mental health inequalities in Wales. 2022.

#### Reference Source

World Health Organization: **Mental health action plan 2013-2020.** Geneva: World Health Organization, 2013.

#### Reference Source

Yin RK: Case study research: design and methods. (5th ed.). London: Sage, 2013

#### **Reference Source**

# **Open Peer Review**

# **Current Peer Review Status:**





# Version 1

Reviewer Report 22 June 2023

https://doi.org/10.3310/nihropenres.14547.r29237

© **2023 Cleverley K.** This is an open access peer review report distributed under the terms of the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.



# Kristin Cleverley

Lawrence S. Bloomberg Faculty of Nursing, University of Toronto, Toronto, Ontario, Canada

This is an interesting project that aims to explore how child and youth crisis services are organised in the UK. The use of mixed methods was advantageous and fit responding to the project's overall research aim.

A few minor points for clarification to strengthen the protocol.

- 1. Is there a definition of 'crisis services' that can be provided? I understand that this is part of the project, but it was not clear what the typical reason for use of crisis services is. Is this akin to emergency psychiatric services?
- 2. How will the sustainability of the crisis service be mapped/described? It is part of the overall research question, but is not clear in the work packages and methods.
- 3. The integration of young people's voices into the project is very well done. It is not clear how (or if) caregivers will be engaged in the co-design.
- 4. In the introduction, a short (1-2 sentence) description of Normalisation Process Theory would be beneficial, especially since it will be used for the direct analysis.
- 5. How will young people be involved in the project's dissemination strategy?

# Is the rationale for, and objectives of, the study clearly described?

Yes

Is the study design appropriate for the research question?

Yes

Are sufficient details of the methods provided to allow replication by others?

Yes

Are the datasets clearly presented in a useable and accessible format?

Not applicable

Competing Interests: No competing interests were disclosed.

**Reviewer Expertise:** Child and youth mental health access, service organisation, and transitions in care; mixed methods research design; patient-oriented research

I confirm that I have read this submission and believe that I have an appropriate level of expertise to confirm that it is of an acceptable scientific standard.

Author Response 26 Jun 2023

# **Clare Bennett**

Thank you for these very helpful comments on our protocol.

The point about the meaning of 'crisis service' is well-made, and in our revised protocol we have reproduced, in full, the definition used in our underpinning evidence synthesis which we have brought forward into this new study. With regards to the sustainability of services, we have added an additional note in our description of WP2 where the fine-grained detail is also in the interview topic guides designed for use with local managers and practitioners.

Within our project team, and in our study steering committee, we include people with caregiving experience and the idea for the project as a whole arose from our earlier evidence synthesis where caregivers served as advisors. In this study, our formal involvement activity is centred on working with young people. Regarding NPT: this, too, is a helpful point and we have included a short account at the start of our revised protocol of how NPT can be used and its key generative mechanisms. We have, too, added a note on stakeholder (including young people) involvement in dissemination.

**Competing Interests:** No competing interests were disclosed.

Reviewer Report 23 May 2023

https://doi.org/10.3310/nihropenres.14547.r29235

© **2023 Hoagwood K.** This is an open access peer review report distributed under the terms of the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

# **?** Kimberly Hoagwood

Grossman School of Medicine, New York University, New York, New York, USA

This protocol is timely, well written, and thorough. It addresses an important public health issue young people face globally--i.e., accessing crisis care services in the array of services. There are three issues that if described more thoroughly would strengthen the disseminability of findings when the study is complete.

First, the methods state that one aim is to compare and contrast services in the context of available evidence. However, it is not clear the sources from which those data will be derived. As there are many sources of evidence about child and youth mental health services, as well as summaries thereof, it is important to know from where and how this evidence will be mapped against the qualitative findings.

Second, the protocol mentions the use of purposeful sampling for practitioners and commissioners, but given the goal of disseminating findings widely, it would be helpful to know if the authors considered the use of purposeful sampling of system-level characteristics, such as setting, organizational structure, staffing, etc. For ultimate disseminability, especially internationally, it is helpful to be able to compare system characteristics.

Third, because the position of crisis services within the continuum of services varies across settings, systems, and countries, it would be helpful to have more description of the referral networks within which the crisis services are made available. In other words, before or after a crisis, what kinds of referral networks exist already (how do children get to these services and how do they exit from them) and are there system differences?

Again, this is an interesting and important protocol and the findings from it are likely to generate great interest and hopefully applicability in improving care for child, youth and families.

Is the rationale for, and objectives of, the study clearly described?

Yes

Is the study design appropriate for the research question?

Yes

Are sufficient details of the methods provided to allow replication by others?

No

Are the datasets clearly presented in a useable and accessible format?

Yes

**Competing Interests:** No competing interests were disclosed.

**Reviewer Expertise:** Dissemination and implementation science; child, youth and family mental health services; system and policy research and analysis

I confirm that I have read this submission and believe that I have an appropriate level of expertise to confirm that it is of an acceptable scientific standard, however I have significant reservations, as outlined above.

Author Response 23 May 2023

**Clare Bennett** 

Thank you for this detailed review.

With regards to comparing and contrasting services and situating these within the evidence, we are referring to our recent evidence synthesis, which set out to identify, appraise and synthesise international research and non-research evidence on crisis care for children and young people (Edwards et al., 2023; Evans et al., 2019), as well as the 'Blueprint study' which underpins this research (Fraser et al., 2022; Pryjmachuk et al., 2018).

Your second point, concerning our sampling frame for work package two is helpful, thank you. For this we will draw from our description and typology of crisis care responses created in work package one, which will indeed consider the system-level characteristics that you outline, in addition to the features that we describe in the protocol.

And yes, we agree with your third point regarding the importance of exploring the interconnectedness of services. This is explored to some degree in the survey (work package one) but will be explored in more detail as part of the eight case studies, in work package two.

Once again, thank you for taking the time to provide this constructive review.

Competing Interests: Nil to declare