

This is an Open Access document downloaded from ORCA, Cardiff University's institutional repository: <https://orca.cardiff.ac.uk/id/eprint/171138/>

This is the author's version of a work that was submitted to / accepted for publication.

Citation for final published version:

Barathi, Soumya C., Finnegan, Daniel J. , Proulx, Michael J., O'Neill, Eammon and Lutteroth, Christof 2024. Advantages of friend-modelled social interactive feedforward for VR exergaming. Presented at: CHI PLAY 2024, Tampere, Finland, 14-17 October 2024. Proceedings of the ACM on Human-Computer Interaction. , vol.8 10.1145/3677103

Publishers page: <https://doi.org/10.1145/3677103>

Please note:

Changes made as a result of publishing processes such as copy-editing, formatting and page numbers may not be reflected in this version. For the definitive version of this publication, please refer to the published source. You are advised to consult the publisher's version if you wish to cite this paper.

This version is being made available in accordance with publisher policies. See <http://orca.cf.ac.uk/policies.html> for usage policies. Copyright and moral rights for publications made available in ORCA are retained by the copyright holders.



# Advantages of Friend-Modelled Social Interactive Feedforward for VR Exergaming

SOUMYA C. BARATHI\*, School of Computer Science and Informatics, Cardiff University, UK

DANIEL J. FINNEGAN, School of Computer Science and Informatics, Cardiff University, UK

MICHAEL J. PROULX, Department of Psychology, University of Bath, UK

EAMONN O'NEILL, Department of Computer Science, University of Bath, UK

CHRISTOF LUTTEROTH, Department of Computer Science, University of Bath, UK

VR exergaming is a promising motivational tool to incentivise exercise. We present a novel VR exergaming method called social interactive feedforward. The player competes with an 'enhanced model' of one of their friends in a real-time VR environment, showing improved performance levels in a way the player can relate to. Social interactive feedforward was tested in a cycling-based VR exergame and players competed with enhanced models of themselves, their friend, and a stranger moving at the same enhanced pace. Results show that friend-modelled social interactive feedforward improves performance and intrinsic motivation the most. This indicates that the mere association of the enhanced model with their friend results in a rapid improvement in performance and motivation which implies that social feedforward was successfully elicited by using an enhanced friend's model. This widens the application of self-modelled feedforward to a wide range of social options which enables players to also reap the benefits of socialising in addition to feedforward benefits.

CCS Concepts: • **Human-centered computing** → **User studies**.

Additional Key Words and Phrases: Social Interactive Feedforward, Exergaming, VR, Feedforward, Performance, Intrinsic Motivation

## ACM Reference Format:

Soumya C. Barathi, Daniel J. Finnegan, Michael J. Proulx, Eamonn O'Neill, and Christof Lutteroth. 2024. Advantages of Friend-Modelled Social Interactive Feedforward for VR Exergaming. 1, 1 (September 2024), 19 pages. <https://doi.org/10.1145/nnnnnnnn.nnnnnnnn>

## 1 Introduction

Virtual Reality exercise controlled gaming (VR exergaming) is an intervention that involves exercising as a mode of control in a VR game. Commercial exergames such as Pokemon Go [106], Dance Dance Revolution [75], and Wii Fit [45] show some evidence of improving motivation to exercise in the short term. However, the initial excitement drops and exercise adherence wanes [78, 84]. Introducing social interaction into exergaming and enabling the players to feel a sense of belonging leads to better exercise adherence [54]. Intrinsic motivation refers to performing an activity because it is enjoyable by itself without the need for other external rewards [58]. Studies show that exergames increase intrinsic

\*Correspondence: BarathiS@cardiff.ac.uk

Authors' Contact Information: Soumya C. Barathi, School of Computer Science and Informatics, Cardiff University, UK; Daniel J. Finnegan, School of Computer Science and Informatics, Cardiff University, UK ; Michael J. Proulx, Department of Psychology, University of Bath, UK ; Eamonn O'Neill, Department of Computer Science, University of Bath, UK ; Christof Lutteroth, Department of Computer Science, University of Bath, UK .

Unpublished working draft. Not for distribution.

© 2024 Copyright held by the owner/author(s). Publication rights licensed to ACM.

Manuscript submitted to ACM

53 motivation by distracting the players from painful exercise sensations [4, 9, 35, 72, 90]. Although intrinsic motivation is  
54 an important factor in exercise adherence in the short term [56, 88, 110], its impact on long term exercise adherence is  
55 unclear and needs to be investigated further [52]. VR exergames based on an omni-directional treadmill and a flight  
56 simulator were found to be an effective tool for increasing physical activity and also meet the recommended exercise  
57 intensity for health benefits [26]. VR exergames were also found to be attractive, enjoyable, and have potential health  
58 benefits with regular use for children aged 8 to 12 [81].

61 Feedforward is a psychophysical training technique in which players observe an enhanced self-model resulting in  
62 rapid improvement in performance [28]. Feedforward enhances intrinsic motivation, self-efficacy, self-regulation, and  
63 performance [20]. VR exergaming is coupled with feedforward to create a more powerful exercise intervention. This is  
64 achieved by recording a player's performance to create a self-model. The speed is programmatically increased to create  
65 an enhanced self-model which exhibits previously unachieved performance levels. The enhanced self-model is then  
66 used as a competitor in the VR exergame. Since the application of feedforward in VR exergaming enables players to  
67 actively interact and train with their self-model in real time, it is called interactive feedforward. This led to improved  
68 performance while maintaining intrinsic motivation [10]. In follow up studies on interactive feedforward, Michael  
69 et al. [71] and Ioannou et al. [53] used self-modelling because previous studies showed that self-modelling is more  
70 effective than peer-modelling [29, 69, 92]. However, friend modelled interactive feedforward has not been studied and  
71 it could possibly be more effective than self-modelled feedforward as it is supported by psychological theories based  
72 on social interaction studies elaborated below. This paper discusses the introduction of a social element to interactive  
73 feedforward by using friend-modelling.

74 Social interaction plays a pivotal role in self-determination theory which is an important motivational theory  
75 that describes the extent to which individual behaviours are decided by oneself [27]. Applications that are designed  
76 based on self-determination theory are expected to lead to long-term intrinsic motivation [42, 87, 95]. The genesis  
77 of self-determined motivation comes from individuals' inherent tendency to cater to three basic psychological needs  
78 which are: autonomy, which refers to being the perceived source of one's own behaviour; competence, which refers to  
79 effectively managing the ongoing interaction with the social environment; and relatedness, which refers to a sense of  
80 connection and interaction with others within a community [27]. These needs are universal in nature as shown by  
81 inter-cultural studies [91]. Relatedness is defined as associating with others, to look after and provide for the needs of  
82 others and being looked after by others, to have a sense of community [13, 86, 102]. A positive association was found  
83 between intrinsic motivation and perceived autonomy support from friends [109].

84 Several studies have found that exercising with a partner is beneficial [89, 104]. There is evidence to show that virtual  
85 social support is equally effective as face-to-face support provided that the user has the impression that the support is  
86 provided by another human via a virtual avatar [38, 59, 60]. This corroborates the media equation theory which states  
87 that users process media the same way as real-world experiences [83]. It found that the level of involvement in the  
88 virtual world was an important predictor of perceived intensity of emotions. Based on this finding we can conclude  
89 that the extent of involvement in the virtual world plays an important role in determining if the same or a different  
90 response is elicited in the user when compared to a real world interaction [38].

91 According to the theory of social facilitation, performance in simple tasks is enhanced by the presence of others  
92 [114]. The relationship between the players plays an important role as it impacts the social interactions in the game  
93 which can influence the social game experience. Thus, a social exergame that enables people with a pre-existing positive  
94 relationship (such as a friend) can in turn positively influence the game experience. This paper reviews various social  
95 psychology theories and discusses the important role of positive social interaction in improving exergame performance  
96

and intrinsic motivation. In particular, exergames that enable interaction with people that they have a pre-existing positive social relationships such as a friend could improve player experience [14].

Conventionally, interactive feedforward has always been tested using an enhanced self-model [10, 53, 71]. However, many studies show the effectiveness of facilitating a positive social interaction with friends in improving intrinsic motivation and performance [98, 114]. This justifies investigating friend-modelled interactive feedforward. Therefore, we define social interactive feedforward as using an enhanced model of a friend showing previously unachieved performance levels that players relate, compete and interact with at real time in a VR feedforward experience resulting in a rapid improvement in performance and intrinsic motivation. The aim of this experiment is to introduce a social element to interactive feedforward for VR exergaming by introducing an enhanced virtual model of a friend of the player as a competitor. We pair people who have roughly the same power output and we increase the resistance by 10% in both social interactive feedforward and self-modelled feedforward. Social comparison can be useful in encouraging an active life-style because studies show that people were prone to mimicking the behaviour of their peers [34, 66] and are likely to exercise when observing others around them also exercising [66].

In summary, we investigated the following research questions:

**RQ1** How effective is social interactive feedforward in improving performance as measured by average power output when compared to self-modelled interactive feedforward?

**RQ2** How effective is social interactive feedforward in improving intrinsic motivation when compared to self-modelled interactive feedforward?

Self modelling has been mostly used with feedforward [20, 28, 30, 31, 37, 93, 94, 101, 105]. To our knowledge, friend modelling has never previously been used in interactive feedforward. We make the following contributions:

- (1) An exergaming system for social interactive feedforward in virtual reality.
- (2) An empirical study comparing the efficacy of social interactive feedforward in improving exercise performance and intrinsic motivation with self-modelled interactive feedforward.
- (3) A discussion of actionable recommendations for exergame designers suggesting ways to incorporate social interactive feedforward elements into exergame design.

## 2 Related Work

### 2.1 Social Facilitation vs Social Loafing

Theory of social facilitation states that behaviour in simple tasks is improved by the mere presence of others [114]. A study by Worryingham et al.[113] shows that a group of runners who encountered a female facing the runner at the halfway point showed a significant acceleration when compared to the group that ran alone and the group that encountered a female seated with her back to the runner. Social loafing refers to the tendency of individuals to expend less effort when working together than when working by themselves. This detrimental effect of social loafing has been noticed in group tasks that require collective pooling of individual members' inputs and not in tasks that involve coaction in which an individual's effort is indispensable to the outcome of the task [55]. Participants were motivated to work only as hard as necessary to gain credit for good performance or to avoid blame for a bad one [49]. Another study shows that both social facilitation and loafing are complementary and results consistently showed that evaluation and coaction lead to better performance [48]. Therefore, to avoid social loafing and enhance social facilitation a task should involve coaction and should be evaluable. The effect of virtual social facilitation was explored by using a VR stationary bike and introducing competitive avatars and the results showed that it increased exercise effort among



157 more competitive exercisers [2]. A notable difference between our study and the study by Anderson et al.[2] is that  
158 we are investigating the effectiveness of social interactive feedforward in high intensity exercising which involves  
159 enhanced interactive models of players' friends.  
160

## 161 162 163 **2.2 Social Comparison Theory, Exercise Partners, and Competition**

164 Social comparison involves comparing oneself with others for self-evaluation, self-improvement, and self-enhancement  
165 [34, 99, 112]. The most important variables that affect social comparison are: the expertise of the person one is comparing  
166 herself to, similarity with that person, and previous agreement with that person [97]. Studies show that in conditions in  
167 which self-evaluation and self-improvement play an important role, individuals prefer to compare themselves with  
168 someone who is slightly better-off, i.e. an upward comparison [46, 107, 108, 111]. Furthermore, if the comparison  
169 dimension is a skill acquired through practice or one that increases naturally with maturity, upward comparisons are  
170 considered to be uplifting because it informs the individual that such achievements are within reach, and one feels  
171 good progressing toward the target's superior state [17]. People make upward comparisons in hopes of enhancing their  
172 self-assessments and state that it serves indirectly through self-improvement and sometimes directly by enhancing  
173 the self [22]. Self-evaluations based on comparisons with others become stronger when they compare themselves  
174 with people who are similar to them [34] specifically with regard to the dimension being evaluated [112]. Therefore,  
175 upward comparisons with people who are similar to themselves in the dimension being evaluated lead to an uplifting  
176 self-assessment potentially leading to improvement.  
177

178 Studies show that exercising with friends or peers increases exercise adherence [33, 64]. Participants exercised  
179 harder when the perceived fitness level of an exercise partner was high than when it was low [80] and another study  
180 shows that exercising with a fitter exercise partner boosts a high intensity exercise session [25]. Physical activity levels  
181 among members of one activity tracking social networking site were positively associated with the physical activity  
182 levels of their connections [18] and head to head competition encourages participants to increase their performance [23].  
183  
184  
185  
186  
187

## 188 189 **2.3 Social Games and Exergames**

190 Social exergames bring together the enjoyable elements of gamification and social bonding to alleviate the unpleasant  
191 effects of exercising such as fatigue and muscular pain, making it an enjoyable experience. Exergames can facilitate  
192 social play including mediated exergames [73]. The presence of a co-located co-player can significantly enhance fun,  
193 challenge, and perceived competence in the game. Social context is an integral factor of player enjoyment and should  
194 be integrated in the game [39]. Another study by Mueller et al. [74] investigated the effects of virtual co-presence of  
195 co-players they have a social relationship with. They designed a system in which spatialised audio based on heart rate  
196 would allow players to *virtually* run together. Players were paired with their friends or siblings. They concluded that  
197 social support enhances engagement with the physical activity based on a qualitative analysis of players' experience.  
198 Players reported that the system enabled them to feel co-located even though they were not together physically. They  
199 reported that in some cases it was even better than jogging together because the system enabled them to feel co-located  
200 even if their physical capabilities were different so one player didn't have to wait for the other. They also reported that  
201 social presence, which refers to the sense of being with another person, enhanced enjoyment. A study by Balnaves et al.  
202 [5] discussed the social value of the widely played social game, Farmville. It is a farming-simulator game which allows  
203 players to virtually manage a farmland by growing crops and animals. Players play Farmville despite its lacklustre  
204  
205  
206  
207  
208

aesthetics and repetitive gameplay primarily because of the social element [65]. The game fosters social interaction and allows players to feel a sense of community without having to be physically present with other players [5]. This further corroborates the importance of virtual co-presence of co-players in the gameplay.

According to a six-week study by Kaos et al.[54], people who engage in social play have an enhanced exergame adherence compared to those in individual play. The superior adherence found in social play was attributed to enabling players to feel a sense of belonging which is a crucial and universal human need [13]. Chan et al. [19] identified self-determination theory, gamification, competition and cooperation, situational interest, and social interaction as components that play an integral role in promoting adherence. Their results show that the social aspect of the exergame in particular motivates players, resulting in continued exergame play. They found that social support and communication are key mediators for encouraging behaviour change. They also found that effective player matchmaking strategies for increasing social connectedness are an important area of future research.

Bekker et al. [14] created interactive play objects that can simulate social interactions and exercise. The gameplay was influenced by behaviour theories such as the self-efficacy theory. Positive player experiences as a result of the game and motivating feedback increase self-efficacy which in turn leads to increased adherence. They found that social interaction can be evoked using a game played by multiple players and the kind of association between the players can impact the kind of social interactions that take place. This implies that the kind of relationship between the players is very important because it affects the social interactions in the game which can potentially influence the social game experience. Therefore, in our study, we use pairs of friends so that the pre-existing positive relationship can in turn positively influence the game experience.

## 2.4 Video Self-modelling

Modelling is the process of imitating actions and behaviour based on observational learning [6–8]. Modelling entails observing a subject in order to obtain knowledge about a certain skill. This observed information is then tried out and maintained using cognitive representation when they venture the replication of the skill. Modelling can be implemented by showing video clips of themselves or others performing the activity. This is called video modelling. Video modelling that involves using self-models is referred to as video self-modelling. A meta-analysis by Bellini et al. [15] tested the intervention, maintenance, and generalization effects of video modelling and video self-modelling interventions for children and adolescents with autism spectrum disorders. Results imply that video modelling and video self-modelling are effective intervention strategies for addressing social-communication skills, functional skills, and behavioural functioning in children and adolescents with autism spectrum disorders. A study used video modelling to educate patients about changes in health care delivery [62]. In spite of differences in research designs, clinical settings, and patient populations, the use of video modelling has potential benefits for clinical practice in facilitating knowledge acquisition, reducing preparatory anxiety, and improving self-care. Baudry et al. [12] investigated the effectiveness of video modelling in improving gymnasts' performance of the circle on a pommel horse. The modelling group received expert- and self-modelling, and performance feedback. The control group received no feedback. The results showed better performance in the modelling group than the control group. This shows that video modelling has potential in improving complex sports movements such as the double leg circle on the pommel horse. Resemblance to the model increases self-efficacy because learners are able to identify more with the model [51]. Self-modelling uses a model of an individual achieving a goal to induce higher motivation and learning of the behaviours required to achieve that goal [28]. Self-modelling is more effective than using peer models [29, 69, 92]. Starek et al. [93] compared the effects of

self-modelling and other-modelling which refers to watching a video tape of a peer model who exhibits skills matching the player's swimming skills. Results showed participants in the self-modelling condition exhibited better performance than the ones in the other-modelling condition. However, these studies did not explore friend-modelling.

## 2.5 Feedforward

Feedforward is a psychophysical training technique which enables individuals to achieve a rapid improvement in performance by observing an enhanced self-model showing previously unachieved performance [29]. This ultrarapid learning in feedforward is explained within the framework of cognitive science using the neural activity called "mental time travel" [43, 96]. Mental time travel which is also referred to as autooetic consciousness enables remembering the past and projecting or imagining the future [103]. It gives us the ability to build a sense of self. Future or past episodic memory is responsible for self-awareness, and intrinsic feelings that may impact our future actions [3] by allowing people to predict, architect, and sculpt future events [96]. A similar process called prospection is defined as the act of thinking about the future by mentally projecting ourselves into an imagined situation. Buckner et al. [16] suggest that "envisioning the future (prospection), remembering the past, conceiving the viewpoint of others and possibly some forms of navigation reflect the workings of the same core brain network". They claim that all these abilities share the same functional anatomy that includes frontal and medial temporal systems that are conventionally related to planning, episodic memory and passive cognitive states. Self-modelled feedforward is an application of prospection or future mental time travel and it trigger a behavioural response in a future context [29].

Clark et al. [20] compared two self-as-a-model interventions: enhanced self-modelling or feedforward which involved watching edited videos showing only the best performances of swimming stroke and self-observation of performance at their current skill levels. They studied the influence of the modelling interventions on self-regulation, intrinsic motivation, self-efficacy, and the physical performance. The results showed that the feedforward group consistently performed better in terms of self-regulation, self-efficacy, intrinsic motivation, and physical performance than the self observation group. Gilchrist et al. [44] investigated alleviating public speaking anxiety by using enhanced self-modelling or feedforward. Players were shown edited videos of themselves depicting confident speaking. Results showed video-self-modelling could be used as an intervention to reduce anxiety and improve public speaking performance.

An interactive adaptation of feedforward in a VR exergame (called as interactive feedforward) resulted in improved exercise performance while maintaining intrinsic motivation [10]. This work already tested interactive feedforward by including a control condition to test the absolute effectiveness of feedforward. Virtual performance augmentation implementing interactive feedforward in an immersive jump and run VR exergame showed increase in intrinsic motivation, perceived competence, and flow [53]. Flow is a state of optimal user experience while performing an activity occurring when the skills of an individual are in balance with the challenge imposed by the activity [24, 32]. A longitudinal study spanning a month implemented a new form of interactive feedforward by introducing multiple self-models. It investigated players racing against a group of self-models moving at the pace of their previous performances and one self-model projecting their future enhanced performance [71]. Results showed an improvement in performance, intrinsic motivation, and flow when compared to a non-competitive condition. In particular, introducing multiple self-models resulted in significantly higher levels of intrinsic motivation and flow with similar performance levels compared to a single self-model interactive feedforward implemented in the study by Barathi et al. [10].

Feedforward studies have always used an enhanced self-model because several studies show that self-modelling is superior to peer modelling [29, 69, 92]. However, these studies have not explored using an enhanced "friend's" model in the context of the feedforward method. Well established theories such as self-determination theory, social

313 facilitation, and social comparison theory justify the inclusion of friend-modelling in interactive feedforward and  
314 therefore, we investigate the effectiveness of friend-modelled social interactive feedforward in this paper. Our paper  
315 builds on previous work on interactive feedforward to explore friend-modelled feedforward. We investigate the impact  
316 of friend-modelled feedforward when compared to self-modelled feedforward and stranger-modelled feedforward.  
317



318  
319  
320  
321  
322  
323  
324  
325  
326  
327  
328  
329  
330  
331  
332  
333  
334  
335  
336  
337  
338 Fig. 1. The image represents social interactive feedforward implemented in a cycling based VR exergame in which the player is racing  
339 against his friend's model.  
340

### 341 342 **3 Exergame and Experimental Design**

343  
344 We used a cycling based VR exergame (Figure 1) in which the speed of the player in the VR exergame is proportional to  
345 the Revolutions Per Minute (RPM) of the stationary exercise cycle used. High Intensity Interval Training (HIIT) is an  
346 exercise protocol that involves short bursts of vigorous exercise in between periods of low-intensity exercise [40]. It is  
347 twice as time efficient while being equally beneficial or superior to low or moderate intensity exercise protocols in  
348 many health related measures [41, 63, 76]. We used a low volume HIIT exercise protocol which alternates between  
349 low intensity and high intensity phases with 60 seconds warm-up, 30 seconds sprint, 90 seconds recovery, 30 seconds  
350 sprint, and 90 seconds cool-down. Players were instructed to cycle at a speed of 65-70 RPM with 12 Nm resistance  
351 during the low intensity phases i.e. warm-up, recovery, and cool-down. They were instructed to cycle as fast as possible  
352 during the high intensity phases i.e. the sprints, with resistance of 0.4 Nm kg<sup>-1</sup> set initially based on body mass and  
353 adjusted according to player preferences during the familiarisation phase. Prompts such as the RPM, exercise protocol  
354 instructions, and timings were displayed on the game screen.  
355  
356  
357

358 We investigated the effectiveness of using an enhanced friend's model in interactive feedforward using a counter-  
359 balanced within-participants design. Three conditions, Friend, Self, and Stranger form the levels of the independent  
360 variable Competitor after recording the baseline. Friends arrived together and one had to wait while the other player  
361 recorded their baseline model. This experiment involves three different levels and players competed with enhanced  
362 models of themselves, their friend, and a stranger who moved at the pace of their friend. To make sure players constantly  
363  
364



365 associated the enhanced models to their Friend, Self, or Stranger conditions, we took photos of them to be attached to  
366 the model's back.

367 There is evidence to show that competitive play increases exercise performance and aggression in short bouts but  
368 cooperative play improves motivation and adherence [70]. In users with lower physical fitness levels, competition was  
369 found to have a detrimental effect by accentuating their inadequacies [70]. Therefore, to retain the good effects of  
370 competitive play and social interaction without including the negative effects, participants were made to do the study  
371 separately [67].  
372

373 Both the participants recorded their exercise performance baselines separately. During the baseline, we recorded the  
374 players' performance and their friends' to create the enhanced models. In the Friend condition, we elicited a feedforward  
375 effect by, in addition to competing with the friend's model, increasing the resistance by 10%. The friend's model had a  
376 picture of their friend attached to the back to help the players associate the model to their friends. In the Self condition,  
377 we elicited a feedforward effect by, in addition to competing with the self-model, increasing the resistance by 10%. The  
378 self-model had a picture of the player attached to the back to help the players associate the model to themselves. The  
379 Stranger condition is the control condition and players were competing with a model which moved at the same speed  
380 as the friend's model under an increased resistance by 10% but had a picture of a stranger attached to it to help the  
381 players associate the model to a stranger. Participants did the study by competing with the virtual recorded enhanced  
382 self-model, friend's model, and the stranger's model individually while their friends waited outside the lab.  
383  
384

385 The players were not aware that the enhanced models in the Stranger condition and the Friend condition move  
386 at the same pace. Players were informed that they were competing with: a friend's model in the Friend condition,  
387 self-model in the Self condition and a stranger's model in the Stranger condition. A message was displayed at the  
388 beginning of Friend, Self, and Stranger conditions stating "The exergame may change the intensity of the workout to  
389 make it easier or harder". We conducted the Baseline condition first to record the speed of the enhanced models and the  
390 conditions Friend, Self, and Stranger were counterbalanced. Players cycle down a straight path while avoiding trucks  
391 during the low-intensity phases of the exergame and cycle as fast as possible during the high intensity phases with the  
392 objective of outracing the friend/self/stranger model depending on the experiment condition. The stationary exercise  
393 cycle (Figure 1) used was a Lode Excalibur Sport and the VR headset was an HTC Vive. They were connected to a PC  
394 running Unity with an Intel Xeon E5 2680 processor, 64 gigabytes of RAM, and two NVIDIA Titan X graphics cards.  
395  
396  
397  
398  
399  
400

### 401 3.1 Outcome Variables

402 Our exclusion criteria were if participants answered affirmatively to any of the questions from the revised Physical  
403 Activity Readiness Questionnaire (PAR-Q) [100] or if they had a had a resting blood pressure greater than 140/90 mmHg,  
404 they were not allowed to do the user study. All our participants cleared the exclusion criteria. We recorded demographic  
405 details using a demographics questionnaire which included questions about age, gender, blood pressure, body height,  
406 weight, and body composition. They filled the International Physical Activity Questionnaire (IPAQ) questionnaire to  
407 measure their current exercise levels [47]. Players also recorded their answers to a self-reported friendship question  
408 which was a 7- point Likert scale proposed by Hays et al. [50]. As a measure of performance, we recorded the average  
409 power output (Power) in Watts over both sprint phases in each condition as measured by the exercycle sensors. To  
410 compensate for differences in physical fitness between players, we considered each player's performance in the Self,  
411 Friend, and Stranger experimental condition against their baseline, i.e. Power (Self-Baseline), Power (Friend-Baseline),  
412 and Power (Stranger-Baseline) which we refer to as  $\Delta$ Power in the context of experimental condition Self, Friend, and  
413  
414  
415  
416

Stranger respectively. We used the Intrinsic Motivation Inventory (IMI) scale [85]. In particular, we used the following subscales: IMI Enjoy, IMI Effort, IMI Pressure, and IMI Value which refer to the interest/enjoyment, effort, felt pressure and tension, value/usefulness subscales respectively. To measure flow, we used the Flow State Questionnaire's subscales: Balance of Challenges and Skills, which we refer to as Balance and Absorption in the Task, which we refer to as Absorption [68].

### 3.2 Procedure

The study received ethical approval from the Research Ethics Approval Committee for Health of the University of Bath (Reference: EP 16/17 191). Players were told that it was a social exergaming experiment and they were asked to partner with friends who were more or less as fit as they were. The players were informed about the experimental conditions and asked to complete the aforementioned demographics questionnaire. The players were told that the purpose of the baseline condition was to record their performance and their friend's performance for the models. Players also recorded their answers to a self-reported friendship question.

After initialising sprint resistance based on body mass, players went through a familiarisation phase which allowed them to experience the VR exergame. After players recorded their baselines, they performed the Friend, Self, and Stranger conditions in a counterbalanced order. Players performed all the conditions Friend, Self, and Stranger, in private without the physical presence of their friend to influence them. At the end of each of the conditions Friend, Self, and Stranger, players completed the IMI and Flow subscales and left qualitative feedback about their experience. Players had a break of approximately 10 minutes between the gameplay rounds to avoid fatigue. They were allowed to take longer breaks if they were tired. At the end of the experiment players were asked to comment on their experience during the different conditions. Each session took approximately 180 minutes.

### 3.3 Hypotheses

To summarise, self-modelled interactive feedforward has been found to rapidly and significantly improve exercise performance while maintaining intrinsic motivation [10]. Participants who viewed their virtual self model do more exercise also engaged in doing significantly more exercise [36]. A longitudinal study exploring training and competing with multiple enhanced self-models was found to significantly improve exercise performance, intrinsic motivation, and flow [71]. Studies have predominantly used self modelling in relation to interactive feedforward. However, social interaction is crucial in self-determination theory. It is a significant motivational framework that underpins the degree to which personal behaviours are self-directed [27]. This is important because applications built on self-determination theory are expected to improve intrinsic motivation [87, 95]. Having a social connection with others is one of the most important factors associated with exercise induction and adherence [57]. Social gaming plays an important role in engagement [1]. Therefore, we propose to study introducing a social connection in the form of a friend model into interactive feedforward. Based on the findings of these previous studies, we hypothesise that friend modelled interactive feedforward improves exercise performance and intrinsic motivation.

Based on related work, we had the following hypotheses:

**H1** The Friend condition improves performance more than the Self condition and the Stranger condition.

**H2** The Friend condition improves intrinsic motivation more than the Self condition and the Stranger condition.

## Results

A summary of the results is shown in Table 1. The assumptions of analysis of variance (ANOVA) were met, so we analysed the data with repeated-measures ANOVAs using the  $\omega^2$  measure for effect sizes [77], and post-hoc tests with Holm correction for comparing a family of three. According to power analyses, the ANOVAs were able to detect medium-sized effects (Cohen's  $f=0.286$ ) with a power of 0.774. They allow us to better understand the uncertainty in the test results. Because of our within-participants design, we calculated and tested repeated measures correlations using Pearson correlations. The level of significance used for all tests was  $\alpha = .05$ . Plots show 95% confidence intervals of the means.

**3.3.1 Participants.** Players were recruited through mailing lists and posters and were asked to sign up with their friends who are more or less as fit as they are. We recruited 20 players in total (15 male, 5 female, age 18-28, mean 22.5), who were students and employees of the University of Bath. We screened them with the Physical Activity Readiness Questionnaire (PAR-Q) [110] and excluded players with health risks or a resting blood pressure greater than 140/90 mmHg. All players gave written, informed consent, and were remunerated for their time. The players and their friends were of similar physical fitness levels. This is evidenced by the average of the baseline difference in the number of revolutions between the player pairs which was  $mean=0.77$  ( $std. dev.=14.86$ ) including the one mixed gender pair. The average self-reported friendship score was  $mean=4.05$  ( $std. dev.=0.83$ ) and all players reported a score of 3 or above.

**3.3.2 Performance.** A repeated-measures ANOVA was conducted on Competitor (Stranger, Self, and Friend) for  $\Delta Power$ . The effect of Competitor was significant ( $F(2, 38) = 7.224, p = .002^{**}$ ) with a 'medium' effect size ( $\omega^2 = 0.067$ ) (Figure 2 top-left).  $\Delta Power$  in Friend was significantly higher compared to Self ( $t(19) = 2.710, p = .020^*$ ) with a 'medium' effect size (Cohen's  $d=0.506$ ) and also significantly higher compared to Stranger ( $t(19) = 3.663, p = .002^{**}$ ) with a 'medium' effect size (Cohen's  $d=0.683$ ) so we accept H1.  $\Delta Power$  in Self was not significantly higher when compared to Stranger ( $t(19) = 0.953, p = .347$ ) with a negligible effect size (Cohen's  $d=0.178$ ).

**3.3.3 IMI Enjoy.** A repeated-measures ANOVA was conducted on Competitor (Stranger, Self, and Friend) for *IMI Enjoy*. The effect of Competitor was significant ( $F(2, 38) = 8.253, p = .001^{**}$ ) with a 'medium' effect size ( $\omega^2 = 0.081$ ) (Figure 2 top-right). *IMI Enjoy* in Friend was significantly higher compared to Self ( $t(19) = 2.475, p = .036^*$ ) with a 'small' effect size (Cohen's  $d=0.471$ ) and also significantly higher compared to Stranger ( $t(19) = 4.028, p < .001^{***}$ ) with a 'medium' effect size (Cohen's  $d=0.767$ ) so we accept H2. *IMI Enjoy* in Self was not significantly higher compared to Stranger ( $t(19) = 1.553, p = .129$ ) with a 'small' effect size (Cohen's  $d=0.296$ ).

**3.3.4 IMI Effort.** A repeated-measures ANOVA was conducted on Competitor (Stranger, Self, and Friend) for *IMI Effort*. The effect of Competitor was significant ( $F(2, 38) = 8.060, p = .001^{**}$ ) with a 'medium' effect size ( $\omega^2 = 0.112$ ) (Figure 2 bottom-left). *IMI Effort* in Friend was not significantly higher compared to Self ( $t(19) = 1.984, p = .099$ ) with a 'small' effect size (Cohen's  $d=0.459$ ) and significantly higher compared to Stranger ( $t(19) = 4.015, p < .001^{***}$ ) with a 'large' effect size (Cohen's  $d=.928$ ). *IMI Effort* in Self was not significantly higher compared to Stranger ( $t(19) = 2.030, p = .099$ ) with a 'small' effect size (Cohen's  $d=0.470$ ).

**3.3.5 IMI Pressure.** A repeated-measures ANOVA was conducted on Competitor (Stranger, Self, and Friend) for *IMI Pressure* and the effect of Competitor was not significant ( $F(2, 38) = 0.139, p = .871$ ) with no effect size ( $\omega^2 = 0.0$ ). *IMI Pressure* in Friend was not significantly higher compared to Self ( $t(19) = 0.420, p = 1.000$ ) with a negligible effect size (Cohen's  $d=.091$ ) and was not significantly higher compared to Stranger ( $t(19) = 0.065, p = 1.000$ ) with a negligible effect




Fig. 2.  $\Delta$ Power (left column) and IMI Enjoy (right column) scores for the Stranger, Self, and Friend conditions (top row) and IMI Effort (left column) and IMI Value (right column) scores for the Stranger, Self, and Friend conditions (bottom row).

size (Cohen's  $d=.014$ ). *IMI Pressure* in Self was not significantly higher compared to Stranger ( $t(19) = 0.485, p = 1.000$ ) with a negligible effect size (Cohen's  $d=.105$ ).

**3.3.6 IMI Value.** A repeated-measures ANOVA was conducted on Competitor (Stranger, Self, and Friend) for *IMI Value*. The effect of Competitor was significant ( $F(2, 38) = 4.192, p = .023^*$ ) with a 'small' effect size ( $\omega^2 = 0.033$ ) (Figure 2 bottom-right). *IMI Value* in Friend was not significantly higher compared to Self ( $t(19) = 1.031, p = .309$ ) with a negligible effect size (Cohen's  $d=.184$ ) and was significantly higher compared to Stranger ( $t(19) = 2.859, p = .021^*$ ) with a 'medium' effect size (Cohen's  $d=.510$ ). *IMI Value* in Self was not significantly higher compared to Stranger ( $t(19) = 1.828, p = .151$ ) with a 'small' effect size (Cohen's  $d=0.326$ ).

**3.3.7 Flow Balance.** A repeated-measures ANOVA was conducted on Competitor (Stranger, Self, and Friend) for *Balance* and the effect of Competitor was not significant ( $F(2, 38) = 1.709, p = .195$ ) with a tiny effect size ( $\omega^2 = 0.007$ ). *Balance* in Friend was not significantly higher compared to Self ( $t(19) = 0.103, p = .918$ ) with a negligible effect size (Cohen's  $d=0.018$ ) and was not significantly higher compared to Stranger ( $t(19) = 1.650, p = .321$ ) with a 'small' effect size (Cohen's  $d=0.293$ ). *Balance* in Self was not significantly higher compared to Stranger ( $t(19) = 1.547, p = .321$ ) with a 'small' effect size (Cohen's  $d=0.275$ ).

Table 1. Summary of demographics and results (mean  $\pm$  std. dev.).

Experimental Condition (within-participants)	n	Demographics	Variables	Measurement
Stranger	20	M=15, F=5 Age=22.5 $\pm$ 3.29, BMI=22.89 $\pm$ 2.68, IPAQ=1837.7 $\pm$ 1110.59, Power=337.07 $\pm$ 83.58	Power	370.79 $\pm$ 88.68
			$\Delta$ Power	33.71 $\pm$ 34.80
			IMI Enjoy	5.35 $\pm$ 0.91
			Balance	3.95 $\pm$ 0.88
			Absorption	3.85 $\pm$ 0.71
Self			Power	377.05 $\pm$ 96.06
			$\Delta$ Power	39.98 $\pm$ 36.93
			IMI Enjoy	5.58 $\pm$ 0.79
			Balance	4.16 $\pm$ 0.68
			Absorption	3.99 $\pm$ 0.75
Friend			Power	394.88 $\pm$ 96.57
			$\Delta$ Power	57.81 $\pm$ 34.00
			IMI Enjoy	5.94 $\pm$ 0.60
			Balance	4.17 $\pm$ 0.65
			Absorption	4.29 $\pm$ 0.57

3.3.8 *Flow Absorption*. A repeated-measures ANOVA was conducted on Competitor (Stranger, Self, and Friend) for *Absorption*. The effect of Competitor was significant ( $F(2, 38) = 9.857, p < .001^{***}$ ) with a ‘medium’ effect size ( $\omega^2 = 0.060$ ). *Absorption* in Friend was significantly higher compared to Self ( $t(19) = 2.925, p = .012^*$ ) with a ‘small’ effect size (Cohen’s  $d=0.431$ ) and also significantly higher compared to Stranger ( $t(19) = 4.356, p < .001^{***}$ ) with a ‘medium’ effect size (Cohen’s  $d=.642$ ). *Absorption* in Self was not significantly higher than Stranger ( $t(19) = 1.431, p = .161$ ) with a ‘small’ effect size (Cohen’s  $d=.211$ ).

### 3.4 Qualitative Analysis

We asked two closed questions and one open ended question and we did a summary analysis of the answers to closed questions. The first closed question was whether participants would like to compete with a friend, themselves, or a stranger. Out of the 20 players, 13 players stated that they prefer to compete with their friends, 6 players stated that they prefer to compete with themselves, and 1 player stated that he prefers to compete with a stranger.

This is in line with our quantitative results which show that friend-modelled interactive feedforward is superior in improving intrinsic motivation when compared to self-modelled interactive feedforward and stranger-modelled interactive feedforward as intrinsic motivation is correlated with positive player experience [85]. When they were asked whether they are most likely to perform better when they are competing with a stranger, friend or themselves: 12 players answered friendly competition, 1 player answered competing with a stranger, 6 players answered self-competition, and 1 player answered both friendly competition and self-competition. These results show that the majority of the players preferred friendly competition and felt that they would perform the best when competing with a friend. This also matches our quantitative results which show that friend-modelled interactive feedforward is superior in improving exercise performance when compared to self-modelled interactive feedforward and stranger-modelled interactive feedforward. They were then asked an open-ended question asking them to comment on their preference. We highlighted comments that were interesting and added more insight into the participants’ preferences. Their comments to open-ended questions asking reasons for their preference of friendly competition included phrases such as “*challenge is more personal*”, “*more*



625 *satisfaction in a win*” and *“wanted to beat the friend the most by far”*. One player said they *“enjoyed the aspect of racing*  
626 *against a friend in privacy while still being competitive”* as opposed to more direct and visible forms of competition with  
627 friends. Players who preferred self-competition typically commented along the lines of *“challenging myself is the best*  
628 *way to track improvement”*. The player who preferred competing with a stranger commented that because he had a  
629 personal relationship with the friend he would rather compete with a random stranger who he did not care about so much.  
630  
631

#### 633 4 Discussion

634  
635 Our results indicate that social interactive feedforward is indeed effective in improving performance and intrinsic  
636 motivation compared to self-interactive feedforward. Specifically, our results indicate that even when the enhanced  
637 models move at the same pace, the mere association of the enhanced model with their friend results in a rapid  
638 improvement in performance and motivation which implies that social feedforward was successfully elicited by using  
639 an enhanced friend’s model. Our study shows the perceived importance of exercising with a friend. Our findings are in  
640 line with the results of several studies that explore the benefits of exercising with a partner. Lack of exercise partner was  
641 found to be an external barrier to women participating in exercise programmes and facilities at work [104]. Exercising  
642 with a romantic partner improves exercise performance and adherence [89]. Our findings show that exercising with a  
643 friend’s virtual enhanced model is also beneficial in improving performance and intrinsic motivation.  
644

645 Our hypothesis was that social interactive feedforward using enhanced friends’ models could improve performance  
646 and intrinsic motivation more than enhanced self-models. The results show that using an enhanced friend’s model sig-  
647 nificantly improves performance when compared to an enhanced self-model with a medium effect size and significantly  
648 improves performance when compared to an enhanced stranger’s model with a medium effect size (RQ1). The fact  
649 that the enhanced stranger’s model and the enhanced friend’s model move at the same pace with the only difference  
650 being the player’s association with the enhanced model shows that the feedforward effect is elicited in the Friend  
651 condition leading to significant improvement in performance. This matches a study by Plante et al. [79] which reports  
652 that exercising with another person may be calming but more tiring because of a potential increased competition.  
653

654 The results also show that players exhibited significantly higher enjoyment levels (which is the main self-reported  
655 measure of intrinsic motivation) when doing the Friend condition than doing the Self condition with a small effect  
656 size and Stranger condition with a medium effect size (RQ2). This result also shows that the player’s association of the  
657 enhanced model with their friend improves enjoyment. This finding also reaffirms the results of other studies showing  
658 that inclusion of a social element of interacting with friends during a game increases enjoyment [39, 65, 73].  
659

660 The results also show that the perceived effort put in by the players when doing the Friend condition is not  
661 significantly higher than the Self condition with a small effect size and significantly higher than the Stranger condition  
662 with a large effect size. This implies that even though players perform significantly better in the Friend condition  
663 than the Self condition, they do not perceive the effort put in by them to be significantly higher. This could possibly  
664 be explained by the significantly higher enjoyment levels in the Friend condition than in the Self condition leading  
665 to lesser perceived effort. The results show that the effect of competitor on perceived pressure was not significant.  
666 This contradicts our earlier finding which showed that players perceived higher pressure in the non-self competition  
667 condition. This could imply that differences in players’ competitiveness could vary perceived pressure.  
668

669 The results show that the balance of challenges and skills was not significantly affected by the competitor. The  
670 players show significantly higher absorption in the task in the Friend condition than in the Self condition with a small  
671 effect size and in the Stranger condition with a medium effect size. This indicates that players are more likely to enter a  
672  
673

677 state of flow in the Friend condition than in the Self condition and the Stranger condition. Our findings also support the  
678 results of a study by Rackow et al. which concludes that exercising with a partner is better for receiving emotional and  
679 instrumental social support which in turn leads to better self-regulation and self-efficacy [82].  
680

#### 681 **4.1 Limitations**

682  
683 The sample size (n=20) was relatively small, mostly male, and in their 20s, which limits the generalisability and  
684 implications of our findings. The power analysis shows that there is a 77.37% chance of detecting real improvements  
685 in performance and intrinsic motivation in the Friend Condition compared to the Self and the Stranger conditions.  
686 Longitudinal studies with larger sample sizes are required to explore our findings further. We presented only summary  
687 statistics and highlighted comments in the qualitative analysis section. We will do a detailed qualitative analysis in our  
688 future longitudinal study exploring friend-modelled interactive feedforward. Another limitation of social interactive  
689 feedforward as implemented in this study is that we studied only players who have similar fitness levels as their friends.  
690 Hence, it is unclear how well social interactive feedforward works if player pairs have different fitness levels.  
691

#### 692 **Future Work and Conclusion**

693  
694 Broadly speaking, it would be interesting to explore how social interactive feedforward and friend modelling can be  
695 used to achieve exercise adherence. This widens the application of self-modelled feedforward to a wide range of social  
696 options which enables players to reap the benefits of socialising in addition to feedforward benefits. This method can be  
697 easily retrofitted into existing games to gain similar benefits. In our study, we use virtual avatars to represent the friend  
698 model and their performance but still manage to evoke the benefits of exercising with a partner shown in previous  
699 studies [79, 82, 89, 104]. This implies that these social benefits are also applicable in virtual world interactions.  
700

701  
702 We have designed our exergame in such a way that it integrates competitive play into the design by including  
703 a virtual recording of an enhanced friend model. This allowed us to include social interaction without including a  
704 more direct and potentially detrimental competitor. This design option could be a solution for players who have lower  
705 self-efficacy and fitness levels as it would not make them conscious of their flaws in front of others while still allowing  
706 them to enjoy indirect competitive play [70]. This can be explored by conducting further studies. Future studies could  
707 also explore further personalisation by offering the player to choose between a self-model, stranger-model, and friend  
708 model and comparing players' design choices with their personality types.  
709

710  
711 Friends of roughly similar fitness levels were asked to participate to avoid underwhelming or overwhelming exergam-  
712 ing experiences. This limitation can be addressed by tracking the player experience reflected by their affective state  
713 (emotional state) and adapting the exergame intensity to avoid unpleasant player experience. Psychophysiological  
714 measurements such as pupillometry and skin conductivity have been found to be indicators of affect in high intensity  
715 VR exergaming [11].  
716

717  
718 Future studies can explore enabling affectively adaptive VR exergaming in social interactive feedforward to overcome  
719 the limitation of using players of roughly similar fitness levels. We investigated social interactive feedforward using a  
720 single study. Longitudinal studies need to be conducted to further explore its efficacy in improving exercise adherence.  
721 We opted to help players relate to their model by sticking a photo at the back of the models. Studies have successfully  
722 further customised their models by using software tools such as Autodesk Character Generator [61] and deepfake  
723 technology [21].  
724

725  
726 We proposed and evaluated social interactive feedforward, a novel method that combines social interaction with  
727 interactive feedforward. Social interactive feedforward is based on training and competing with an enhanced model of  
728

a friend. Our empirical study suggests that social interactive feedforward can be effective in further improving players' performance and intrinsic motivation when compared to self-modelled interactive feedforward.

## Acknowledgments

Soumya C. Barathi's research was funded by the UK's EPSRC Centre for Doctoral Training in Digital Entertainment (CDE), EP/L016540/1 and the European Union's Horizon 2020 research and innovation programme under the Marie Skłodowska-Curie grant agreement No 665992. Daniel J. Finnegan and Soumya C. Barathi thank Cardiff University's School of Computer Science & Informatics for supporting their research. Michael Proulx's, Eamonn O'Neill's and Christof Lutteroth's research is partly funded by CAMERA, the Centre for the Analysis of Motion, Entertainment Research and Applications, EP/T022523/1.

## References

- [1] Adam Alsén, Julian Runge, Anders Drachen, and Daniel Klapper. 2016. Play with me? understanding and measuring the social aspect of casual gaming. In *Proceedings of the AAAI Conference on Artificial Intelligence and Interactive Digital Entertainment*, Vol. 12. 115–121.
- [2] Cay Anderson-Hanley, Amanda L Snyder, Joseph P Nimon, and Paul J Arciero. 2011. Social facilitation in virtual reality-enhanced exercise: competitiveness moderates exercise effort of older adults. *Clinical interventions in aging* 6 (2011), 275.
- [3] AD Baddeley, MW Eysenck, and MC Anderson. 2009. Memory (pp. 217-244).
- [4] Bruce W Bailey and Kyle McInnis. 2011. Energy cost of exergaming: a comparison of the energy cost of 6 forms of exergaming. *Archives of Pediatrics & Adolescent Medicine* 165, 7 (2011), 597–602.
- [5] Mark Balnaves, Michele Willson, and Tama Leaver. 2012. Entering Farmville: Finding value in social games. In *Refereed Proceedings of the Australian and New Zealand Communication Association conference: Communicating Change and Changing Communication in the 21st Century*. Australian and New Zealand Communication Association, 1–12.
- [6] Albert Bandura. 1986. Social foundations of thought and action. *Englewood Cliffs, NJ* 1986 (1986).
- [7] Albert Bandura, WH Freeman, and Richard Lightsey. 1999. Self-efficacy: The exercise of control.
- [8] Albert Bandura and Richard H Walters. 1977. *Social learning theory*. Vol. 1. Prentice-hall Englewood Cliffs, NJ.
- [9] Rosa M Banos, Patricia Escobar, Ausias Cebolla, Jaime Guixeres, Julio Alvarez Pitti, Juan Francisco Lisón, and Cristina Botella. 2016. Using virtual reality to distract overweight children from bodily sensations during exercise. *Cyberpsychology, Behavior, and Social Networking* 19, 2 (2016), 115–119.
- [10] Soumya C Barathi, Daniel J Finnegan, Matthew Farrow, Alexander Whaley, Pippa Heath, Jude Buckley, Peter W Dowrick, Burkhard C Wuensche, James LJ Bilzon, Eamonn O'Neill, et al. 2018. Interactive feedforward for improving performance and maintaining intrinsic motivation in VR exergaming. In *Proceedings of the 2018 CHI conference on human factors in computing systems*. 1–14.
- [11] Soumya C Barathi, Michael Proulx, Eamonn O'Neill, and Christof Lutteroth. 2020. Affect Recognition using Psychophysiological Correlates in High Intensity VR Exergaming. In *Proceedings of the 2020 CHI Conference on Human Factors in Computing Systems*. Association for Computing Machinery, 1–15.
- [12] L Baudry, D Leroy, and D Chollet. 2006. The effect of combined self-and expert-modelling on the performance of the double leg circle on the pommel horse. *Journal of Sports Sciences* 24, 10 (2006), 1055–1063.
- [13] Roy F Baumeister and Mark R Leary. 1995. The need to belong: desire for interpersonal attachments as a fundamental human motivation. *Psychological bulletin* 117, 3 (1995), 497.
- [14] Tilde Bekker, Janienke Sturm, and Berry Eggen. 2010. Designing playful interactions for social interaction and physical play. *Personal and Ubiquitous Computing* 14, 5 (2010), 385–396.
- [15] Scott Bellini and Jennifer Akullian. 2007. A meta-analysis of video modeling and video self-modeling interventions for children and adolescents with autism spectrum disorders. *Exceptional children* 73, 3 (2007), 264–287.
- [16] Randy L Buckner and Daniel C Carroll. 2007. Self-projection and the brain. *Trends in cognitive sciences* 11, 2 (2007), 49–57.
- [17] Bram P Buunk, Rebecca L Collins, Shelley E Taylor, Nico W VanYperen, and Gayle A Dakof. 1990. The affective consequences of social comparison: either direction has its ups and downs. *Journal of personality and social psychology* 59, 6 (1990), 1238.
- [18] Christopher J Carpenter and Chandra S Amaravadi. 2019. A big data approach to assessing the impact of social norms: Reporting one's exercise to a social media audience. *Communication Research* 46, 2 (2019), 236–249.
- [19] Gerry Chan, Ali Arya, Rita Orji, and Zhao Zhao. 2019. Motivational strategies and approaches for single and multi-player exergames: a social perspective. *PeerJ Computer Science* 5 (2019), e230.
- [20] Shannon E Clark and Diane M Ste-Marie. 2007. The impact of self-as-a-model interventions on children's self-regulation of learning and swimming performance. *Journal of Sports Sciences* 25, 5 (2007), 577–586.

- [21] Christopher Clarke, Jingnan Xu, Ye Zhu, Karan Dharamshi, Harry McGill, Stephen Black, and Christof Lutteroth. 2023. FakeForward: Using Deepfake Technology for Feedforward Learning. In *Proceedings of the 2023 CHI Conference on Human Factors in Computing Systems*. 1–17.
- [22] Rebecca L Collins. 1996. For better or worse: The impact of upward social comparison on self-evaluations. *Psychological bulletin* 119, 1 (1996), 51.
- [23] Jo Corbett, Martin J Barwood, Alex Ouzounoglou, Richard Thelwell, and Matthew Dicks. 2012. Influence of competition on performance and pacing during cycling exercise. *Medicine & Science in Sports & Exercise* 44, 3 (2012), 509–515.
- [24] Mihaly Csikszentmihalyi. 1975. Play and intrinsic rewards. *Journal of Humanistic Psychology* (1975).
- [25] Amanda J Daley and Colin Huffen. 2003. The effects of low and moderate intensity exercise on subjective experiences in a naturalistic health and fitness club setting. *Journal of Health Psychology* 8, 6 (2003), 685–691.
- [26] Małgorzata Dębska, Jacek Polechoński, Arkadiusz Mynarski, and Piotr Polechoński. 2019. Enjoyment and intensity of physical activity in immersive virtual reality performed on innovative training devices in compliance with recommendations for health. *International journal of environmental research and public health* 16, 19 (2019), 3673.
- [27] Edward L Deci and Richard M Ryan. 2002. Overview of self-determination theory: An organismic dialectical perspective. *Handbook of self-determination research* (2002), 3–33.
- [28] Peter W Dowrick. 2012. Self model theory: Learning from the future. *Wiley Interdisciplinary Reviews: Cognitive Science* 3, 2 (2012), 215–230.
- [29] Peter W Dowrick. 2012. Self model theory: Learning from the future. *Interdisciplinary Reviews: Cognitive Science* 3, 2 (2012), 215–230.
- [30] Peter W Dowrick. 2012. Self modeling: Expanding the theories of learning. *Psychology in the Schools* 49, 1 (2012), 30–41.
- [31] Peter W Dowrick and Simon J Biggs. 1983. *Using video: Psychological and social applications*. Wiley.
- [32] Stefan Engeser. 2012. *Advances in flow research*. Springer.
- [33] James Faulkner, Gaynor Parfitt, and Roger Eston. 2008. The rating of perceived exertion during competitive running scales with time. *Psychophysiology* 45, 6 (2008), 977–985.
- [34] Leon Festinger. 1954. A theory of social comparison processes. *Human relations* 7, 2 (1954), 117–140.
- [35] Samantha Finkelstein, Andrea Nickel, Zachary Lipps, Tiffany Barnes, Zachary Wartell, and Evan A Suma. 2011. Astrojumper: Motivating exercise with an immersive virtual reality exergame. *Presence: Teleoperators and Virtual Environments* 20, 1 (2011), 78–92.
- [36] Jesse Fox and Jeremy N Bailenson. 2009. Virtual self-modeling: The effects of vicarious reinforcement and identification on exercise behaviors. *Media Psychology* 12, 1 (2009), 1–25.
- [37] Ian M Franks and LJ Maile. 1991. The use of video in sport skill acquisition. *Practical guide to using video in the behavioral sciences* (1991), 231–243.
- [38] Katrien Gabriels, Karolien Poels, and Johan Braeckman. 2014. Morality and involvement in social virtual worlds: The intensity of moral emotions in response to virtual versus real life cheating. *new media & society* 16, 3 (2014), 451–469.
- [39] Brian J Gajadhar, Yvonne AW De Kort, and Wijnand A Ijsselstein. 2008. Shared fun is doubled fun: player enjoyment as a function of social setting. In *International Conference on Fun and Games*. Springer, 106–117.
- [40] Martin J Gibala, Jonathan P Little, Maureen J MacDonald, and John A Hawley. 2012. Physiological adaptations to low-volume, high-intensity interval training in health and disease. *Journal of Physiology* 590, 5 (2012), 1077–1084.
- [41] Martin J Gibala and Sean L McGee. 2008. Metabolic adaptations to short-term high-intensity interval training: a little pain for a lot of gain? *Exercise and Sport Sciences Reviews* 36, 2 (2008), 58–63.
- [42] Bas Giesbers, Bart Rienties, Dirk Tempelaar, and Wim Gijssels. 2013. Investigating the relations between motivation, tool use, participation, and performance in an e-learning course using web-videoconferencing. *Computers in Human Behavior* 29, 1 (2013), 285–292.
- [43] Daniel T Gilbert and Timothy D Wilson. 2007. Propection: Experiencing the future. *Science* 317, 5843 (2007), 1351–1354.
- [44] Elizabeth Marie Cleland Gilchrist. 2013. Effects of video self-modelling as an intervention for teenagers with public speaking anxiety. (2013).
- [45] Lee EF Graves, Nicola D Ridgers, Karen Williams, Gareth Stratton, Greg Atkinson, and Nigel T Cable. 2010. The physiological cost and enjoyment of Wii Fit in adolescents, young adults, and older adults. *Journal of Physical Activity and Health* 7, 3 (2010), 393–401.
- [46] Charles L Gruder. 1971. Determinants of social comparison choices. *Journal of Experimental Social Psychology* 7, 5 (1971), 473–489.
- [47] Maria Hagströmer, Pekka Oja, and Michael Sjöström. 2006. The International Physical Activity Questionnaire (IPAQ): a study of concurrent and construct validity. *Public Health Nutrition* 9, 6 (2006), 755–762.
- [48] Stephen G Harkins. 1987. Social loafing and social facilitation. *Journal of Experimental Social Psychology* 23, 1 (1987), 1–18.
- [49] Stephen G Harkins, Bibb Latane, and Kipling Williams. 1980. Social loafing: Allocating effort or taking it easy? *Journal of Experimental Social Psychology* 16, 5 (1980), 457–465.
- [50] Robert B Hays. 1984. The development and maintenance of friendship. *Journal of Social and Personal Relationships* 1, 1 (1984), 75–98.
- [51] Edward P Hebert and Dennis Landin. 1994. Effects of a learning model and augmented feedback on tennis skill acquisition. *Research quarterly for exercise and sport* 65, 3 (1994), 250–257.
- [52] Christoph Höchsmann, Denis Infanger, Christopher Klenk, Karsten Königstein, Steffen P Walz, Arno Schmidt-Trucksäss, et al. 2019. Effectiveness of a behavior change technique–based smartphone game to improve intrinsic motivation and physical activity adherence in patients with type 2 diabetes: randomized controlled trial. *JMIR serious games* 7, 1 (2019), e11444.
- [53] Christos Ioannou, Patrick Archard, Eamonn O’Neill, and Christof Lutteroth. 2019. Virtual Performance Augmentation in an Immersive Jump & Run Exergame. In *Proceedings of the 2019 CHI Conference on Human Factors in Computing Systems*. 1–15.
- [54] Maximus D Kaos, Ryan E Rhodes, Perttu Hämäläinen, and TC Nicholas Graham. 2019. Social play in an exergame: how the need to belong predicts adherence. In *Proceedings of the 2019 CHI conference on human factors in computing systems*. 1–13.

- 833 [55] Steven J Karau and Kipling D Williams. 1993. Social loafing: A meta-analytic review and theoretical integration. *Journal of personality and social*  
834 *psychology* 65, 4 (1993), 681.
- 835 [56] Marcus Kilpatrick, Edward Hebert, and John Bartholomew. 2005. College students' motivation for physical activity: differentiating men's and  
836 women's motives for sport participation and exercise. *Journal of American college health* 54, 2 (2005), 87–94.
- 837 [57] Florence-Emilie Kinnafick, Cecilie Thøgersen-Ntoumani, and Joan L Duda. 2014. Physical activity adoption to adherence, lapse, and dropout: a  
838 self-determination theory perspective. *Qualitative health research* 24, 5 (2014), 706–718.
- 839 [58] Richard Koestner and Gaëtan F Losier. 2002. Distinguishing three ways of being highly motivated: A closer look at introjection, identification, and  
840 intrinsic motivation. (2002).
- 841 [59] Oswald D Kothgassner, Anna Felnhofer, Helmut Hlavacs, Leon Beutl, Rupert Palme, Ilse Kryspin-Exner, and Lisa M Glenk. 2016. Salivary cortisol  
842 and cardiovascular reactivity to a public speaking task in a virtual and real-life environment. *Computers in human behavior* 62 (2016), 124–135.
- 843 [60] Oswald D Kothgassner, Andreas Goreis, Johanna X Kafka, Marlene Kaufmann, Katharina Atteneder, Leon Beutl, Kristina Hennig-Fast, Helmut  
844 Hlavacs, and Anna Felnhofer. 2019. Virtual social support buffers stress response: an experimental comparison of real-life and virtual support prior  
845 to a social stressor. *Journal of behavior therapy and experimental psychiatry* 63 (2019), 57–65.
- 846 [61] Jordan Koulouris, Zoe Jeffery, James Best, Eamonn O'Neill, and Christof Lutteroth. 2020. Me vs. Super (wo) man: Effects of Customization and  
847 Identification in a VR Exergame. In *Proceedings of the 2020 CHI Conference on Human Factors in Computing Systems*. Association for Computing  
848 Machinery, 1–16.
- 849 [62] Helene J Krouse. 2001. Video modelling to educate patients. *Journal of advanced nursing* 33, 6 (2001), 748–757.
- 850 [63] Paul B Laursen and David G Jenkins. 2002. The scientific basis for high-intensity interval training. *Sports Medicine* 32, 1 (2002), 53–73.
- 851 [64] Debra A Laverie. 1998. Motivations for ongoing participation in a fitness activity. *Leisure Sciences* 20, 4 (1998), 277–302.
- 852 [65] AJ Patrick Liszkiewicz. 2010. Cultivated play: Farmville. *Media commons: A digital scholarly Network* 9 (2010).
- 853 [66] Aleksandra Luszczynska, Frederick X Gibbons, Bettina F Piko, and Mert Tekozel. 2004. Self-regulatory cognitions, social comparison, and perceived  
854 peers' behaviors as predictors of nutrition and physical activity: A comparison among adolescents in Hungary, Poland, Turkey, and USA. *Psychology*  
855 *& Health* 19, 5 (2004), 577–593.
- 856 [67] Andrew Macvean and Judy Robertson. 2013. Understanding exergame users' physical activity, motivation and behavior over time. In *Proc. CHI*.  
857 ACM, 1251–1260.
- 858 [68] Timea Magyaródi, Henriett Nagy, Péter Soltész, Tamás Mózes, and Attila Oláh. 2013. Psychometric properties of a newly established flow state  
859 questionnaire. *The Journal of Happiness & Well-Being* 1, 2 (2013), 85–96.
- 860 [69] Alonna Marcus and David A Wilder. 2009. A comparison of peer video modeling and self video modeling to teach textual responses in children  
861 with autism. *Journal of applied behavior analysis* 42, 2 (2009), 335–341.
- 862 [70] Arwen M Marker and Amanda E Staiano. 2015. Better together: outcomes of cooperation versus competition in social exergaming. *Games for*  
863 *Health Journal* 4, 1 (2015), 25–30.
- 864 [71] Alexander Michael and Christof Lutteroth. 2020. Race yourselves: A longitudinal exploration of self-competition between past, present, and future  
865 performances in a vr exergame. In *Proceedings of the 2020 CHI Conference on Human Factors in Computing Systems*. 1–17.
- 866 [72] Javier Monedero, Elizabeth J Lyons, and Donal J O'Gorman. 2015. Interactive video game cycling leads to higher energy expenditure and is more  
867 enjoyable than conventional exercise in adults. *PLoS One* 10, 3 (2015).
- 868 [73] Florian'Floyd' Mueller, Martin R Gibbs, and Frank Vetere. 2009. Design influence on social play in distributed exertion games. In *Proceedings of the*  
869 *SIGCHI Conference on Human Factors in Computing Systems*. 1539–1548.
- 870 [74] Florian Mueller, Frank Vetere, Martin R Gibbs, Darren Edge, Stefan Agamanolis, and Jennifer G Sheridan. 2010. Jogging over a distance between  
871 Europe and Australia. In *Proceedings of the 23rd annual ACM symposium on User interface software and technology*. 189–198.
- 872 [75] Emily CS Murphy, Linda Carson, William Neal, Christine Baylis, David Donley, and Rachel Yeater. 2009. Effects of an exercise intervention using  
873 Dance Dance Revolution on endothelial function and other risk factors in overweight children. *International Journal of Pediatric Obesity* 4, 4 (2009),  
874 205–214.
- 875 [76] Stephen R Norris and Stewart R Petersen. 1998. Effects of endurance training on transient oxygen uptake responses in cyclists. *Journal of Sports*  
876 *Sciences* 16, 8 (1998), 733–738.
- 877 [77] Stephen Olejnik, James Algina, et al. 2003. Generalized eta and omega squared statistics: measures of effect size for some common research designs.  
878 *Psychological Methods* 8, 4 (2003), 434–447.
- 879 [78] Scott G Owens, John C Garner III, J Mark Loftin, Natalie van Blerk, and Kevser Ermin. 2011. Changes in physical activity and fitness after 3 months  
880 of home Wii Fit™ use. *The Journal of Strength & Conditioning Research* 25, 11 (2011), 3191–3197.
- 881 [79] Thomas G Plante, Laura Coscarelli, and Maire Ford. 2001. Does exercising with another enhance the stress-reducing benefits of exercise?  
882 *International Journal of Stress Management* 8, 3 (2001), 201–213.
- 883 [80] Thomas G Plante, Meghan Madden, Sonia Mann, and Grace Lee. 2010. Effects of perceived fitness level of exercise partner on intensity of exertion.  
884 (2010).
- 885 [81] Jacek Polechoński, Katarzyna Nierwińska, Barbara Kalita, and Piotr Wodarski. 2020. Can Physical Activity in Immersive Virtual Reality Be  
886 Attractive and Have Sufficient Intensity to Meet Health Recommendations for Obese Children? A Pilot Study. *International Journal of Environmental*  
887 *Research and Public Health* 17, 21 (2020), 8051.



- 885 [82] Pamela Rackow, Urte Scholz, and Rainer Hornung. 2015. Received social support and exercising: An intervention study to test the enabling  
886 hypothesis. *British journal of health psychology* 20, 4 (2015), 763–776.
- 887 [83] B Reeves and C Nass. 1996. Media equation theory. Retrieved March 5 (1996), 2009.
- 888 [84] Ryan E Rhodes, Chris M Blanchard, Shannon SD Bredin, Mark R Beauchamp, Ralph Maddison, and Darren ER Warburton. 2017. Stationary cycling  
889 exergame use among inactive children in the family home: a randomized trial. *Journal of behavioral medicine* 40 (2017), 978–988.
- 890 [85] Richard M Ryan. 1982. Control and information in the intrapersonal sphere: An extension of cognitive evaluation theory. *Journal of Personality  
891 and Social Psychology* 43, 3 (1982), 450–461.
- 892 [86] Richard M Ryan. 1995. Psychological needs and the facilitation of integrative processes. *Journal of personality* 63, 3 (1995), 397–427.
- 893 [87] Richard M Ryan and Edward L Deci. 2000. Self-determination theory and the facilitation of intrinsic motivation, social development, and well-being.  
894 *American psychologist* 55, 1 (2000), 68.
- 895 [88] Richard M Ryan, Christina M Frederick, Deborah Lepes, Noel Rubio, and Kennon M Sheldon. 1997. Intrinsic motivation and exercise adherence.  
896 *International Journal of Sport Psychology* 28, 4 (1997), 335–354.
- 897 [89] Kyrsten Sackett-Fox, Judith Gere, and John A Updegraff. 2021. Better together: The impact of exercising with a romantic partner. *Journal of Social  
898 and Personal Relationships* 38, 11 (2021), 3078–3096.
- 899 [90] Lindsay A Shaw, Burkhard C Wünsche, Christof Lutteroth, Stefan Marks, Jude Buckley, and Paul Corballis. 2015. Development and Evaluation of  
900 an Exercycle Game Using Immersive Technologies. In *Proc. Australasian Workshop on Health Informatics and Knowledge Management (HIKM)*.  
901 Australian Computer Society, 75–85.
- 902 [91] Kennon M Sheldon, Andrew J Elliot, Youngmee Kim, and Tim Kasser. 2001. What is satisfying about satisfying events? Testing 10 candidate  
903 psychological needs. *Journal of personality and social psychology* 80, 2 (2001), 325.
- 904 [92] Jemma Smith, Linda Hand, and Peter W Dowrick. 2014. Video feedforward for rapid learning of a picture-based communication system. *Journal of  
905 autism and developmental disorders* 44, 4 (2014), 926–936.
- 906 [93] Joanna Starek and Penny McCullagh. 1999. The effect of self-modeling on the performance of beginning swimmers. *Sport Psychologist* 13, 3 (1999),  
907 269–287.
- 908 [94] Kylie A Steel, Roger D Adams, Susan E Coulson, Colleen G Canning, and Holly J Hawtin. 2013. Video self-model training of punt kicking.  
909 *International Journal of Sport and Health Science* 11 (2013), 49–53.
- 910 [95] Hannah Street. 2010. Factors influencing a learner’s decision to drop-out or persist in higher education distance learning. *Online Journal of Distance  
911 Learning Administration* 13, 4 (2010), 4.
- 912 [96] Thomas Suddendorf and Michael C Corballis. 2007. The evolution of foresight: What is mental time travel, and is it unique to humans? *Behavioral  
913 and brain sciences* 30, 3 (2007), 299–313.
- 914 [97] Jerry Suls, Rene Martin, and Ladd Wheeler. 2002. Social comparison: Why, with whom, and with what effect? *Current directions in psychological  
915 science* 11, 5 (2002), 159–163.
- 916 [98] Ron Tamborini, Nicholas David Bowman, Allison Eden, Matthew Grizzard, and Ashley Organ. 2010. Defining media enjoyment as the satisfaction  
917 of intrinsic needs. *Journal of communication* 60, 4 (2010), 758–777.
- 918 [99] Shelley E Taylor, Heidi A Wayment, and Mary Carrillo. 1996. Social comparison, self-regulation, and motivation. (1996).
- 919 [100] Scott Thomas, Jeff Reading, and Roy J Shephard. 1992. Revision of the Physical Activity Readiness Questionnaire (PAR-Q). *Canadian Journal of  
920 Sport Sciences* (1992).
- 921 [101] Jill Tracey. 2011. Benefits and usefulness of a personal motivation video: A case study of a professional mountain bike racer. *Journal of Applied  
922 Sport Psychology* 23, 3 (2011), 308–325.
- 923 [102] Colwyn Trevarthen. 1980. The Making and Breaking of Affectional Bonds. By John Bowlby. London: Tavistock. 1979. Pp 184.£ 6.50,£ 2.95 (paperback).  
924 *The British Journal of Psychiatry* 137, 4 (1980), 390–390.
- 925 [103] Endel Tulving. 1985. Memory and consciousness. *Canadian Psychology/Psychologie canadienne* 26, 1 (1985), 1.
- 926 [104] Marja J Verhoef, R Douglas Hamm, and Edgar J Love. 1993. Exercising at work: barriers to women’s participation. *AAOHN Journal* 41, 6 (1993),  
927 275–281.
- 928 [105] Kelly A Vertes and Diane M Ste-Marie. 2013. Trampolinists’ self-controlled use of a feedforward self-modeling video in competition. *Journal of  
929 Applied Sport Psychology* 25, 4 (2013), 463–477.
- 930 [106] Victoria R Wagner-Greene, Amy J Wotring, Thomas Castor, Jessica Kruger, Sarah Mortemore, and Joseph A Dake. 2017. Pokémon GO: Healthy or  
931 harmful? *American journal of public health* 107, 1 (2017), 35.
- 932 [107] Ladd Wheeler. 1966. Motivation as a determinant of upward comparison. *Journal of Experimental Social Psychology* 1 (1966), 27–31.
- 933 [108] Ladd Wheeler, Kelly G Shaver, Russell A Jones, George R Goethals, Joel Cooper, James E Robinson, Charles L Gruder, and Kent W Butzine. 1969.  
934 Factors determining choice of a comparison other. *Journal of Experimental Social Psychology* 5, 2 (1969), 219–232.
- 935 [109] Philip M Wilson and Wendy M Rodgers. 2004. The relationship between perceived autonomy support, exercise regulations and behavioral  
936 intentions in women. *Psychology of sport and exercise* 5, 3 (2004), 229–242.
- [110] Philip M Wilson, Wendy M Rodgers, Chris M Blanchard, and Joanne Gessell. 2003. The relationship between psychological needs, self-determined  
motivation, exercise attitudes, and physical fitness. *Journal of Applied Social Psychology* 33, 11 (2003), 2373–2392.
- [111] Stephen R Wilson and Larry A Benner. 1971. The effects of self-esteem and situation upon comparison choices during ability evaluation. *Sociometry*  
(1971), 381–397.

937 [112] Joanne V Wood. 1989. Theory and research concerning social comparisons of personal attributes. *Psychological bulletin* 106, 2 (1989), 231.  
938 [113] Charles J Worryingham and David M Messick. 1983. Social facilitation of running: An unobtrusive study. *The Journal of social psychology* 121, 1  
939 (1983), 23–29.  
940 [114] Robert B Zajonc. 1965. Social facilitation. *Science* 149, 3681 (1965), 269–274.

941 Received February 2024; revised June 2024; accepted July 2024  
942  
943  
944  
945  
946  
947  
948  
949  
950  
951  
952  
953  
954  
955  
956  
957  
958  
959  
960  
961  
962  
963  
964  
965  
966  
967  
968  
969  
970  
971  
972  
973  
974  
975  
976  
977  
978  
979  
980  
981  
982  
983  
984  
985  
986  
987  
988

Unpublished working draft.  
Not for distribution.