

This is an Open Access document downloaded from ORCA, Cardiff University's institutional repository: <https://orca.cardiff.ac.uk/id/eprint/174593/>

This is the author's version of a work that was submitted to / accepted for publication.

Citation for final published version:

Siddiqui, Ruqaiyyah, Lloyd, David and Khan, Naveed Ahmed 2025. Theranostics in the management of Acanthamoeba infections. *Acta Tropica* 261 , 107494. 10.1016/j.actatropica.2024.107494

Publishers page: <https://doi.org/10.1016/j.actatropica.2024.107494>

Please note:

Changes made as a result of publishing processes such as copy-editing, formatting and page numbers may not be reflected in this version. For the definitive version of this publication, please refer to the published source. You are advised to consult the publisher's version if you wish to cite this paper.


This version is being made available in accordance with publisher policies. See <http://orca.cf.ac.uk/policies.html> for usage policies. Copyright and moral rights for publications made available in ORCA are retained by the copyright holders.



Theranostics in the management of Acanthamoeba infections

Ruqaiyyah Siddiqui , David Lloyd , Naveed Ahmed Khan

PII: S0001-706X(24)00375-9
DOI: <https://doi.org/10.1016/j.actatropica.2024.107494>
Reference: ACTROP 107494



To appear in: *Acta Tropica*

Received date: 10 October 2024
Revised date: 3 December 2024
Accepted date: 4 December 2024

Please cite this article as: Ruqaiyyah Siddiqui , David Lloyd , Naveed Ahmed Khan ,
Theranostics in the management of Acanthamoeba infections, *Acta Tropica* (2024), doi:
<https://doi.org/10.1016/j.actatropica.2024.107494>

This is a PDF file of an article that has undergone enhancements after acceptance, such as the addition of a cover page and metadata, and formatting for readability, but it is not yet the definitive version of record. This version will undergo additional copyediting, typesetting and review before it is published in its final form, but we are providing this version to give early visibility of the article. Please note that, during the production process, errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Highlights

- Concurrent diagnosis and therapy will prove vital in eradicating amoebae infection
- Nanomaterials are of potential value to develop theranostic tools
- As a single modality, this field is yet immature in context of parasitic diseases
- We describe the potential value of theranostics against pathogenic *Acanthamoeba*

Theranostics in the management of *Acanthamoeba* infections

^{1,2}Ruqaiyyah Siddiqui, ³David Lloyd, ^{*4,2}Naveed Ahmed Khan

¹Institute of Biological Chemistry, Biophysics and Bioengineering, Heriot-Watt University Edinburgh, EH14 4AS UK; ²Microbiota Research Center, Istinye University, Istanbul, 34010, Turkey; ³Microbiology Research, School of Biosciences, Cardiff University, P. O. Box 915, Cardiff CF10 3TL, UK; ⁴School of Science, College of Science and Engineering, University of Derby, Derby, DE22 1GB, UK.

Short-title: Theranostics and parasitic infections

*Corresponding address: N. A. Khan, ¹School of Science, College of Science and Engineering, University of Derby, Derby, DE22 1GB, UK. E-mail: naveed5438@gmail.com

Text

The morbidity and/or mortality associated with *Acanthamoeba* infections has remained significant despite modern developments in healthcare and antimicrobial chemotherapy. Lack of awareness and/or delayed diagnosis and a lack of effective drugs are major hurdles to overcome these challenges. Nanomaterials have emerged as vital tools for concurrent diagnosis and therapy, which, in combination are referred to as “theranostics”. Nanomaterials offer highly sensitive diagnostic systems and possess viable therapeutic effects as a single modality. There has been good progress to develop nanomaterials-based efficient theranostic systems against various tumours, but this field is yet immature in the context of infectious diseases, and almost neglected against parasitic infections (Bauckneht et al., 2024; Jiang et al., 2024). For example, a radioactive molecule employed to image tumours can also deliver therapeutic radiation to the tumour in real time (Dash et al., 2015; Strosberg et al., 2020). Herein, we propose the potential value of theranostics against *Acanthamoeba* keratitis. *Acanthamoeba* keratitis is a sight-threatening infection, often associated with the improper use of contact lenses (Marciano-Cabral and Cabral, 2003; Visvesvara et al., 2007; Dart et al., 2009; Panjwani 2010; Niederkorn 2021). In most cases, patients suffer from redness, blurred vision, photophobia, tearing and pain. Due to the opportunistic nature of the parasites and rarity of the infection, topical application of antibiotics is the first course of action that often leads to a delay in correct diagnosis. The presence of antibacterials results in cellular transformation of active amoebae (vegetative trophozoites) into dormant cysts, further complicating treatment. Cysts have minimal metabolic activity enabling them to resist anti-amoebic drugs (Lloyd 2014). This is not surprising as drugs often target the function of the parasite, not its structure. Even with correct diagnosis, treatment can last up to six months indicating seriousness of the infection and the economic burden on the

affected patient, their family and the community (Robaei et al., 2015). This is puzzling as there are over 140 million contact lens users with over 40 million contact lens users in the USA alone (Swanson, 2012). The use of contact lens for vision-correction and/or cosmetics is on the rise and it is worth over 15 billion USD. Hence, there should be significant interest and investment by the pharmaceutical industry to manage this blinding infection. Theranostics offer an excellent opportunity in the management of *Acanthamoeba* keratitis. Given the diagnosis of *Acanthamoeba* keratitis through visual inspection and/or microscopy, and the topical application of drugs for treatment, it is sensible to develop theranostics in the management of *Acanthamoeba* keratitis. Utilizing nanoparticles as carriers, diagnostic and therapeutic agents in a combined manner, will ensure targeted delivery of drugs and diagnostic agents.

The biochemistry of *Acanthamoeba* trophozoites and cysts has provided useful leads in the development of biomarkers in the specific diagnosis of the parasites. For example, mannose-binding protein (MBP) expressed on the surface of *Acanthamoeba* trophozoites (Garate et al., 2002), can be exploited using fluorescein isothiocyanate (FITC)-linked anti-MBP antibodies and/or simply the use of exogenous mannose linked with FITC to target amoebae. Similarly, the presence of cellulose in the cyst walls of amoebae is a useful target. Such FITC-linked imaging biomarkers together with anti-amoebic drugs such as miltefosine/ Polyhexamethylene biguanide (PHMB)/chlorhexidine can be combined using nanoparticles as carriers and these can be explored to both diagnose and potentially treat *Acanthamoeba* keratitis through targeted therapeutic interventions.

The ability to precisely target the parasite while limiting the impact on host tissue is a primary benefit of theranostics (Bauckneht et al., 2024; Jiang et al., 2024). In addition, combination of diagnostics and therapeutics as a single procedure will provide simplicity, time-

and cost effectiveness, thus improving the overall patient outcome. Furthermore, these studies will stimulate research in the development of theranostics against other parasitic infections. Nonetheless, the development of “theranostics” approaches against *Acanthamoeba* keratitis will require rigorous regulatory review to ensure safety and efficacy, as well as these agents ought to be validated using *in vivo* models before they can be widely used in clinical practice (Jiang et al., 2024). Despite these challenges, “a theranostic approach” presents a timely and promising way forward in the effective management of *Acanthamoeba* keratitis to improve patient outcome.

Acknowledgement: Ruqaiyyah Siddiqui and Naveed Ahmed Khan are supported by the Air Force Office of Scientific Research (AFOSR), USA

References

- Dart, J.K., Saw, V.P., Kilvington, S., 2009. *Acanthamoeba* keratitis: diagnosis and treatment update. *Am. J. Ophthalmol.* 148 (4), 487-499.
- Dash, A., Chakraborty, S., Pillai, M.R., Knapp, F.F.Jr., 2015. Peptide receptor radionuclide therapy: an overview. *Cancer Biother. Radiopharm.* 30 (2), 47-71.
- Garate, M., Cao, Z., Bateman, E., Panjwani, N., 2004. Cloning and characterization of a novel mannose-binding protein of *Acanthamoeba*. *J. Biol. Chem.* 279 (28), 29849-29856.
- Bauckneht, M., Ciccicarese, C., Laudicella, R., Mosillo, C., D'Amico, F., Anghelone, A., Strusi, A., Beccia, V., Bracarda, S., Fornarini, G., Tortora, G., Iacovelli, R., 2024. Theranostics revolution in prostate cancer: Basics, clinical applications, open issues and future perspectives. *Cancer Treat. Rev.* 124, 102698.
- Lloyd, D., 2014. Encystment in *Acanthamoeba castellanii*: a review. *Exp. Parasitol.* 145, S20-27.
- Marciano-Cabral, F., Cabral, G., 2003. *Acanthamoeba* spp. as agents of disease in humans. *Clin. Microbiol. Rev.*, 16 (2), 273-307.

- Nieder Korn, J. Y., 2021. The biology of *Acanthamoeba* keratitis. *Exp. Eye Res.* 202, 108365.
- Panjwani, N., 2010. Pathogenesis of *Acanthamoeba* keratitis. *Ocul. Surf.* 8 (2), 70-79.
- Robaei, D., Carnt, N., Minassian, D.C., Dart, J.K., 2015. Therapeutic and optical keratoplasty in the management of *Acanthamoeba* keratitis: risk factors, outcomes, and summary of the literature. *Ophthalmol.* 122 (1), 17-24.
- Swanson, M.W., 2012. A cross-sectional analysis of US contact lens user demographics. *Optom. Vis. Sci.* 89 (6), 839-848.
- Strosberg, J., Leeuwenkamp, O., Siddiqui, M.K., 2020. Peptide receptor radiotherapy re-treatment in patients with progressive neuroendocrine tumors: A systematic review and meta-analysis. *Cancer Treat. Rev.* 93, 102141.
- Jiang, Y., Wang, C., Zu, C., Rong, X., Yu, Q., Jiang, J., 2024. Synergistic potential of nanomedicine in prostate cancer immunotherapy: Breakthroughs and prospects. *Int. J. Nanomed.* 19, 9459-9486.
- Sarabia-Vallejo, Á., López-Alvarado, P., Menéndez, J.C., 2023. Small-molecule theranostics in Alzheimer's disease. *Eur. J. Med. Chem.* 255, 115382.
- Visvesvara, G.S., Moura, H., Schuster, F.L., 2007. Pathogenic and opportunistic free-living amoebae: *Acanthamoeba* spp., *Balamuthia mandrillaris*, *Naegleria fowleri*, and *Sappinia diploidea*. *FEMS Immunol. Med. Microbiol.* 50, 1-26.

Conflict of interest

Conflict of interest: The authors declare no conflict of interests.