

This is an Open Access document downloaded from ORCA, Cardiff University's institutional repository:<https://orca.cardiff.ac.uk/id/eprint/87847/>

This is the author's version of a work that was submitted to / accepted for publication.

Citation for final published version:

Jin, Jian, Liu, Ying , Ji, Ping and Liu, Hongguang 2016. Understanding big consumer opinion data for market-driven product design. *International Journal of Production Research* 54 (10) , pp. 3019-3041. 10.1080/00207543.2016.1154208

Publishers page: <http://dx.doi.org/10.1080/00207543.2016.1154208>

Please note:

Changes made as a result of publishing processes such as copy-editing, formatting and page numbers may not be reflected in this version. For the definitive version of this publication, please refer to the published source. You are advised to consult the publisher's version if you wish to cite this paper.

This version is being made available in accordance with publisher policies. See <http://orca.cf.ac.uk/policies.html> for usage policies. Copyright and moral rights for publications made available in ORCA are retained by the copyright holders.



1
2
3 **Understanding Big Consumer Opinion Data for**
4 **Market-driven Product Design**
5
6
7

8 International Journal of Production Research
9

10 Jian Jin^a, Ying Liu^b, Ping Ji^c and Hongguang Liu^c
11

12
13 ^a Department of Information Management, School of Government,
14 Beijing Normal University,
15 Beijing 100875, China
16

17
18 ^b Institute of Mechanical and Manufacturing Engineering, School of Engineering
19 Cardiff University,
20 Cardiff CF24 3AA, UK
21

22
23 ^c Department of Industrial and Systems Engineering
24 The Hong Kong Polytechnic University,
25 Hong Kong SAR, China
26

27
28
29 * Corresponding author:

30 Tel: +86-10-5880 5387

31 Email: jinjian.jay@bnu.edu.cn
32
33
34
35
36

37 **Acknowledgement**

38 This work was supported by the Fundamental Research Funds for the Central
39 Universities (No. SKZZX2013091).
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60

Understanding Big Consumer Opinion Data for Market-driven Product Design

Abstract

Big consumer data provide new opportunities for business administrators to explore the value from them and fulfill customer requirements (CRs). Generally, they are presented as purchase records, online behavior, emotions, etc. However, the distinctive characteristics, "4Vs", lead to many conventional methods for customer understanding potentially fail to handle such data. A visible research gap with practical significance is to develop a framework and several approaches to deal with big consumer data for CRs understanding. Accordingly, a pioneer research work is conducted to exploit the value of these data from the perspective of product designers. It starts with the identification of product features and sentiment polarities from big consumer opinion data. A Kalman filter method is then employed to forecast the trends of CRs and a Bayesian method is proposed to compare products. The objective is to help designers to understand changes of CRs and the competitive advantages. Finally, with opinion data in Amazon.com, a case study is presented to illustrate how the proposed techniques are applied. This research is argued to incorporate an interdisciplinary collaboration between computer science and engineering design. It aims to facilitate designers by exploiting the valuable customer information from big consumer data for market-driven product design.

Keywords: big data; customer requirement; sentiment analysis; product comparison; trends analysis; product design; conceptual design; text mining;

1. Introduction

According to an IDC report in 2009, the volume of data doubles every 18 months (IDC, 2009). Another news report in ACM Communication estimated that about "2.5 exabytes of personal data were created each day" and "more than 2.5 petabytes of data are collected in every hour by Walmart from their customer transactions" (Hyman, 2012). Nowadays, it is referred as the big data revolution. With the advent of the era of big data, business leaders and interdisciplinary researchers are facing increasingly more data, which provides considerable opportunities for innovation and productivity. It implies that data scientists in diverse disciplines are facing new challenges.

1
2
3
4 Take e-business for instance. The growth of e-commerce makes a big volume
5
6 of online consumer data being generated from time to time. Tmall.com and
7
8 Taobao.com, two of China's biggest e-commerce sites owned by Alibaba Group,
9
10 profited more than CNY 19 billion during the 24-hour promotional period in 11th Nov,
11
12 2013. Indeed, for instance, hundreds of mobile phones are on sales; web log servers
13
14 track tens of thousands of visits a day about phones; millions of transactions are
15
16 processed a year; and hundreds of reviews are posted even for a single hot phone.
17
18 Now, how to analyze a big volume of consumer data becomes a hot topic and those
19
20 experts whose skill sets include managing very large consumer datasets will be highly
21
22 demanding.
23
24
25
26
27

28
29 In the past, if designers wanted to launch a new model, customer requirements
30
31 (CRs) are collected from interviews, questionnaires or surveys, which are often a long
32
33 haul and laborious. Nowadays, big consumer opinion data are pervasive in twitters,
34
35 blogs and product reviews, which reveal consumers' interests. These data enable
36
37 designers to obtain CRs, monitor trends of consumer interests and make comparisons
38
39 with similar products, which facilitate designers to improve their new products and
40
41 response to consumers accordingly. One typical consumer opinion data of Samsung
42
43 Galaxy S III I9300 in Amazon.com is presented in Figure 1.
44
45
46
47

48
49 *[Insert Figure 1. One typical online review]*
50

51
52 Hence, it is of great worth to explore the value of big consumer data and make
53
54 products to fulfill CRs. However, conventional methods for customer understanding
55
56 often deal with limited consumer concerns. These concerns are usually collected in a
57
58
59
60

1
2
3
4 short time from formulated tables or questionnaires with a clear purpose and only a
5
6 small number of consumers are covered and suggested to give their feedbacks.
7
8 Nonetheless, compared with conventional customer survey data, big consumer
9
10 opinion data present contrastive and distinguish characteristics. For instance, a huge
11
12 number of customer opinion are generated from time to time in different ecommerce
13
14 websites, such as Amazon.com and Tmall.com, and in social network websites, such
15
16 as Twitters.com and Weibo.com. Moreover, these customer emotions are diversified to
17
18 point out pros and cons of products without any purposeful guidance. It induces that
19
20 not all of these data transmit helpful information for consumers and designers.
21
22 Generally, these characteristics are referred as Volume, Variety, Velocity and Value, or
23
24 "4Vs of big data". 4Vs surpass the ability of theoretical models which were built
25
26 based on conventional survey data. Algorithms that are devised exclusively to help
27
28 business administrators, research engineers as well as data scientists to understand
29
30 CRs effectively and efficiently from big opinion data are currently not available.
31
32 Hence, the visible and significant gap wants a elaborately designed framework and
33
34 approaches on the extraction of insightful information from big opinion data for those
35
36 who are dedicating to launch a new model and fulfill CRs in market-driven product
37
38 design. The success of effective analysis on big opinion data requires both algorithms
39
40 in the field of computer science to identify sentimental information from textual data
41
42 and knowledge in the field of design area to understand CRs. It will make no doubt to
43
44 be helpful to solve critical and practical problems in market-driven product design and
45
46 promote the theoretical work of interdisciplinary research.
47
48
49
50
51
52
53
54
55
56
57
58
59
60

1
2
3
4 To fill this gap, in this research, a framework regarding how consumer opinion
5 data are utilized in market-driven product design is presented. In particular, online
6 reviews, as one representative category of consumer opinion data, are analyzed.
7
8 Firstly, reviews of similar products are collected. Sentiment polarities of consumers
9 are then extracted from these textual opinion data by a supervised learning approach.
10
11 In this supervised learning approach, pros and cons reviews in Cnet.com are utilized.
12
13 It helps to identify sentiment polarities over product features. Next, a probabilistic
14 model is built to make comparisons on similar products in the product feature level.
15
16 This probabilistic model is utilized to facilitate designers to understand CRs.
17
18 Moreover, a Kalman filter approach is employed to predict the trends of potential
19 CRs.
20
21
22
23
24
25
26
27
28
29
30

31 The rest of this research is organized as follows. In Section 2, relevant studies
32 are reviewed and the significance of this research is highlighted in Section 3. In
33 Section 4, a framework to exploit big consumer opinion data is presented and details
34 of the proposed models are explained. In Section 5, a case study is elaborated to
35 demonstrate how big customer opinion data are utilized by designers to understand
36 CRs in market-driven product design. In Section 6, this research is concluded.
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60

2. RELATED WORK

2.1 Market analysis for product design

In the design area, numerous methods are reported to help designers to understand CRs for market analysis. How to identify CRs and balance their importance is the first concern in market analysis, which is widely studied in the research field.

Due to the impreciseness of CRs, some researchers began to cope with the inherent vagueness. For instance, linguistic variables were utilized to represent the imprecise CRs (Karsak, 2004). Then, the Fuzzy Delphi Method (FDM) was utilized to gain the consensus of customers to determine the importance of CRs. Similarly, linguistic variables, expressed in fuzzy numbers, were found to be more appropriate for the descriptions of CRs (Chen et al., 2006) and, accordingly, the relative weights of CRs were proposed to be expressed as fuzzy numbers. Some researchers also argued that the transformation of CRs should be made as little as possible to prevent information loss. For this purpose, a nonlinear programming approach was proposed to estimate the relative importance of CRs, which allowed customers to express preferences on the relative importance of CRs in their familiar formats (Wang, 2012).

To balance the relative importance of CRs, analytic hierarchy process (AHP) is often employed in various studies. In AHP, several candidates in the same hierarchy are analyzed by a pairwise comparison through individual assessments with concrete numerical values. Numerical values are utilized to rank possible candidates. In the product design area, a fuzzy AHP with an extent analysis approach was reported to determine the weights of CRs (Kwong and Bai, 2003). In this method, triangular

1
2
3
4 fuzzy numbers were utilized for pairwise comparisons of the fuzzy AHP and
5
6 comparisons of fuzzy numbers were conducted to prioritize CRs. Many researchers
7
8 also utilized Kano's Model to quantify the importance of CRs. Kano's Model serves
9
10 as a tool for the understanding of CRs and their impacts on customer satisfaction (CS).
11
12 In Kano's Model, different CRs are categorized to must-be attributes, one dimensional
13
14 attributes, attractive attributes, indifference attributes, etc. Chen and Chuang presented
15
16 a robust design approach to achieve higher level of customer satisfaction in aesthetic
17
18 qualities (Chen and Chuang, 2008). In such robust design approach, the Grey
19
20 relational analysis with the Taguchi method was proposed to optimize the subjective
21
22 quality with multiple-criteria characteristics. Then, Kano's Model was employed to
23
24 balance weights of multiple-criteria to facilitate designers in understanding of the
25
26 relationship between performance criteria and customer satisfaction. In the process to
27
28 decide the weights of multiple-criteria, some studies applied regression methods with
29
30 dummy variables to recognize critical attributes. However, such kind of methods were
31
32 argued to potentially lead to an inaccurate classification of multiple-criteria in some
33
34 specific condition (Lin et al., 2010). Hence, a moderated regression approach was
35
36 suggested to improve the performance of the dummy regression method with dummy
37
38 variables in order to obtain a more accurate attribute classification.
39
40
41
42
43
44
45
46
47

48
49 With different methods, including the rough set theory, the scale method and
50
51 Kano's model, AHP was reported to be utilized in an integrated approach to estimate
52
53 the importance of CRs (Li et al., 2009). The importance of CRs was determined by
54
55 three steps. First, the initial importance of CRs was decided according to the relative
56
57
58
59
60

1
2
3
4 positive field in rough set. Next, the ratio of CS to a CR was calculated by the
5
6 integration of scale method and AHP. Finally, the importance of CS was decided by
7
8 the initial importance of CRs, the ratio of CS to a CR and its sales point. Recently, a
9
10 rating method for customer preferences and a rating method for CS were described
11
12 (Nahm et al., 2013). The rating method for customer preference aims to provide
13
14 relative importance of CRs and outputs a partial ordering of CRs. The rating method
15
16 for CS suggests the CR priority according to competitive benchmarking analysis.
17
18
19
20
21
22

23 **2.2 Analyzing consumer requirements for QFD**

24
25
26 In the research field of CR analysis, one of the most famous approaches is Quality
27
28 Function Deployment (QFD) (Akao, 2004). QFD is commonly used in conceptual
29
30 design, process planning, project management, etc (Chan and Wu, 2002). With a
31
32 planning matrix, QFD links CRs to engineering characteristics (ECs) and, eventually,
33
34 outputs the values of ECs.
35
36
37

38
39 How to balance the importance of CRs is often regarded as one essential
40
41 problem in QFD since it affects the selection of the final target value of ECs. A
42
43 framework that incorporates fuzzy set and AHP was shown to prioritize CRs in target
44
45 planning for QFD (Nepal, Yadav and Murat, 2010). Then, an example from
46
47 automotive product development was illustrated to verify the availability of this
48
49 framework. In this example, alignments with business strategies, product
50
51 improvement opportunities and financial considerations are included and these three
52
53 criteria are further divided to 13 CR attributes. With the proposed framework, these
54
55
56
57
58
59
60

1
2
3
4 attributes are prioritized. Some researchers also argued that the determination of the
5
6 importance of CRs should consider not only the degree of CR fulfillment but also
7
8 competitive products (Lai et al., 2008). They proposed a method that considering
9
10 competitive products, current performance of the product and customer satisfaction to
11
12 determine the importance of CRs. Later, this method was applied to help designers to
13
14 decide the final target value of ECs in QFD. An adaptive neuro-fuzzy inference
15
16 system is proposed to generate CS models for QFD (Kwong, Wong and Chan, 2009).
17
18 First, fuzzy rules were generated based on the market survey data. Next, important
19
20 fuzzy rules and the corresponding internal models were extracted by considering the
21
22 determination of the active range and active membership function for each fuzzy
23
24 variable. Finally, a non-linear and explicit CS models was inferred by the weights in
25
26 the system.
27
28
29
30
31
32

33
34 There are also research studies to investigate how to determine the target
35
36 values of ECs for QFD. A decision model for robot selection was introduced by a
37
38 fuzzy linear regression and QFD (Karsak, 2008). The fuzzy linear regression was
39
40 utilized to decide target values of ECs when uncertain CRs are presented and
41
42 imprecise relationship between ECs are found in QFD. Similarly, a fuzzy linear
43
44 regression, QFD and zero–one goal programming were utilized to decide which
45
46 Enterprise resource planning (ERP) system satisfies CRs of companies (Karsak and
47
48 Ozogul, 2009). In this method, QFD made decision-makers consider the relationship
49
50 between CRs of companies and the characteristics of ECs as well as the interactions
51
52 of characteristics between ERP system. However, in these approaches, the single
53
54
55
56
57
58
59
60

1
2
3
4 objective is to maximize CS. A framework was then proposed to determine target
5
6 values of ECs for QFD by a fuzzy linear regression and fuzzy multiple objective
7
8 programming (Sener and Karsak, 2011). The fuzzy linear regression was to find the
9
10 functional relations between CRs and ECs, and among ECs. Fuzzy multiple objective
11
12 programming was formulated to decide the values of ECs by maximizing CS under
13
14 budget constraints. At the same time, other objectives such as technical difficulties
15
16 and extendibility of ECs were considered in this fuzzy multiple objective
17
18 programming.
19
20
21
22

23
24 To balance CS and the development cost, a fuzzy multi-objective method was
25
26 proposed for uncertain and vague CRs (Mu et al., 2008). In this method, Kano's
27
28 Model was combined into QFD with the consideration of the inherent vagueness of
29
30 CRs as well as the nonlinear relationship between CRs and ECs. Some researchers
31
32 also found that consumers tend to give a higher importance level to basic CRs
33
34 (Tontini, 2007). Accordingly, a model that combined Kano's Model into QFD was
35
36 proposed to adjust the importance of CRs. Some others developed a similar model
37
38 that combined Kano's Model into QFD (Sireli, 2007). But it was utilized in the
39
40 scenario of simultaneous multiple product design to understand CRs and balance the
41
42 importance of CRs. The integration of Kano's Model with QFD was also utilized to
43
44 monitor the dynamic changes of CRs (Raharjo et al., 2010). In their research, Kano's
45
46 Model was to identify how fast a certain Kano's category changes over time and how
47
48 to improve the current model to meet probable future CRs. With the integration of
49
50 Kano's Model with QFD, the importance of CRs was adjusted dynamically. However,
51
52
53
54
55
56
57
58
59
60

1
2
3
4 sometimes, CRs are dynamic and they will change along the time. To capture the fast
5
6 changes of CRs, the grey theory was seen to combine with QFD (Wu, Liao and Wang,
7
8 2005). With that model, the importance of CRs was monitored to fulfill dynamic and
9
10 future CRs. From a probabilistic viewpoint, a Markov chain model was also reported
11
12 to analyze the fast changes of CRs (Wu and Shieh, 2006).
13
14

15 16 17 18 **3. THE ARRIVAL OF BIG CONSUMER OPINION DATA** 19

20
21 In the coming era of big data, a paradigm shift is observed in scientific research
22
23 methods, which means that data scientists in different disciplines are facing new
24
25 challenges. In ACM Queue, Jacobos pointed out several problems with the analysis of
26
27 big data (Jacobs, 2009), including "the inability of many off-the-shelf packages to
28
29 scale to large problems", "the paramount importance of avoiding suboptimal access
30
31 patterns as the bulk of processing moves down the storage hierarchy", and
32
33 "replication of data for storage and efficiency in distributed processing", and defined
34
35 the big data as "data whose size forces us to look beyond the tried-and-true methods
36
37 that are prevalent at that time." For the arrival of big data, some researchers began to
38
39 describe how changes will influence information system and social science research
40
41 (Chang et al. 2013) or started to build a conceptual framework for service-oriented
42
43 decision support system (Demirkan and Delen, 2013).
44
45
46
47
48
49

50
51 It is also noticed that a big volume of public consumer concerns are observed
52
53 in Amazon.com, Twitter.com, Cnet.com, etc. Most of them are presented in the form
54
55 of natural textual language. Valuable information about customer praises and concerns
56
57
58
59
60

1
2
3
4 are provided in these textual data, which helps potential customers to make purchase
5
6 decisions or facilitate designers to improve their products or services. Generally, these
7
8 helpful concerns are named as big consumer opinion data.
9

10
11 The fast development of information technology (IT) and information
12
13 communication technology (ICT) makes big consumer opinion data widely available
14
15 in many e-commerce websites, social networks, professional review sites, etc. Some
16
17 may contain thousands of words with elaborated user experiences and affluent
18
19 personal feeling on products. Some are only a few sentences, but insightful user
20
21 comments and critical analysis may be offered. Grasp the ground truth meaning of
22
23 customer feedback effectively will enable product designers to understand consumers
24
25 in a finer granularity. As noted in the previous section, many approaches are
26
27 innovated to conduct market analysis and analyze CRs for product design. However,
28
29 nearly all of them are based on a small number of conventional customer survey data.
30
31 Compared with conventional survey data, big consumer opinion data have some
32
33 distinctive characteristics. First, a huge number of consumer opinion data can be
34
35 easily obtained without conducting laborious survey. Also, consumer opinion data are
36
37 generated and diffused in different sites, many of which have their own structures and
38
39 encourage consumers to post their comments. Moreover, these data are submitted in
40
41 different sites from time to time. It makes a difficult task to collect all of them like
42
43 what are always claimed in conventional surveys. In addition, only a few of them
44
45 contain sufficient information for potential consumers and product designers,
46
47 although a large number of them are available, since the quality of data is often
48
49
50
51
52
53
54
55
56
57
58
59
60

1
2
3
4 inversely related with the size of the community (Otterbacher, 2009). Four remarkable
5
6 characteristics, which are usually referred as 4Vs of big data, surpass the ability of
7
8 many approaches for survey data to handle big consumer opinion data and it imposes
9
10 critical research challenges to designers to exploit the value.
11
12

13
14 Efficiently making use of big consumer opinion data helps designers to
15
16 identify customer behavior, understand customer preferences, sense customer
17
18 responses, track the trend of product, which will undoubtedly make the business to
19
20 gain competitive advantages in the fiercely competitive market. However, in many
21
22 state-of-the-art studies, few researchers outline a clear blueprint to take the great
23
24 advantage of big consumer data for product design, which include the knowledge in
25
26 computer science to handle big data and the experiences in product design to
27
28 understand CRs.
29
30
31
32

33
34 Hence, analytical methods in different research areas are welcome to be
35
36 involved to analyze the big consumer opinion data, such as, algorithms and models in
37
38 information management and computer science, domain knowledge in product design,
39
40 material and manufacturing, etc.
41
42
43
44

45 46 **4. RESEARCH METHODOLOGY**

47 48 **4.1 A framework to exploit big consumer opinion data**

49
50 To present how big consumer opinion data can be exploited for market-driven product
51
52 design, a framework is shown in consideration of the four distinct characteristics.
53
54
55
56
57
58
59
60

1
2
3
4 As shown in Figure 2, in this framework, it starts from crawling a big volume
5
6 of consumer data. However, big consumer opinion data can be found in a variety of
7
8 hot websites, such as Twitter.com, Amazon.com, Cnet.com, etc. Hence, different web
9
10 parsers for social network websites, e-commerce websites and review sites should be
11
12 designed to extract such opinion data. Part-of-Speech (POS) tagging is then conducted
13
14 on big consumer opinion data since consumers tend to utilize nouns or noun phrases
15
16 to refer to product features and adjective or adverbs for sentiment polarities. Next,
17
18 product features and customer sentiments are identified from consumer opinion data
19
20 with the help of many latest innovated algorithms in opinion mining.
21
22
23
24

25
26 *[Insert Figure 2. A framework of exploiting big consumer opinion data]*
27

28
29 In our previous work, the helpfulness of online consumer opinion data and
30
31 what makes them more helpful are analyzed from the perspective of designers (Liu et
32
33 al., 2013). The objective is to cope with the problem of value sparseness in online
34
35 consumer opinion data and to help product designers to evaluate and predict the value
36
37 of these data in the viewpoint of domain users. Based on this approach, a relatively
38
39 small number of online consumer opinion data are available and it facilitates product
40
41 designers to be able to utilize high-quality data.
42
43
44

45
46 However, CRs may change along the time. Effective analysis of online
47
48 customer opinion data makes it possible to sense the changes of CRs and avoid
49
50 time-consuming repetitive surveys in conventional methods. Moreover, analyzing
51
52 online customer opinion data also promotes business professionals to investigate the
53
54 requirements of consumers about competitive products in the fierce market. Hence, in
55
56
57
58
59
60

1
2
3
4 this research, some approaches regarding the recognition of the trends of CRs and the
5
6 comparisons of CRs on similar products are suggested to show how big consumer
7
8 opinion data can be exploited for market-driven design. Specially, in this research,
9
10 online reviews, as one important type of big consumer opinion data, are taken as an
11
12 example and technical details about how online reviews are analyzed intelligently will
13
14 be elaborated in this section. Indeed, there exist other forms of big consumer data,
15
16 such as twitters, threads in BBS, blogs, etc. But the techniques explained in this
17
18 section can be modified and applied to analyze those type of big consumer data.
19
20
21
22
23
24

25 26 **4.2 Product feature identification**

27
28 One of the first tasks to analyze online reviews is the identification of which product
29
30 features are mentioned by consumers. Different models for the extraction of product
31
32 features from online reviews are reported. Some are built on the techniques of the
33
34 topic model. But they are not able to be applied directly due to the efficiency to
35
36 analyze a big volume of consumer data. Many methods that based on manually
37
38 labeled corpus are also not applicable since the difficulty of obtaining sufficient
39
40 training data. In consideration of the aforementioned arguments, in this research, with
41
42 the help of WordNet, product features are extracted from pros and cons reviews.
43
44
45
46
47

48
49 As pointed out by various studies, product features are usually nouns or noun
50
51 phrases. Thus, nouns are firstly extracted. In this research, the Stanford parser, a
52
53 statistical POS tagging tool, is utilized to obtain nouns from reviews and these nouns
54
55 are regarded as candidates of product features. However, there exist many noises in
56
57
58
59
60

1
2
3
4 these candidates, which means many nouns are not product features. To filter out
5
6 noises and identify product features, pros and cons reviews are utilized. An exemplary
7
8 pros and cons review of Samsung Galaxy i9300 in Cnet.com is illustrated in Figure 3.
9

10
11 *[Insert Figure 3. One typical pros and cons review]*
12

13
14 As seen from Figure 3, pros and cons of this product are mentioned explicitly.
15
16 Also, pros and cons are observed to be described by nouns or noun phrases.
17
18 Accordingly, frequent nouns in pros and cons reviews are employed as seed words to
19
20 identify product features from consumer opinion data. Moreover, in this task, stop
21
22 words and a limited small number of manually defined stop words in a specific
23
24 product domain are removed from product feature candidates.
25
26

27
28 However, different nouns are utilized to describe the same product features.
29
30 For instances, "memory ", "ram" and "storage" are all utilized by consumers to
31
32 describe the memory of mobile phones. Another case is that, "app", "applications",
33
34 "apps" and "applications" may occur to refer to applications of mobile phones. A
35
36 single word, such as "app", may be an infrequent noun. If such case is neglected, it
37
38 will lead to probable inaccuracy in the identification of product feature. Thus, another
39
40 relevant task is to cluster semantically similar words together.
41
42
43
44

45
46 In the first step, nouns are stemmed by the PlingStemmer, a tool to stem an
47
48 English noun to its singular form. Then, the semantic similarity of words is calculated.
49
50 For such purpose, different methods can be used to evaluate the similarity between
51
52 words. In this research, one important source, WordNet, is utilized. WordNet is a large
53
54 lexical database of English. Nouns, verbs, adjectives and adverbs are grouped into
55
56
57
58
59
60

1
2
3
4 sets of cognitive synonyms (synsets), each of which expresses a distinct concept.
5
6 Synsets are interlinked by means of conceptual-semantic and lexical relations. In this
7
8 research, words that occur in the same WordNet synset are regarded to be semantic
9
10 similar.
11
12

13
14 In particular, different WordNet synsets of the same word with diverse
15
16 meanings and the same WordNet synset of different words with the same meaning are
17
18 utilized. The above assumption results in a semantic word graph, in which nodes are
19
20 words with POS tags in WordNet and edges denote the connection between each pair
21
22 of synonymous words. Notice that, nodes are words with POS tags rather than words
23
24 themselves since POS tags contribute to identify synsets with the same POS. Besides
25
26 WordNet synset, in this research, other relations in WordNet are also utilized to define
27
28 the graph, such as, the "similar to" and the "related" WordNet synsets.
29
30
31
32

33
34 The WordNet distance is then defined as the length of the shortest path
35
36 between two words in the graph. The distance is utilized to calculate the similarity
37
38 between two product features. If two features occur in the same synset, the WordNet
39
40 distance is defined as "1". Similarly, if two features are connected by one same word,
41
42 the WordNet distance is defined as "2", etc. For example, the WordNet distance
43
44 between "audio" and "headphone" is 3 since they are sequentially connected by
45
46 "sound" and "phone" in WordNet. In addition, some words are frequently utilized with
47
48 a short form, which makes the above approach unable to find the shortest path. For
49
50 instance, "apps" vs. "applications" and "wifi" vs. "wireless network" frequently
51
52 appear in electronic product reviews. Then, distances for both two examples are
53
54
55
56
57
58
59
60

1
2
3
4 manually defined as "1". Accordingly, the WordNet distance between all pairs of
5
6 product features can be calculated. Now, if the distance between two product features
7
8 is smaller than a threshold, they are clustered together, which means two features
9
10 imply comparable meanings. Accordingly, with the removal of the contextual stop
11
12 word "phone", the exemplary word cluster becomes "audio, headphones, sound".
13
14 Finally, given feature word clusters, those clusters with low frequency are pruned
15
16 from feature candidates.
17
18
19
20
21
22

23 **4.3 Sentiment analysis**

24
25
26 After product features are identified from opinion data with the help of WordNet and
27
28 pros and cons reviews, the next task is to analyze corresponding sentiment polarities.
29
30

31 Notice that, in pros and cons reviews, sentiment polarities in the feature level
32
33 are presented. Take the pros and cons review in Figure 3 for instance. This consumer
34
35 is satisfied with the image quality and innovative features, but not with the battery life
36
37 and software stability. Taken this information into consideration, in this research, a
38
39 two-step method is proposed to analyze sentiment polarities of consumer data.
40
41
42

43
44 The first step is to classify whether each sentence in consumer data is
45
46 objective or subjective. In this step, a public dataset is utilized, which include 5,000
47
48 subjective and 5,000 objective sentences (Pang and Lee, 2004). With this training
49
50 dataset, each sentence is denoted as a bag of words and a Naive Bayes classifier is
51
52 built. With this classifier, subjective and objective sentences are distinguished. If one
53
54 sentence is predicted as an objective one, in this study, it is assumed that this
55
56
57
58
59
60

1
2
3
4 consumer presents neutral sentiment towards product features mentioned in the
5
6 sentence.
7

8
9 The second step is to classify whether one subjective sentence is positive or
10 negative. A simple method is to calculate the WordNet distance between
11 adjective/adverb words and seed words. Specially, after some seed words are labeled
12 as positive or negative, sentiment polarities of adjective/adverb words are estimated
13 by the WordNet distance since synonyms of positive words are positive and synonyms
14 of negative words are negative. However, a sentence may contain one or more
15 adjective/adverb words with diversified sentiment polarities. Then, the sentiment of
16 subjective sentence will be controversial if it is simply regarded to count whether the
17 number of positive terms is bigger than that of the negative. To avoid arbitrarily
18 predict the sentiment polarity of the overall sentence, in this study, each sentence is
19 represented by the subjective lexicon in MPQA project (Wilson et al., 2005). Also,
20 since nouns, adjectives, adverbs and verbs are generally considered to be utilized to
21 express sentiment polarity, words with other POS are filtered out. Subsequently, given
22 sentimental information presented in pros and cons reviews and the subjective lexicon
23 representation of each sentence, a Naive Bayes sentiment classifier is built to estimate
24 sentiment polarities of product features. Actually, other types of classification
25 methods are tested, such as SVM, logistic regression, etc. However, it is found that
26 the Naive Bayes classifier performs the best.
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60

4.4 Trend recognition of CRs

Another critical task for customer-driven product design is to recognize the changing trends of CRs. Specially, in this research, the average opinion of a specific product feature is regarded as CRs of this feature and a Kalman filtering approach is proposed to analyze the dynamic change of CRs in the product feature level.

In this approach, sentiment polarities of a specific feature are firstly modeled as a linear system. It is denoted as,

$$z_t = Az_{t-1} + \varepsilon_t$$

z_t is a latent variable to represent the average real opinion of a specific feature at time t in a noisy environment. A is a designed linear transition matrix. ε_t is the system noise at time t and it is assumed to follow a zero mean Gaussian, which is denoted as,

$$\varepsilon_t \sim N(0, Q_t)$$

Q_t is the variance of ε_t at time t . To simplify the model, Q_t is assumed to be equal to a constant Q and it does not change along the time. y_t is the actual observation of the average opinion of a specific feature at time t . It can be inferred from a linear observation model.

$$y_t = Cz_t + \delta_t$$

C is a designed linear observation matrix. δ_t is the observation noise at time t . Similarly, it is also assumed to follow a zero mean Gaussian,

$$\delta_t \sim N(0, R_t)$$

Also, R_t is assumed not to change along the time and it equals to R .

The objective here is to estimate CRs of a specific product feature, z_t , based on the actual observation, y_t , at time t . Specially, since z_t and y_t is a scalar at time t , the designed linear transition matrix A and the linear observation matrix C equal to one.

According to the above settings, a Kalman filter approach is employed, which is a Bayesian filtering method for linear-Gaussian state space model. The Kalman filter approach has been widely proven to be a useful approach for time series analysis. It is a recursive algorithm that updates parameters at each time when a new observation is available at time t . In particular, it estimates CRs at time t and obtains feedback in the form of noises, which are utilized in the update step. Since both ε_t and δ_t follow Normal distribution, the prediction about CRs and the update about the parameters can be performed in a closed form at each iteration. In the prediction step, it follows,

$$\begin{aligned} p(z_t | y_{1:t-1}) &= N(z_t | \mu_{t|t-1}, \Sigma_{t|t-1}) \\ \mu_{t|t-1} &= A\mu_{t-1} \\ \Sigma_{t|t-1} &= A\Sigma_{t-1}A^T + Q \end{aligned}$$

In the update step, it follows,

$$\begin{aligned} p(z_t | y_{1:t}) &= N(z_t | \mu_t, \Sigma_t) \\ \mu_t &= \mu_{t|t-1} + K_t(z_t - C\mu_{t|t-1}) \\ \Sigma_t &= (I - K_tC)\Sigma_{t|t-1} \\ K_t &= \Sigma_{t|t-1}C^T S_t^{-1} \\ S_t &= C\Sigma_{t|t-1}C^T + R \end{aligned}$$

K_t is the Kalman gain matrix and it can be simplified to,

$$K_t = \Sigma_{t|t-1}C^T (C\Sigma_{t|t-1}C^T + R)^{-1} = (C^T R C + \Sigma_{t|t-1}^{-1})^{-1} C^T R^{-1}$$

1
2
3
4 With this approach, given the initial sentiment polarities from online opinion
5
6 data, changing trends of CRs in the specific feature level can be estimated
7
8 dynamically for product designers.
9

10 11 12 13 **4.5 Comparison analysis of CRs**

14
15
16 When designers conceive new models, customer satisfaction of competitive products
17
18 in different feature dimensions is often compared. Through the comparisons, the
19
20 strengths and the weaknesses of products are shown clearly. Accordingly, the next
21
22 goal is to develop a model for the comparisons by exploiting online opinion data.
23
24

25
26 However, the number of customer referring to specific features on various
27
28 products is different. For instance, there are $N^{p,k}$ and $N^{q,k}$ consumers mention
29
30 product feature f_k of product p and product q , respectively. It can be expected that it
31
32 is a rare case that $N^{p,k}$ is equal to $N^{q,k}$. In all of $N^{p,k}$ consumers, suppose that
33
34 $N_{positive}^{p,k}$ consumers are satisfied with f_k of product p , $N_{negative}^{p,k}$ consumers are
35
36 dissatisfied f_k of product p , and $N_{neutral}^{p,k}$ consumers express a neutral opinion.
37
38 Obviously, $N^{p,k}$ equals to the sum of $N_{positive}^{p,k}$, $N_{negative}^{p,k}$ and $N_{neutral}^{p,k}$. The
39
40 corresponding number of consumers presenting positive, negative and neutral on
41
42 f_k of product q is $N_{positive}^{q,k}$, $N_{negative}^{q,k}$ and $N_{neutral}^{q,k}$. Now, the problem is, given these
43
44 observations, how to infer which product is more favorable on product feature f_k .
45
46
47
48
49
50

51 On the face of it, one intuitive method is to compare which product receive a
52
53 higher ratio of positive opinions. However, it might induce a misleading conclusion.
54
55 For instance, there are 3 out of 3 consumers are satisfied with f_k of product p and
56
57
58
59
60

90 out of 100 consumers are satisfied with f_k of product q . If the simple method is applied, product p is assumed to be better. Nonetheless, only a weak confidence is shown since it does not have sufficient consumers referring to it. Accordingly, in this research, a Bayesian analysis method is proposed to make comparisons between products.

Suppose the customer satisfaction of f_k is distributed over positive, negative and neutral opinion dimensions and it follows the Dirichlet distribution. Let $\alpha^{p,k}$ be three-dimension parameters of the Dirichlet distribution on f_k of product p , denoting the probabilities of customer with positive, negative and neutral sentiment. Now, suppose the customer satisfaction initially follows a uniform distribution and it is then denoted as,

$$\alpha^{p,k} \sim Dir(1,1,1)$$

In particular, the first, the second and the third dimension denote the prior of positive, negative and neutral sentiment, respectively. Now, suppose one positive customer opinion on f_k of product p is observed, $\alpha^{p,k}$ is updated as $\alpha^{p,k} \sim Dir(2,1,1)$. Similarly, if one negative customer opinion on f_k of product p shows, $\alpha^{p,k}$ is updated as $\alpha^{p,k} \sim Dir(1,2,1)$. A similar update can be conducted on the third dimension if one neutral perspective is observed.

Accordingly, $\alpha^{p,k}$ can be updated sequentially after a series of customer opinion data are reported. Now, given $N_{positive}^{p,k}$ consumers presenting positive, $N_{negative}^{p,k}$ consumers presenting negative and $N_{neutral}^{p,k}$ consumers presenting neutral opinion on product feature f_k of product p , α^p can be updated as,

$$\alpha^{p,k} \sim Dir(1 + N_{positive}^{p,k}, 1 + N_{negative}^{p,k}, 1 + N_{neutral}^{p,k})$$

Similarly, $\alpha^{q,k}$ on feature f_k of product q can be updated after $N_{positive}^{q,k}$ consumers presenting positive, $N_{negative}^{q,k}$ consumers presenting negative and $N_{neutral}^{q,k}$ consumers presenting neutral opinion on product feature f_k of product q . It is represented as,

$$\alpha^{q,k} \sim Dir(1 + N_{positive}^{q,k}, 1 + N_{negative}^{q,k}, 1 + N_{neutral}^{q,k})$$

Let $\alpha_{positive}^{p,k}$ be the probability of customers with positive sentiment on product feature f_k of product p and $\alpha_{positive}^{q,k}$ be the probability of that of product q . Define $\delta_{positive}^k = \alpha_{positive}^{p,k} - \alpha_{positive}^{q,k}$ as the difference of probabilities. It is desired to calculate the probability that $\delta_{positive}^k$ is bigger than zero, which means the probability of product feature f_k of product p is more favorable than that of product q . The statistic can be computed by a double integration as,

$$\begin{aligned} & p(\delta_{positive}^k > 0) \\ &= \int_0^1 \int_0^1 I(\alpha_{positive}^{p,k} - \alpha_{positive}^{q,k}) \cdot Dir(\alpha^{p,k} | 1 + N_{positive}^{p,k}, 1 + N_{negative}^{p,k}, 1 + N_{neutral}^{p,k}) \\ & \quad \cdot Dir(\alpha^{q,k} | 1 + N_{positive}^{q,k}, 1 + N_{negative}^{q,k}, 1 + N_{neutral}^{q,k}) d\alpha^{p,k} d\alpha^{q,k} \end{aligned}$$

Generally, it is difficult to calculate the integration directly. However, a simple yet effective method is to approximate the statistic $p(\delta_{positive}^k)$ by the Monte Carlo sampling method. Specially, since $\alpha^{p,k}$ and $\alpha^{q,k}$ are independent, they can be sampled separately from the Dirichlet distribution. Next, according to the sampled $\alpha^{p,k}$ and $\alpha^{q,k}$, the ratio of the case that $\alpha_{positive}^{p,k}$ is bigger than $\alpha_{positive}^{q,k}$ can be calculated. Given sufficient samples, the integration can be estimated, which infers whether the probability of product feature f_k of product p is generally more favorable than that of product q .

5. CASE STUDY

5.1 Data preparation

To explain how the proposed methods facilitate designers for market-driven product design, a case study about the analysis of online consumer opinion data is illustrated.

In this case study, product features and the corresponding sentiment polarities are firstly identified from reviews in Amazon.com with the help of WordNet and pros and cons reviews in Cnet.com. Next, in this case study, dynamic changes of CRs are presented and predicted by the proposed Kalman filtering approach. Also, CR comparisons are conducted on similar products by the analysis of online opinions.

Particularly, 21,952 reviews of 583 intelligent mobile phones are collected from Cnet.com, which include 10,976 compliments and 10,976 critical comments. These reviews are firstly utilized as training data to identify product features and analyze sentiment polarities from big consumer opinion data. According to the proposed techniques in Section 4.1 and Section 4.2, a list of product features is found. In Table 1, some frequently discussed features are shown.

[Insert Table 1. Some frequently discussed features in pros and cons reviews]

Product feature words are identified using pros and cons reviews. The frequency denotes how often they are referred in the pros and cons review dataset. These features are represented in terms of noun clusters with a similar meaning. Taken words in noun clusters as seeds, product features can be identified from consumer opinion data. Specially, in this case study, mobile phone reviews in

1
2
3
4 Amazon.com are taken as exemplary customer opinion data and only those products
5
6 with more than 30 reviews are taken into considerations. As a result, a web crawler
7
8 collected 113,467 reviews of 661 products. The distribution of the number of reviews
9
10 in terms of the number of products is illustrated in Figure 4.
11
12

13
14 *[Insert Figure 4. Statistics of reviews]*
15

16 As seen from Figure 4, in this dataset, most of products have less than 120
17
18 reviews and only a few products receive more than 480 reviews. Another
19
20 consideration regarding the number of reviews is to investigate whether they are
21
22 distributed evenly in terms of posting time. Accordingly, some statistics are presented
23
24 in Figure 5.
25
26
27

28
29 *[Insert Figure 5. # of reviews vs. elapsed months]*
30

31 As seen from Figure 5, most reviews are posted in less than 15 months and the
32
33 number of reviews declines gradually along the time. However, after 36 months, there
34
35 are still about 2.62% reviews are posted by consumers. It can be inferred that, for
36
37 some hot products, although they are not very popular after three years, there still
38
39 exist some potential consumers. In addition, for the number of sentences and the
40
41 number of words about these reviews, some statistics are described in Figure 6.
42
43
44

45
46 *[Insert Figure 6. # of reviews vs. # of sentences and # of words]*
47
48

49 As seen from Figure 6, the number of sentences and the number of words do
50
51 not distribute evenly and, roughly speaking, they follow a Zipfian distribution. Most
52
53 reviews contain less than five sentences and only a few of them have more than 50
54
55
56
57
58
59
60

1
2
3
4 sentences. Similarly, most reviews are observed to have less than 60 words and
5
6 merely a few of reviews are longer than 480 words.
7

8
9 Moreover, on average, there are 124.31 words in each review. However, they
10
11 are also not distributed evenly with the maximum of 14,104,898 words in a single
12
13 review. A similar case can be also observed in terms of the number of sentences with
14
15 an average 6.44 and a maximum 730,359 sentences in one review. All these 113,467
16
17 phone reviews in Amazon.com are employed in this case study to demonstrate how
18
19 online opinion data are utilized by designers in market-driven product design.
20
21
22
23
24

25 **5.2 Product feature identification and sentiment analysis**

26
27
28 In Table 2, top five frequently mentioned product features of 661 mobile phones are
29
30 listed. The screen (cover and screen), the battery (battery and batteries), the access of
31
32 internet (internet, net, network, networks, web and wifi), the applications (app,
33
34 application, applications and apps) as well as the memory of mobile phones are found
35
36 to become top hot topics. It is reasonable since the majority of today's hot products
37
38 are all intelligent models. Indeed, a big screen usually becomes the first appealing
39
40 feature for consumers to choose. However, a big screen always means high power
41
42 consumption. Hence, a second consideration is then how frequently consumers are
43
44 bothered to recharge phones. Indeed, perhaps the most charming characteristics of
45
46 modern phones are the access of the internet as well as the supported applications,
47
48 which make mobile phones become one important type of intelligent devices and
49
50
51
52
53
54
55
56
57
58
59
60

1
2
3
4 enable consumers to visit internet conveniently. Accordingly, it is understandable that
5
6 applications as well as internet receives a substantial number of comments.
7

8
9 *[Insert Table 2. Top 5 frequently discussed features in mobile phone reviews]*

10
11 Next, sentiment polarities of online consumer opinion data are analyzed. In
12
13 particular, with the proposed approach, the analysis result about sentiment polarities
14
15 of one typical Amazon review is illustrated in Table 3.
16
17

18
19 *[Insert Table 3. An example of sentiment analysis]*

20
21 In the sentiment column of Table 3, "-1" represents a negative opinion and "0"
22
23 denotes an objective opinion. In the "Features" column, the identified product features
24
25 are listed. If one sentence does not refer to any product feature, "-" is filled in the
26
27 corresponding "sentiment" cell and the "features" cell. Notice that, in this example,
28
29 this consumer presented either a negative opinion or an objective opinion towards
30
31 product features. In other cases, if a positive opinion is presented, "1" is utilized to
32
33 denote the sentiment. An exemplary sentence is that "Battery life while using data has
34
35 also been improved, an hour of internet browsing hit my battery only 10% ..." In this
36
37 sentence, the battery life is mentioned and "1" will be filled automatically in the
38
39 corresponding sentiment cell by the proposed method.
40
41
42
43
44
45

46
47 Accordingly, average sentiment polarities of top 5 frequently discussed
48
49 features of 661 phones are listed in Table 4. As seen from this table, generally
50
51 speaking, a slightly negative opinion is presented towards all of these hot product
52
53 features.
54
55

1
2
3
4 [Insert Table 4. The average sentiment polarities of top 5 frequently discussed features
5
6 in mobile phone reviews]
7

8
9 To investigate frequently referred product features and sentiment polarities of
10 a specific product, in this case study, Samsung Galaxy i9300, which is a popular
11 phone during 2012 and 2013, is selected. For this product, 954 reviews are collected
12 from Amazon.com. The number of reviews and the frequency referring product
13 features as well as the number of reviews with a specific opinion are presented in
14 Table 5.
15
16
17
18
19
20
21
22

23 [Insert Table 5. Frequently referred product features in reviews of Samsung i9300]
24

25
26 As seen from Table 5, top five frequently referred product features coincide
27 with that appears in the entire dataset of 113,467 reviews, which are shown in Table 2,
28 and the difference between two tables lies in the percentage of reviews that refers
29 product features. In these 954 reviews, consumers present different opinions towards
30 these frequently referred features. An interesting phenomenon is that 49% consumers
31 are not satisfied with the battery of i9300 and the figure for the memory goes to
32 46.9%. It suggests that designers of i9300 are recommended to consider how to
33 improve the performance of battery and provide a larger memory space to consumers.
34
35
36
37
38
39
40
41
42
43
44
45
46
47

48 **5.3 The changes analysis of CRs for a specific product**

49
50 As mentioned in the previous sections, the average sentiment polarities of consumers
51 are regarded as CRs of a specific product feature. However, frequently referred
52 features may change along the time. Accordingly, which product features are
53
54
55
56
57
58
59
60

1
2
3
4 frequently referred should be highlighted at first. The investigation about the changes
5
6 of frequently referred features assists designers to observe the interest of consumers.
7
8 In Table 6, top three frequently referred product features as well as the percentage of
9
10 reviews that discuss these features are listed.
11
12

13
14 *[Insert Table 6. Top three frequently referred features in different years]*
15

16 As seen from Table 6, "battery" and "screen" are often discussed by consumers.
17
18 It is easily understandable since consumers always prefer those products with suitable
19
20 size of clear screen and they are reluctant to be bothered to recharge frequently.
21
22 Another phenomenon is that the top referred features change from years to years. For
23
24 some early products, consumers pay attention to the pictures taken by phones.
25
26 However, with the fast development of ICT, phones are utilized as an intelligent
27
28 device to access the internet. Also, various interesting applications in phones were
29
30 then becoming hot topics, which are rarely seen in customer feedback of early
31
32 products.
33
34
35
36
37

38
39 Next, the concentration turns to the analysis about CR changes of a specific
40
41 product feature and 954 reviews of Samsung i9300 are still taken as an example. In
42
43 Figure 7, the number of reviews is described in terms of elapsed days. As seen from
44
45 this figure, all reviews are posted in 630 days and the number of reviews decreases
46
47 gradually after 210 days. This result meets what are described in Figure 5, which
48
49 implies that most reviews are generated in less than 15 months.
50
51

52
53 *[Insert Figure 7. # of reviews vs. elapsed days (954 Samsung i9300 reviews)]*
54
55
56
57
58
59
60

1
2
3
4 In Figure 8, the number of reviews referring top three hot product features is
5 compared. As seen from this figure, the number of reviews referring to product
6 features fluctuates from time to time. To obtain convincing results, in this research, at
7 least four consumers mentioned the specific product feature in a fixed time slot is
8 considered and the averaged opinion is regarded as the CR of this product feature.
9
10
11
12
13
14

15
16 *[Insert Figure 8. # of reviews that refers to a product feature vs. elapsed days (954*
17
18 *Samsung i9300 reviews)]*
19
20

21 The averaged sentiment polarities of top three product features are compared
22 in Figure 9. CR over a specific product feature is seen not to be constant along the
23 time. For instance, although, generally, consumers are not satisfied with the battery
24 life, the average opinion changes from one time slot to another. To help designers
25 estimate the potential CR in the next time slot, the introduced models in Section 4.4
26 are utilized.
27
28
29
30
31
32
33
34

35
36 *[Insert Figure 9. CR of a product feature vs. elapsed days (954 Samsung i9300*
37
38 *reviews)]*
39
40

41 In all of three sub figures in Figure 10, predicted CRs of three frequently
42 mentioned product features are denoted as a red line, while CRs identified from online
43 customer opinion are denoted as a blue line. As seen from this figure, the predicted
44 CR and the observed CR demonstrate a small error, which means the proposed
45 method is capable to predict CRs of a specific product feature in a high performance.
46
47
48
49
50
51
52

53 *[Insert Figure 10. Observed CR vs. Predicted CR (954 Samsung i9300 reviews)]*
54
55
56
57
58
59
60

5.4 The comparison analysis of CRs

In this section, the objective is to make comparisons of CRs between competitive products for QFD. Specially, four competitive mobile phones are selected. They are Samsung Galaxy i9300, Apple iPhone 4S, Nokia Lumia 920 and HTC One X. For short, "i9300", "iPhone4S", "Lumia920" and "OneX" are utilized. The number of reviews and frequently discussed features as well as average opinions are listed in Table 7 and Table 8 respectively.

[Insert Table 7. The number of reviews and top frequently referred features]

[Insert Table 8. # of reviews with a certain sentiment that refers to product features]

As seen from this table 7 and table 8, the total number of reviews of different sentiment that mentions a specific product feature does not distribute evenly. This phenomenon makes it not convincing to simply regarding the proportion of positive opinion as a factor to consider which product is better in a specific feature dimension. Accordingly, the proposed Bayesian analysis method is applied to compare CRs of different products. The comparison results between i9300 and other phones are shown in Table 9.

[Insert Table 9. The comparison between i9300 and three products on five features]

Taken the comparison with iPhone4S for instance. It means that the probability that the screen of i9300 is better than iPhone4S is 0.791. Comparing with the percentage of positive reviews in Table 5 and Table 8, some interesting phenomena are found. As seen in Table 5 and Table 8, 78 out of 188 (41.49%) consumers are satisfied with the screen of i9300 and the figure for Lumia920 goes to

1
2
3
4 50.9%. However, in Table 9, a probabilistic explanations are provided. It can be found
5
6 the probability that the screen of i9300 is better than that of Lumia920 is only 0.061.
7
8
9 When the battery life and compatible applications are major concerns, i9300 seems to
10
11 be much more favorable than that of Lumia920.
12
13

14 15 16 **6. CONCLUSION**

17
18 Nowadays, opinion data are generated online from time to time and presented in a
19
20 variety of forms, such as customer reviews, twitters, blogs, etc. These opinion data
21
22 reveal consumers' major requirements. The ability to promote a product that meets
23
24 CRs from big consumer opinion data plays a significant role in market-driven product
25
26 design, especially when competitive products are available. At its core, it is the CRs
27
28 understanding from big opinion data at a deep level, which means processing and
29
30 analyzing consumer opinion data effectively becomes urgent and highly in demand.
31
32
33
34

35
36 In this research, a big volume of consumer opinion data are analyzed for
37
38 market-driven product design from the designers' point of view. Specially, online
39
40 customer reviews, as an important type of consumer opinion data, are examined. At
41
42 first, with the help of WordNet and pros and cons reviews, product features and
43
44 sentiment polarities are identified from big consumer opinion data. Based on the
45
46 identified product features and the recognized sentiment polarities, a Kalman filter
47
48 approach is employed to recognize the trends of CRs, which helps designers to alert
49
50 potential changes of CRs. Moreover, a Bayesian method is proposed to make
51
52 comparisons between different products in feature level. This study investigates the
53
54
55
56
57
58
59
60

possibility that helps designers on how to handle the 4Vs of big consumer opinion data and how to process them by the latest development of the interdisciplinary collaboration.

REFERENCES

- Yoji Akao. QFD: Quality Function Deployment – Integrating Customer Requirements into Product Design. Productivity Press, 2004.
- Lai-Kow Chan and Ming-Lu Wu. Quality Function Deployment: A literature review. *European Journal of Operational Research*, 143(3):463-497, 2002.
- Ray M. Chang, Robert J. Kauffman, and YoungOk Kwon. Understanding the paradigm shift to computational social science in the presence of big data. *Decision Support Systems*, 2013.
- Yizeng Chen, Richard Y. K. Fung, and Jiafu Tang. Rating technical attributes in fuzzy QFD by integrating fuzzy weighted average method and fuzzy expected value operator. *European Journal of Operational Research*, 174(3):1553-1566, 2006.
- Haluk Demirkan and Dursun Delen. Leveraging the capabilities of service-oriented decision support systems: Putting analytics and big data in cloud. *Decision Support Systems*, 55(1):412 -421, 2013.
- Paul Hyman, Researchers Struggle to Measure Big Data's Impact, *ACM Communications*, November 13, 2012
- IDC, Digital data to double every 18 months, worldwide marketplace model and forecast, Framingham, MA. available at www.idc.com May, 2009
- Adam Jacobs. The pathologies of big data. *Queue*, 7(6):10:10-10:19, July 2009.
- E. Ertugrul Karsak. Fuzzy multiple objective decision making approach to prioritize design requirements in quality function deployment. *International Journal of Production Research*, 42(18): 3957-3974, 2004.
- C.K. Kwong and H. Bai. Determining the Importance Weights for the Customer Requirements in QFD Using a Fuzzy AHP with an Extent Analysis Approach. *IIE Transactions*. 35(7): 619-626, 2003
- Yanlai Li, Jiafu Tang, Xinggang Luo and Jie Xu. An integrated method of rough set, Kano's model and AHP for rating customer requirements' final importance, *Expert Systems With Applications*, 36(3): Part 2, 7045-7053, 2009
- Ying Liu, Jian Jin, Ping Ji, Jenny A. Harding and Richard Y. K. Fung. Identifying Helpful Online Reviews: A Product Designer's Perspective. *Computer-Aided Design*, 45(2):180–194, 2013
- Li-Feng Mu, Jia-Fu Tang, Yi-Zeng Chen, and C. K. Kwong. A fuzzy multi-objective model of QFD product planning integrating Kano model. *International Journal of Uncertainty, Fuzziness and Knowledge-Based Systems*, 16(6):793 813, 2008.
- Yoon-Eui Nahm, Haruo Ishikawa and Masato Inoue. New rating methods to prioritize customer requirements in QFD with incomplete customer preferences. *International*

- 1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
- Journal of Advanced Manufacturing Technology*, 65: 1587-1604, 2013.
- Bimal Nepal, Om P. Yadav and Alper Murat. A fuzzy-AHP approach to prioritization of CS attributes in target planning for automotive product development. *Expert Systems With Applications*, 37(10): 6775 - 6786, 2010.
- Bo Pang and Lillian Lee. A sentimental education: sentiment analysis using subjectivity summarization based on minimum cuts. In *ACL'04*, Barcelona, Spain, 2004.
- Hendry Raharjo, Aarnout C. Brombacher, T. N. Goh and Bo Bergman. On integrating Kano's model dynamics into QFD for multiple product design. *Quality Reliability Engineering International*, 26(4), 351-363, 2010.
- Y. Sireli, P. Kauffmann and E. Ozan, Integration of Kano's Model into QFD for Multiple Product Design. *IEEE Transactions on Engineering Management*, 54(2), 380--390, 2007
- Gérson Tontini. Integrating the Kano Model and QFD for Designing New Products. *Total Quality Management & Business Excellence*, 18(6): 599 - 612, 2007
- Ying-Ming Wang. Assessing the relative importance weights of customer requirements using multiple preference formats and nonlinear programming. *International Journal of Production Research*, 50(16): 4414-4425, 2012
- Hsin-Hung Wu and Jiunn-I Shieh. Using a Markov chain model in Quality Function Deployment to analyse customer requirements. *International Journal of Advanced Manufacturing Technology*, 30:141-146, 2006.
- Zeynep Sener and E. Ertugrul Karsak. A combined fuzzy linear regression and fuzzy multiple objective programming approach for setting target levels in quality function deployment. *Expert Systems with Applications*, 38(4):3015 - 3022, 2011.
- E. Ertugrul Karsak. Robot selection using an integrated approach based on quality function deployment and fuzzy regression. *International Journal of Production Research*, 46(3):723 - 738, 2008
- E. Ertugrul Karsak and C. Okan Ozogul. An integrated decision making approach for ERP system selection. *Expert Systems with Applications*, 36(1): 660 - 667, 2009
- Jahna Otterbacher. "helpfulness" in online communities: A measure of message quality. In *CHI'09*, pages 955--964. ACM, 2009.
- Chun-Chih Chen and Ming-Chuen Chuang. Integrating the Kano model into a robust design approach to enhance customer satisfaction with product design. *International Journal of Production Economics*, 114:667 - 681, 2008
- Shu-Ping Lin, Chen-Lung Yang, Ya-hui Chan, Chwen Sheu. Refining Kano's 'quality attributes-satisfaction' model: A moderated regression approach. *International Journal of Production Economics*, 126:255 - 263, 2010
- Xin Lai, Min Xie, Kay-Chuan Tan and Bo Yang. Ranking of customer requirements in a competitive environment. *Computers & Industrial Engineering*, 54(2): 202 - 214, 2008
- C.K. Kwong and T.C. Wong and K.Y. Chan. A methodology of generating customer satisfaction models for new product development using a neuro-fuzzy approach. *Expert Systems with Applications*, 36(8):11262 - 11270, 2009
- Theresa Wilson, Janyce Wiebe and Paul Hoffmann. Recognizing Contextual Polarity

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60

in Phrase-level Sentiment Analysis. In *EMNLP'05*, pages 347-354, Vancouver, British Columbia, Canada, 2005

H. H. Wu, A. Y. H. Liao and P. C. Wang. Using grey theory in Quality Function Deployment to analyse dynamic customer requirements. *International Journal of Advanced Manufacturing Technology*, 25:1241--1247, 2005.

For Peer Review Only

408 of 474 people found the following review helpful

★★★★★ **iPhone or Galaxy S3? no way!!**, June 22, 2012

By [Luca Cascianini](#) - [See all my reviews](#)

This review is from: Samsung Galaxy S3 i930016GB - Unlocked International Version No Warranty (Unlocked Phone)

I got the S3 yesterday, since I owned a iPhone 4S here the comparison:

DESIGN: Galaxy S3 design is stunning, the feeling on hands is incredible. The ergonomics makes all the difference. The iPhone 4S is very squarish and definitely more solid but heavier too (way heavier);

SCREEN: Galaxy S3 screen is wonderful with vivid colours and sharp images, 4,8 inches vs 3.5 of the iPhone, after you make the transition you wont never come back, impossible.

OPERATING SYSTEM: S3 usability is a boom. iPhone is good but never at the level of the S3, way way slower.

BATTERY: S3 gets full day + 30% remaining battery, iPhone last till four or five PM;

GPS: Galaxy S3 gets locked in less than 10 seconds inside a building, iPhone searches and searches with no success;

CAMERA: they are very similar, S3 is faster and iPhone is may be a bit better in term of quality. No dramatic difference.

S-VOICE vs SIRI: they are both very basic and more fun than usefull.

USB-BLUETOOTH: iPhone only works with iTunes, no Bluetooth, no radio. Galaxy S3 can be usb-connected to computers and flashmemory, it has easy bluetooth connection and yes ... it has an amazing radio :)

APPS: to be sincere, all relevants apps in iPhones are present in Android. They have better design but they are at payment while in Android are always free. No mayor differences.

Galaxy S3 is an extraordinary good purchase. Recommended for all ex-iPhone users. You wont regret, there is a world outside iTunes :)

Help other customers find the most helpful reviews

[Report abuse](#) | [Permalink](#)

Was this review helpful to you?

Figure 1. One typical online review




Figure 2. A framework of exploiting big consumer opinion data

"I don't miss my iPhone"

★★★★★ Joyful422

Pros:

My favs are the Amazing customization!!!, widgets, screen size, several keyboard options, live wallpapers, light weight, direct call, dedicated back button and the multifunctional home screen button.

Cons:

I wish the battery lasted longer

Summary:

I researched this phone for at least a month because I was nervous about giving up my iPhone 4S. After watching YouTubes and convincing myself to try something other than Apple products, I purchased the phone figuring that if I didn't like it, I still had my iPad to fall back on. I have to say that this phone is the best! I love the freedom of customizing the phone and adding widgets to the home screen. I didn't realize how limited I was with my iPhones so all of these android features, like being able block numbers, live wallpapers, widgets, etc, are new to me. I still think the iPhone is a quality product, but this phone is much more fun. It's easy... I don't have to have an app for everything. Some things are just THERE on the home screen and I don't have to go into layers of apps to turn on WiFi or Bluetooth or anything else. Also, I thought the phone would be too big and awkward looking but it's actually very comfortable. The odd part is just last month I was making fun of my friend for having a phone this size. I never thought that I would even like a phone this big. If you're like me and became a little bored with your iphone, I think that the SGS3 is worth a try.

Figure 3. One typical pros and cons review




Figure 4. Statistics of reviews

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60






Figure 5. # of reviews vs. elapsed months



(a) # of reviews vs. # of sentences



(b) # of reviews vs. # of words

Figure 6. # of reviews vs. # of sentences and # of words




Figure 7. # of reviews vs. elapsed days (954 Samsung i9300 reviews)




Figure 8. # of reviews that refers to a product feature vs. elapsed days (954 Samsung i9300 reviews)




Figure 9. CR of a product feature vs. elapsed days (954 Samsung i9300 reviews)




Figure 10. Observed CR vs. Predicted CR (954 Samsung i9300 reviews)

Product features	% of reviews referred features
cover screen screens	17.04%
batteries battery	14.87%
keyboard keyboards qwerty	8.09%
app application applications apps	7.24%
internet net network networks web wifi	6.41%

Table 1. Some frequently discussed features in pros and cons reviews

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60

Product features	% of reviews referred features
cover screen screens	20.49%
batteries battery	18.23%
internet net network networks web wifi	13.28%
app application applications apps	13.21%
memory ram sd storage store	11.38%

Table 2. Top 5 frequently discussed features in mobile phone reviews

For Peer Review Only

#	Sentence	Sentiment	Features
1	3months after I got the phone it stopped charging.	-	-
2	We waited for more than 2 weeks while it was "repaired" in Texas.	-	-
3	When the phone was returned it still would n't charge.	-	-
4	After a couple more calls a new charger and battery was sent to us.	0	charger, battery
5	With the new battery it started charging , but would drop phone calls a few minutes into a phone call.	-1	battery
6	Once again we had to send it to Texas for repair.	-	-
7	We received the phone this morning and it is missing the SIM card and the back cover.	0	cover
8	They say they 've lost the SIM card and I have to go buy a new one.	0	card
9	I 've had to call half a dozen times to get things fixed and each time I get transferred to 2 or 3 different departments and it takes 30-60 minutes or more.	-	-
10	It 's been over a month and I still don't have a working phone -- and all this time I 've been paying for service.	-1	service
11	Ilike the phone when it works , but the Samsung support model is such a disaster that I will never purchase a Samsung product again.	-1	support
12	When my iPhone failed I took it to the Apple store and they replaced it in less than half an hour.	-	-

Table 3. An example of sentiment analysis

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60

Product features	Avg. opinions
cover screen screens	-0.051
batteries battery	-0.232
internet net network networks web wifi	-0.237
app application applications apps	-0.351
memory ram sd storage store	-0.311

Table 4. The average sentiment polarities of top 5 frequently discussed features in mobile phone reviews

For Peer Review Only

Features	# of reviews referred features	% of reviews referred features	# of positive	# of negative	# of neutral	% of positive
Screen	188	19.7%	78	80	30	41.49%
Battery	149	15.6%	40	73	36	26.85%
Application	93	9.75%	25	35	33	26.88%
Network	81	8.49%	13	31	37	16.05%
Memory	81	8.49%	13	38	30	16.05%

Table 5. Frequently referred product features in reviews of Samsung i9300

Year	Feature	%	Feature	%	Feature	%
2003	Screen	38.60%	Picture	26.32%	Color	24.56%
2004	Screen	30.09%	Battery	23.82%	Picture	19.12%
2005	Battery	25.40%	Screen	25.08%	Speaker	23.49%
2006	Screen	27.29%	Battery	26.71%	Picture	24.56%
2007	Battery	24.35%	Menu	18.39%	Screen	17.10%
2008	Battery	25.86%	Screen	23.03%	Menu	19.19%
2009	Network	26.46%	Screen	25.31%	Battery	24.37%
2010	Screen	27.70%	Network	26.32%	Battery	23.33%
2011	Screen	23.92%	Battery	20.32%	Network	19.71%
2012	Screen	23.98%	Battery	21.11%	Network	16.45%
2013	Screen	19.10%	Battery	17.02%	Application	11.79%
2014	Screen	17.16%	Battery	15.70%	Application	11.53%

Table 6. Top three frequently referred features in different years

Product	# of reviews	Top referred features	# of reviews referred features	% of reviews referred features
iPhone4S	258	Screen	21	8.14%
		Battery	20	7.75%
		Application	19	7.36%
		Network	19	7.36%
		Memory	19	7.36%
Lumia920	227	Operating system	166	60.1%
		Application	157	56.9%
		Screen	112	40.6%
		Battery	87	31.5%
		Picture	86	31.2%
OneX	276	Battery	45	19.8%
		Screen	38	16.7%
		Menu	28	12.3%
		Picture	28	12.3%
		Network	27	11.9%

Table 7. The number of reviews and top frequently referred features

Product	Top referred features	# of positive	# of negative	# of neutral	% of positive
iPhone4S	Screen	7	13	1	33.3%
	Battery	4	12	4	20.0%
	Application	7	10	2	36.8%
	Network	2	10	7	10.5%
	Memory	2	6	11	10.5%
Lumia920	Operating system	40	68	58	24.1%
	Application	23	81	53	14.6%
	Screen	57	44	11	50.9%
	Battery	21	44	22	24.1%
	Picture	41	29	16	47.7%
OneX	Battery	11	25	9	24.4%
	Screen	25	12	1	65.8%
	Menu	1	19	8	3.57%
	Picture	14	10	4	50.0%
	Network	8	9	10	29.6%

Table 8. # of reviews with a certain sentiment that refers to product features

Features	iPhone4S	Lumia920	OneX
Screen	0.791	0.061	0.004
Battery	0.731	0.672	0.618
Application	0.206	0.990	-
Network	0.674	-	0.066
Memory	0.676	-	-

Table 9. The comparison between i9300 and three products on five features