

This is an Open Access document downloaded from ORCA, Cardiff University's institutional repository:<https://orca.cardiff.ac.uk/id/eprint/122826/>

This is the author's version of a work that was submitted to / accepted for publication.

Citation for final published version:

Harrison, Judith R. , Hayes, Joseph F., Woollard, James and Tracy, Derek K. 2019. #BJPsych and social media – likes, followers and leading? *British Journal of Psychiatry* 214 (5) , p. 245. 10.1192/bjp.2019.6

Publishers page: <http://dx.doi.org/10.1192/bjp.2019.6>

Please note:

Changes made as a result of publishing processes such as copy-editing, formatting and page numbers may not be reflected in this version. For the definitive version of this publication, please refer to the published source. You are advised to consult the publisher's version if you wish to cite this paper.

This version is being made available in accordance with publisher policies. See <http://orca.cf.ac.uk/policies.html> for usage policies. Copyright and moral rights for publications made available in ORCA are retained by the copyright holders.



#BJPsych and social media - likes, followers, and leading?
Judith Harrison¹, Joseph Hayes^{2,3}, James Woollard⁴, Derek K Tracy^{2,4,5}

Author affiliations

¹MRC Centre for Neuropsychiatric Genetics and Genomics, Cardiff University, Cardiff

²Division of Psychiatry, University College London

³Camden and Islington NHS Foundation Trust, London

⁴Oxleas NHS Foundation Trust, London

⁵The Institute of Psychiatry, King's College London

Author for correspondence: Dr Derek Tracy, derek.tracy@nhs.net

Summary

This article explores the growing interface between social media and academic publishing. We discuss how the *British Journal of Psychiatry (BJPsych)* and other scientific journals are engaging with social media to communicate in a digital world. A growing body of evidence suggests that public visibility and constructive conversation on social media networks can be beneficial for researchers and clinicians, impacting research in a number of key ways. This engagement presents new opportunities for more widely disseminating information, but also carries risks. We note future prospects and ask where BJPsych should strategically place itself in this rapidly changing environment.

Not just cat videos

For better or worse, social media have rapidly become a popular mechanism for propagating (mis)information. Science publishing and social media are inevitable but awkward bed fellows; both share a core principle of dissemination, but tension through issues of provenance, authenticity, and quality. We are all learning how to navigate these challenges. However, social media is only the latest disruptor in the history of medical and scientific communication.

The evolution of medical journals: Index Medicus to twitter-chat

The first medical journal, *Medicina Curiosa*, was printed in 1684. It was in English, rather than the traditional Latin, making it accessible to those without university education.¹ Three hundred years later, the internet opened up medical literature to the world. Initially, this was a simpler and easier digitisation of print media: how many reading this recall thumbing through a bulky copy of Index Medicus, then walking around a medical library trying to physically find print copies of papers in journals from a hand-written list of citations? Few mourn the passing of that, and as the internet continued to evolve, many medical

organisations and research institutes were quick to establish an online presence. It provided them an opportunity to connect with a broad audience in their own communities, amongst patient groups, and with the wider interested public; and it could be employed for promotional and educational purposes. Comparatively, academic journals have often been more hesitant, or even reluctant partners. Whilst there are certainly examples of some excellent early adopters, the Twitter 280 character limit and the lack of peer review potentially runs contrary to their standard communication methods and principles.

However, clinicians, like patients, can be unsure which sources to trust. Medical journals on social media can play a positive key role in providing, curating, and signposting authentic, evidence-based content. Further, social media can extend the reach of traditional publications, and engage a readership in novel ways. Twitter “tweet chat” sessions have been used to open up discussions with wide audiences, and many are also using blogs and podcasts to publicise their work and provide more accessible versions – both in terms of usage of a more lay language as well as typically being free to access for non-subscribers. A study published in *Journal of the American College of Radiology* compared the page views of two open-access journal articles and one blog on the same subject. The blog was viewed 32,675 times within the study period. This was six times more than both journal articles combined.² A randomised controlled trial of tweeting about Cochrane Schizophrenia Group systematic reviews found that tweeting led to three times the number of page visits at one week and more time spent viewing these pages.³ Other trials have been less positive, finding no difference in engagement if an article is the subject of tweets.^{4,5} However, these trials may have been limited by a small social media presence: at the time the journals had only modest numbers of followers on Facebook and Twitter. A study published in *Journal of Medical Internet Research (JMIR)* found that the number of times a JMIR article is tweeted in the first three days after publication predicted how highly cited it becomes.⁶

The brave new world of scientific “impact”

This raises the question of what we now mean by impact. The traditional “impact factor” model for journals is an average of citations received over a given period. Although the validity of this as a marker of ‘importance’ has been increasingly challenged, it is widely taken as a proxy of significance or novelty of the work a journal produces. New methods have been developed to measure the online activity surrounding scientific literature, such as those provided by the Altmetric API. These can provide quick, broad measures of public engagement, quantifying activity on social media platforms: if you are reading this (or any other paper) online, you’ll now see a tab opening up metrics data. It is unclear whether social media activity genuinely increases scientific awareness and citations, or simply

reflects the public interest in the topic.⁶ For example, one of the most tweeted BJPsych papers of 2018 was based on mothers singing to their infants, a topic with an obvious wider appeal that was picked up by a large number of news agencies, leading to wide coverage on social media; will this be mapped by subsequent proportionate citations?

The challenges of engaging with social media

New doctors have established digital learning and communication habits which were unimaginable to their predecessors, sometimes described as 'Medicine 2.0.', and many academics and clinicians have begun integrating newer social media tools like Twitter and blogs into their professional communications. The benefits to scientists and doctors in using social media include significant engagement with a very wide network. Some use Twitter to disseminate and discuss their work, both within and beyond their fields, or to rapidly hear about novel developments of others. It allows them to act as a public voice for science and medicine, to promulgate research advances and public health messages. Some may also use it as a means of developing their own professional profile.

However, many doctors, younger and older, still feel uncertain about virtual communication online. Concerns that clinicians might breach patient confidentiality or share unprofessional content are common.^{7,8} Conversely, medicine, and psychiatry in particular, has often struggled with public visibility and constructive conversations with those who use services, with the common - if seemingly paradoxical - trope of the not-listening psychiatrist. Social media can facilitate communication, and allows important exposure to dissonant voices. Many movements and groups are vocal on specific clinical issues, and there has been hostility to research and researchers in specific fields, as well as conflict between professionals of different clinical orientations or perspectives. Perennial debates are re-enacted, such as formulation "vs." diagnosis, medical model "vs." social model, and medication "vs." therapy. The democratisation of voices is, in the round, welcomed. Reading accounts from those who have not had positive experiences in mental health services can be difficult, though it is undoubtedly important; some professionals may be less used to being challenged in so open a manner; some members of the public grateful for the opportunity to do so on a non-hierarchical playing field. However, this can add to confusion about 'what to believe', and one can sometimes feel there is more heat than light. The Royal College of Psychiatrist's twitter chat organised in 2017 in response to the Panorama documentary on antidepressants may be a good learning point: a quick scan of its hashtag, #ADsMythBuster, will demonstrate both the desire for information, and the variation in

responses, some very hostile. Consider how an individual looking for reliable information on medication might feel wading through this.

Nevertheless, these conversations are on-going, whether we engage or not. Observing, listening, and reflecting on the distress and many opinions we see online, rather than shying from it, have to be the route to a better future for the art of psychiatry. There is a minority anti-psychiatry mindset; however by far most people are primarily interested in improving services and care, and will put forth their own thoughts and experiences honestly. **Our experience and perspective is that one can and should be positive and optimistic about this; we have had excellent, informative online discussions with patients, carers and relatives, interest groups, and colleagues. Indeed it can also be an excellent mechanism for linking with individuals from think tanks, charities, and those in senior NHS and other managerial roles that one might not ordinarily meet in everyday clinical life. The short 'shouty' nature of Twitter can sometimes seem to almost provoke unnuanced fighting; our advice is recognizing its inherent limitations, avoiding heated arguments, and having acceptance of differences of opinion. The art of social media is, perhaps, knowing when not to respond.**

The *BJPsych* is becoming digitally engaged: savvy or silly?

Recognising these opportunities and challenges, the Board of the *BJPsych* has decided to develop the following new ways to communicate using social media.

BJPsych and the Mental Health Foundation podcasts

The *BJPsych* is working in partnership with the Mental Health Foundation (MHF), a leading UK mental health charity and research organisation, to produce approximately bi-monthly podcasts on research published in the journal (the archive is available at: <https://www.mentalhealth.org.uk/podcasts-and-videos/mental-health-foundation-british-journal-psychiatry>). The aim with these is to have discussions, led by the MHF with patient and public involvement, and to make them more conversational, less focused on scientific methodology, with the anticipated modal listener being an interested member of the public.

BJPsych and Mental Elf blogs

The Mental Elf is a well-established and popular website that hosts blogs on various mental health and social care issues; it contains both free and subscription elements. The *BJPsych* is now contributing an approximately bi-monthly open-access blog on a paper from that month's paper edition, hosted by the Mental Elf website. The aim here is somewhat different to the podcasts; whilst open to any interested reader on the internet, the blog styles follow a more traditional 'scientific paper' model, albeit in a less formal and more journalistic style.

Readership will vary, but posts focus more on methodology and critiques of the work than the MHF podcasts. An archive of our blogs can be found at: <https://www.nationalelfservice.net/tag/bjpme/>. One particular goal is to encourage trainees and those who might not ordinarily write for the BJPsych to contribute. Details on how to so contribute can be found here: <https://www.cambridge.org/core/journals/the-british-journal-of-psychiatry/information/write-a-blog-for-the-bjpsych>. The BJPsych 'Highlights' section aims to link to this, and along with the podcasts, we cross advertise this with our third development, Twitter.

BJPsych Twitter

The *BJPsych* has established a profile on Twitter, @TheBJPsych. This allows the journal to share the articles, podcasts, and blogs it publishes and engage in conversations with both members of the College and the wider public. Use of hashtags also allows us to aggregate tweets by topic, such as #dementia.

Future horizons

We hope the BJPsych can successfully navigate online platforms, creating synergy with the journal's traditional output, balancing the risks and benefits of an extended audience. Other platforms exist, as yet unexplored, for example Facebook, LinkedIn, and Instagram. We aspire to create output that will be associated with the same authority and quality as the Journal it serves, even if each method has its own voice and unique style of contribution. The BJPsych is a publication of the College, and the College is its members. How we should proceed is a question for all of us, and undoubtedly one that we will need to refine with time: you have our twitter handle – let us know, #BJPsychOnline.

References

- 1 Colman E. The first English medical journal: *Medicina Curiosa*. *Lancet (London, England)* 1999; **354**: 324–6.
- 2 Hoang JK, McCall J, Dixon AF, Fitzgerald RT, Gaillard F. Using Social Media to Share Your Radiology Research: How Effective Is a Blog Post? *J Am Coll Radiol* 2015; **12**: 760–5.
- 3 Adams CE, Jayaram M, Bodart AYM, Sampson S, Zhao S, Montgomery AA. Tweeting links to Cochrane Schizophrenia Group reviews: a randomised controlled trial. *BMJ Open* 2016; **6**: e010509.
- 4 Fox CS, Bonaca MA, Ryan JJ, Massaro JM, Barry K, Loscalzo J. A Randomized Trial of Social Media From Circulation. *Circulation* 2015; **131**.

- 5 Fox CS, Gurary EB, Ryan J, Bonaca M, Barry K, Loscalzo J, *et al.* Randomized Controlled Trial of Social Media: Effect of Increased Intensity of the Intervention. *J Am Heart Assoc* 2016; **5**: e003088.
- 6 Eysenbach G. Can tweets predict citations? Metrics of social impact based on Twitter and correlation with traditional metrics of scientific impact. *J Med Internet Res* 2011; **13**: e123.
- 7 Gholami-Kordkheili F, Wild V, Strech D. The impact of social media on medical professionalism: a systematic qualitative review of challenges and opportunities. *J Med Internet Res* 2013; **15**: e184.
- 8 The General Medical Council. Doctors' use of social media. , 2013 (http://www.gmc-uk.org/Doctors_use_of_social_media.pdf_58833100.pdf).

Declaration of interest: Judith Harrison, Joseph Hayes, and Derek Tracy are on the editorial board of the BJPsych. Derek Tracy runs its social media arm.

Author biographies:

Dr Judith R Harrison MBChB MRCPsych is a Wellcome Trust GW4 Clinical Academic Training Fellow at the MRC Centre for Neuropsychiatric Genetics and Genomics and the Cardiff University Brain Research Imaging Centre (CUBRIC), Cardiff University, and a Specialist Trainee 4 in Psychiatry.

Dr Joseph F Hayes MSc MB ChB MRCPsych DLSHTM PhD, is a Senior Clinical Research Fellow in the UCLH NIHR Biomedical Research Centre, Division of Psychiatry UCL and an Honorary Consultant Psychiatrist in the Integrated Practice Unit for Psychosis, Camden and Islington NHS Foundation Trust.

Dr James Woollard MA MBBS MRCPsych FRSA, is a Consultant Child and Adolescent Psychiatrist at Oxleas NHS Foundation Trust, and Senior Clinical Fellow in Mental Health Technology and Innovation at NHS England

Dr Derek Tracy MB BCh BAO MSc FHEA FRSA FFFMLM FRCPsych, is a Consultant Psychiatrist and Clinical Director at Oxleas NHS Foundation Trust, and a Senior Lecturer at King's College London.



70x70mm (72 x 72 DPI)