

Online Research @ Cardiff

This is an Open Access document downloaded from ORCA, Cardiff University's institutional repository: <https://orca.cardiff.ac.uk/id/eprint/111622/>

This is the author's version of a work that was submitted to / accepted for publication.

Citation for final published version:

Vanhatalo, Anni, Blackwell, Jamie R., L'Heureux, Joanna E., Williams, David W., Smith, Ann, van der Giezen, Mark, Winyard, Paul G., Kelly, James and Jones, Andrew M. 2018. Nitrate-responsive oral microbiome modulates nitric oxide homeostasis and blood pressure in humans. *Free Radical Biology and Medicine* 124 , pp. 21-30. 10.1016/j.freeradbiomed.2018.05.078 filefile

Publishers page: <https://doi.org/10.1016/j.freeradbiomed.2018.05.07...>
<<https://doi.org/10.1016/j.freeradbiomed.2018.05.078>>

Please note:

Changes made as a result of publishing processes such as copy-editing, formatting and page numbers may not be reflected in this version. For the definitive version of this publication, please refer to the published source. You are advised to consult the publisher's version if you wish to cite this paper.

This version is being made available in accordance with publisher policies.

See

<http://orca.cf.ac.uk/policies.html> for usage policies. Copyright and moral rights for publications made available in ORCA are retained by the copyright holders.



Table S1. Barcode sequences for primers A and B.

Name	Description	Sequence (5' to 3')
A_FW1	PCR to amplify 16s v1-v3 amplicon (forward sequence)	CTCTTTCCCTACACGACGCTCTTCCG ATCTAGAGTTTGATCCTGGCTCAG
A_RV1	PCR to amplify 16s v1-v3 amplicon (reverse sequence)	CTGGAGTTCAGACGTGTGCTCTTCCG ATCTGTATTACCGCGGCTGCTGG
B_FW1	PCR to attach Illumina flowcell binding nucleotides and identifying barcodes (forward sequence)	AATGATACGGCGACCACCGAGATCT ACACTCTTTCCCTACACGACGCTCTT CCGATCT
B_RV1	PCR to attach Illumina flowcell binding nucleotides and identifying barcodes (reverse sequence)	CAAGCAGAAGACGGCATAACGAGATX XXXXXXXXXXXXGTGACTGGAGTTCA GACGTGTGCTCTTCCGATCT *
* Adapter bar codes for tongue swab samples:		
		GGCCGGCTAGAT
		GGACGGCATCTA
		AAGGAAGGAGCG
		GGACGGCGCTCG
		CCGGA CTCTCGA
		GGCCGGCCGAGC
		CCGGA CTGAGCT
		GGACGCGGCAGT
		CCGGAGAAGTAA
		GGCCGCGCGTCA
		CCGGAGATCATT
		CCGGATCCTTAT
		CCGGATCGAATA
		GGACCGGCCATG
		GGACCGGTTGCA
		GGACCAAGGCGG
		CCGGTTGGTAGT
		GGACCAATTATT
* Adapter bar codes for saliva samples:		
		CCCAGAGAGCAA
		TCAGCATGCTGG
		AGGAGTCAGCAA
		AGTCGATGCTGG
		GAAGATCAGCAA

	GACTAATGCTGG
	CTTCTTCAGCAA
	CTGATATGCTGG
	CTAGGTTGGCAA
	CTCTGACACTGG
	TCGAATTGGCAA
	AGAGTACACTGG
	GATCCTTGGCAA
	TTCACTGACGGG
	CCGTTAAGGCAA
	AAGTGTGACTGG
	TTACCAAGGCAA
	ATCCAGTACGGG
	TATTTCCGGCAA
	TAGGTGTACCGG
	ATAAACCGGTAA
	CTAGAAGTCCGG
	GAGATTACGTAA
	GATCTAGTCCGG
	AGAGCTACGGAA
	TTGACCATGTGG
	CCCTTGGCCCAA
	GCATGACTGTGG
	ATTAATTCCCAA
	CGTACACTGTGG
	GCCGGTTCCCAA
	TTTCTCTAGTGG
	CCAGCGCGCCAA
	AAAGACTAGTGG