

Environmental Science Advances

Accepted Manuscript

This article can be cited before page numbers have been issued, to do this please use: E. C. Cowan, J. Allan, T. Seppälä, E. Krümmel, F. de Leon and T. Maes, *Environ. Sci.: Adv.*, 2025, DOI: 10.1039/D4VA00369A.



This is an Accepted Manuscript, which has been through the Royal Society of Chemistry peer review process and has been accepted for publication.

Accepted Manuscripts are published online shortly after acceptance, before technical editing, formatting and proof reading. Using this free service, authors can make their results available to the community, in citable form, before we publish the edited article. We will replace this Accepted Manuscript with the edited and formatted Advance Article as soon as it is available.

You can find more information about Accepted Manuscripts in the [Information for Authors](#).

Please note that technical editing may introduce minor changes to the text and/or graphics, which may alter content. The journal's standard [Terms & Conditions](#) and the [Ethical guidelines](#) still apply. In no event shall the Royal Society of Chemistry be held responsible for any errors or omissions in this Accepted Manuscript or any consequences arising from the use of any information it contains.

Environmental Significance Statement

View Article Online
DOI: 10.1039/D4VA00369A

The Arctic ecosystem, one of the most vulnerable and unique regions on the planet, is under increasing threat from chemical pollution, intensified by both local sources and long-range transport of chemicals. Arctic Indigenous Peoples continue to be one of the most affected populations globally by multiple stressors, including pollution and climate change. Chemicals of Emerging Arctic Concern (CEAC) present a regulatory challenge, as many fall outside the scope of existing global frameworks. Addressing this issue is critical to protecting human health and the environment, Arctic biodiversity, human rights (including the right to a healthy environment and Indigenous culture and self-determination) and mitigating the far-reaching impacts of pollution on climate-sensitive regions. This review identifies regulatory gaps and highlights the need for improved national and regional measures, emphasizing the importance of a holistic approach, and integrating the precautionary principle into chemical regulations to protect the Arctic and its Indigenous Peoples from further environmental harm. Addressing CEAC is essential for safeguarding this vital ecosystem and Arctic Indigenous Peoples from the growing pressures of climate change and pollution.



On Thin Ice – a review of the multi-level governance regarding Chemicals of Emerging Arctic Concern (CEAC)

View Article Online
DOI: 10.1039/D4VA00369A

Authors: Emily Cowan^{1*}, Jen Iris Allan², Timo Seppälä³, Eva M Krümmel⁴, Fe de Leon⁵, Thomas Maes⁶

¹ SINTEF Ocean, Brattørkaia 17C, 7010 Trondheim, Norway

² Cardiff University, Law Building, Cardiff, Wales, CF10 3AX

³ Finnish Environment Institute (Syke), Latokartanonkaari 11, FI-00790 Helsinki, Finland

⁴ Inuit Circumpolar Council, 75 Albert St, Suite 1001, Ottawa, ON, K1P 5E7, Canada

⁵ Canadian Environmental Law Association, 55 University Avenue, 15 Floor, Toronto, Ontario, Canada

⁶ GRID-Arendal, P.O. Box 183, N-4802 Arendal, Norway

*Corresponding author: Emily.cowan@sintef.no

Contributions

Conceptualisation (T.S. & E.C.); Formal analysis (E.C., J.A., T.S.); Funding acquisition (E.C.); Investigation (E.C., J.A., T.S., E.K., F.L., T.M.); Writing – original draft (E.C., J.A., T.S., E.K., T.M.); Writing – review & editing (E.C., J.A., T.S., E.K., F.L., T.M).



On Thin Ice – a review of the multi-level governance regarding Chemicals of Emerging Arctic Concern (CEAC).

View Article Online
DOI: 10.1039/D4VA00369A

Abstract

The Arctic is a vital and unique ecosystem facing significant threats from climate change, biodiversity loss, and pollution. Recently, Chemicals of Emerging Arctic Concern (CEAC) have been identified as an area that requires further study by the Arctic Monitoring and Assessment Programme.

Understanding and improving existing regulatory systems is crucial to preventing the adverse effects of CEAC. This review concentrates on chemical pollution and the Arctic's vulnerability to long-range chemical transport and local pollution sources, as well as existing national, regional, and global measures to regulate and mitigate these pollution sources. Our review underscores three challenges to effective chemical governance in the Arctic. First, there is a lack of a holistic approach in this area. Second, global and national governance fragmentation means many CEAC fall through regulatory cracks. Third, very few global or national regulations or rules consider the unique vulnerabilities and socioeconomic conditions of the Arctic and its Indigenous Peoples.

Key Words: CEAC, governance, policy, Arctic, chemical pollution



Introduction

The Arctic is characterised by its unique social, political, and environmental vulnerabilities and global significance stemming from its remote geographic area. Each of the Arctic states and its peoples face challenges specific to the region, including a reliance on imported goods and services, and a susceptibility to the economic and cultural impacts of ecosystem damage, biodiversity loss, and climate change (1). Socioeconomic challenges, coupled with the properties of a growing number of chemicals, disproportionately affect the Arctic and its inhabitants. The Arctic, once perceived as a remote wilderness with little impact on the rest of the world, is now at the forefront of polluted regions (2). This has particularly impacted Arctic Indigenous Peoples, who continue to suffer from the effects of colonisation and are additionally under severe threats from climate change and pollution (3,4).

In this review, we turn to efforts to grapple with these challenges and to protect people and the environment in the Arctic through regulation. It is a fragmented picture of regulatory and voluntary approaches, at local, national, and global levels. There is no overarching chemicals treaty or authority to harmonise approaches. The Arctic Council lacks the authority to establish legally binding regulations and agreements. Instead, its approach relies on consensus, employing soft law mechanisms through non-binding agreements and cooperative frameworks (5). As a forum, the Arctic Council promotes cooperation and dialogue among Arctic states and Arctic Indigenous Peoples (represented by the Permanent Participants organisations in the Arctic Council). It addresses concerns related to sustainable development and environmental protection. Despite contributing significantly to policy development and collaboration, decisions within the Council are non-binding, ensuring member states retain sovereignty over Arctic affairs.

Many of the problematic pollutants in the Arctic originate from areas outside the Arctic Council's jurisdiction. Whether chemicals travel to the Arctic through their long-range environmental transport (LRET), or arrive through products and articles in use, there is a clear need for global and national-level regulation to protect the Arctic. Here, we find a constellation of partially overlapping global rules and voluntary initiatives, in addition to national regulations that are often developed and enforced by different government agencies. Arctic chemical pollution is anticipated to be even more challenging in the future (6). For example, climate change can be expected to increase the likelihood and rate of pollutant release (7,8). Generally speaking, governance arrangements can be slow to evolve to these types of rapid external changes. In the Arctic Council, there is a need to consider the interplay between the various issues, from shipping to ecosystem protection (9). Due to national interests taking a leading role and the so-called lack of strategy within the AC (10), such synergies may be difficult to identify. In this context, we review the current state of chemical regulation in some Arctic states, the



EU, and global cooperative efforts to minimise, management, and mitigate Chemicals of Emerging Arctic Concern (CEAC). New Article Online
DOI: 10.1039/D4VA00369A

We base this review on available documents related to the governance instruments that we reviewed. We considered the chemicals under regulation at various levels and cross-referenced these against CEAC. We also interviewed eight officials for background information working at regional and national levels. These interviews were necessary because few studies focus on the design, inclusivity, and efficacy of chemical regulations. We identified studies on the effects of pollution on Indigenous Peoples and pointed to the need to include Indigenous Peoples in decision-making on pollution control, and how social and economic histories can shape exposure. (3,11) The social science literature on chemical governance usefully explains the evolution of global instruments (12,13) and scientific committees (14). Yet, compared to other environmental issues, notably climate change, chemical pollution tends to be overlooked by the social sciences. This study is a first step to connecting the broad literature on chemical governance to the unique realities of the Arctic. We take an Arctic perspective on global, regional, and national governance. Yet, there is a clear need to connect these silos by encouraging more comprehensive studies, which include Indigenous Knowledge and worldviews, and social science perspectives. Such comprehensive approaches could include innovative research methodologies, prioritising Indigenous Knowledge sharing, and acting in response to Indigenous concerns (15). We can learn much from Indigenous Peoples as they have much experience and knowledge with Arctic conditions and change, and now must adapt to many combined stressors, including climate change and rising pollution in the Arctic.

Background

Arctic ecosystems and human health are intertwined with global economic and environmental trends. Historically, local chemical pollution was not a significant issue in the region, because of its remoteness, extremely cold climate, and low population density, which resulted in less industrial activity compared to other regions in the northern hemisphere. This is fast changing due to the warming climate. Over the last 50 years, the Arctic has warmed three to four times as fast as the rest of the planet, with estimates suggesting a largely ice-free September in the Arctic Ocean before 2050 (16). This reduction in sea ice cover allows for increased human activities such as the exploration of natural resources for food, feed, biotechnology and minerals, as well as shipping and tourism, in this vulnerable region (6,17–20).

Regulation falls behind the speed with which new chemicals are devised, produced, and used. Chemicals are regulated on the international, regional, national, and, to some extent, sub-national levels, which complicates lines of accountability and can create overlapping mandates or gaps between regulatory systems (21). The primary problem is one of time. Policy making requires information and data, negotiation (among countries, national parties, and lobby groups), and legislative procedures.



Global treaties in particular are slow to be negotiated, adopted, and entered into force. It is a slow process, while innovation in the sector is relatively much more rapid. The sheer rate of chemical production, particularly novel entity chemicals, those that have not yet been studied, monitored, or regulated, has far outpaced governments' ability to assess and control their risks. This situation raises concerns that the production and proliferation of novel chemicals may have exceeded planetary boundaries, a concept introduced by scholars (22,23) to highlight the point at which human activity pushes Earth's systems beyond safe ecological limits. As new chemicals continue to be introduced at an accelerating pace, the associated risks and impacts, including those from transformation products and chemical mixtures, may be significantly underestimated, compounding the challenges of chemical management globally.

At the national level, regulations are typically based on risk assessment, where each country has their approach and evaluates the risk from the expected uses based on the predicted exposure and adverse effects (24). However, this regulatory process is often slow and complex, made even more challenging by the vast number of chemicals in circulation and the time required to evaluate each one individually. This is particularly challenging due to the lengthy processes and large numbers of chemicals that need to be addressed. There are approximately 350,000 chemicals registered for use by national governments (350 000+) (21). Countries take different approaches to handle the backlog. Countries shortlist chemicals to undergo risk assessments. EU REACH places the burden on the industry to provide data to the regulatory body. Regardless of the regulatory approach, there are still considerable uncertainties. For example, an assessment factor is often used to compensate for a lack of data or to cover especially sensitive environments or species, and currently, regulatory approaches do not cover chemical mixtures (25).

Due to the knowledge gaps around chemical monitoring in the Arctic, research efforts over the past decades focus on best practices for identifying and monitoring chemical pollution in the region. Such data could be helpful to inform persistence, bioaccumulation, and toxicity (PBT) assessments used in some national-level regulatory processes. This information is already used in the Stockholm Convention on Persistent Organic Pollutants (POPs), due to the importance of LRET as one of the criteria for identifying a POP (14). The interactions between science and policy in chemical management are often understudied. As we better understand the presence of these chemicals, we still lack holistic approaches towards understanding of governance dynamics, gaps, and influences on chemical regulation in the Arctic.

Chemicals are regulated nationally, regionally, and/or globally, often, we find, with little consideration for the prevailing conditions of use in the Arctic. The AMAP Assessment on Chemicals of Emerging Arctic Concern (CEAC) (19) identified numerous groups of chemicals in the Arctic environment. The mere presence of a chemical does not necessarily constitute a risk, but for many of these chemicals,



the risk is very difficult to assess due to the limited information on their properties, such as persistence, accumulation, and toxic effects.

View Article Online
DOI: 10.1039/D4VA00369A

Here, we outline the multi-level governance of chemicals, as it relates to the Arctic. Other reviews have focused on one level, such as Selin's (2010) overview of global treaties as well as Selin's (2012) review of hazardous chemicals. To our knowledge, no review has taken Arctic vulnerability as its lens to review chemical regulation nationally, in the EU, and globally. This is a first attempt to better understand the instruments in place, and their shortcomings and achievements, followed by an examination of how the regulatory landscape in the Arctic could be improved. It is to act as an initial overview of the progress in place towards multi-level governance of chemicals in the Arctic. The paper is therefore divided into three subsections. First, a review of risk assessments associated with determining CEAC, how they are calculated by nations and if they are set up to mitigate or restrict chemicals in the Arctic. Second, a multi-level review of the international, regional, and national policy landscape to govern CEAC. Finally, the key findings and recommendations for further research and action.

Multi-level governance review of chemical regulation in the Arctic

There are several global, national, and local-level efforts, plus those of the EU, that are relevant to chemical pollution in the Arctic. This review has not found substantial evidence that specific vulnerabilities associated with the Arctic environment are considered during risk assessments at any level of governance. However, we have identified opportunities to address CEAC in the future. Regulating CEAC in the Arctic requires multi-level governance. No one level of governance, even global, legally binding rules, can address all of the problems. Indeed, despite existing instruments, there are several barriers and challenges to preventing chemical pollution in the Arctic specifically. The transboundary nature of some chemicals and pollution makes it nearly impossible for regional and national regulations and controls to address production and pollution issues. It requires cooperation at the global level. For example, PFAS is known for its ability to travel long distances via the atmosphere, ocean currents, rain and snow (26,27). There are also growing local sources of some PFAS, as products are brought into the Arctic region. In such cases, national legislation can help protect local communities from the import of harmful products, and clean up local pollution. Regulatory levels can, in theory, work in concert. Even if regulations are in place, enforcement and monitoring are continued challenges. The Arctic region can be difficult to monitor due to its vast and remote areas, and very cold climate posing significant logistical challenges. Nevertheless, very successful national monitoring programs are in place which produce a significant amount of data. Examples include the Canadian Northern Contaminants Program, which works in partnership with Canadian Arctic Indigenous Peoples and feeds into AMAP assessments. This information has been



extensively used in the negotiations and implementation of global treaties, such as the Stockholm Convention. View Article Online
DOI: 10.1039/D4VA00369A

When examining CEAC, risk assessments can be important tools to understand the potential impacts these substances can have on Arctic ecosystems, Indigenous Peoples, and local communities. Environmental risk assessments are a process that evaluates the potential adverse effects of a chemical in this case – which identifies potential hazards, exposure levels and likelihood of adverse effects (28). Risk assessments aim to provide decision-makers with information to manage and mitigate risks. This process may include hazard identification, exposure and effects assessment, uncertainty analysis and communication to decision-makers on the way forward. Risk assessments have limitations, such as addressing chemical mixtures (25), and they usually do not consider cultural differences in, for example, food consumption. Special concerns for CEAC in the Arctic must be taken into consideration, such as the remote location, and ecosystem sensitivity due to cold conditions and extended food webs, as well as Arctic Indigenous Peoples, who are interictally connected to, and dependent on, their vulnerable ecosystem (2,3).

Global Chemical Regulations

Most global treaties with the potential to tackle CEAC focus on POPs and hazardous substances. This constitutes a narrower but critical scope but also overlooks CEAC in plastics and pharmaceutical pollution. These treaties have distinct mandates and manage different aspects of chemicals, from production to trade. We find that only some, notably the Stockholm Convention, presently address only some CEAC.

Stockholm Convention on POPs

The Stockholm Convention (29) screening criteria defines POPs as having four characteristics: persistence, adverse effects, bioaccumulation, and LRET. LRET sparked much of the concern about POPs and catalysed a global response to protect remote communities, particularly Indigenous Peoples in the Arctic (30). The Convention has three annexes to list POPs: Annex A for eliminating production and use, Annex B for restricting production and use, and Annex C for unintentional production.

The Stockholm Convention originally focused on a group of 12 POPs, the infamous 'Dirty Dozen,' predominantly agricultural pesticides, alongside some industrial chemicals (31). The Convention includes a mechanism to identify, screen, and list additional POPs in the treaty. Since 2005, the Convention has reviewed and listed over twenty industrial and agricultural chemicals and unintentionally formed POPs, increasing the total number of globally restricted chemicals or groups of chemicals to 34 as of 2024. History has shown the Convention to be responsive to new research findings and able to add additional POPs to its Annexes.



There is a mechanism to add new chemicals to the Convention. The POPs Review Committee (POPRC) is a subsidiary body of the Stockholm Convention which was established to review chemicals nominated for addition to the Convention and to make recommendations on listing chemicals in the Stockholm Convention. Arctic data has been very important to the POPRC's reviews because it provides evidence of LRET of POPs to remote regions, indicates persistence, and in several cases demonstrated adverse effects, for example to the health of Arctic Indigenous Peoples. It was often straightforward: presence in the Arctic was evidence of LRET because (for example in the case of agricultural pesticides) the POP was generally not used or produced in the region. More recently, POPRC has reviewed widely produced and used chemicals, including chemicals used in imported products or industrial chemicals that have been used in the Arctic (such as PFOS in firefighting foams). Therefore, in limited cases, a POP's presence in the Arctic could also reflect some local contamination sources, which is addressed in the review process.

The review process begins with a party to the Stockholm Convention nominating a chemical for the POPRC's consideration. The review takes a minimum of three years. This party-driven process may miss some POPs. Breivik et al. (2023) (32) found in their screening of 12,615 high production volume (HPV) chemicals for the potential to accumulate in remote regions 1693 chemicals have properties that would suggest they accumulate in remote regions. Although LRET as a single criterion is insufficient to enable listing in the Stockholm Convention, potentially a large number of chemicals could meet all four screening criteria.

It is important to note that the chemicals listed in the Stockholm Convention annexes include both individual substances and, increasingly, groups of related chemicals and/or their precursors, like in the cases of PFOS and PFOA. Its scope is limited to chemicals that have been identified as POPs. Some complex particles associated with, or resulting from products themselves, such as micro- and nanoplastics, may fit all the criteria of a POP chemical in that they have been found to undergo long-range environmental transport, bioaccumulate, are persistent, and have adverse effects. But, because they are not chemicals themselves and can't be regulated in the same way, they fall outside the Stockholm Convention's scope.

Besides limits in scope, there are some gaps in the Convention. For example, parties can either "opt-in" or "opt-out" of listed chemicals; not all of the Convention's 180+ parties will eliminate or restrict all the listed POPs. In addition, several POPs listed have use exemptions, which is a provision to allow some continued uses where parties have claimed that there are no viable alternatives. Even some of the POPs that have been listed since 2004 (as part of the initial dirty dozen) continue to be used in some countries that registered for the exemption (for example, DDT) or are still present in old equipment or



stockpiles (for example, PCBs). Many countries cite capacity-building constraints to eliminate POPs uses, stockpiles, and products. Such ongoing use can lead to continued contamination globally and in the Arctic.

Article Online
DOI: 10.1039/D4VA00369A

Basel Convention on the Transboundary Movement of Certain Hazardous Wastes

The Basel Convention (33) governs trade in hazardous wastes, as well as other wastes such as plastics and household waste. Similar to the Rotterdam Convention discussed below, its central mechanism involves a prior informed consent (PIC) procedure. Countries importing wastes are provided with technical guidelines to help inform their environmentally sound management and disposal. These technical guidelines address several waste streams that may likely contain CEAC. The Basel Convention also develops technical guidelines for managing articles containing or contaminated with POPs. These guidelines include setting low-POPs content for the wastes.

In recent years, the Basel Convention has shown the ability to increase the scope of wastes subject to the PIC procedure. Countries have used the “other wastes” annex (Annex II) to list governed waste streams that are of concern but may not be toxic. In 2019, parties added plastic wastes to Annex II and in 2023, they agreed to add non-hazardous electronic and electrical wastes (the hazardous counterparts are listed in the appropriate annex in the Convention).

Rotterdam Convention on the Prior Informed Consent Procedure for Certain Hazardous Chemicals and Pesticides in International Trade

The Rotterdam Convention (34) addresses chemical trade by promoting shared responsibilities and cooperative efforts in the international trade of certain hazardous chemicals and pesticides. The Convention facilitates information exchange about hazards related to chemicals to inform countries’ import decisions. This PIC procedure in international trade is the core mechanism of the treaty. Countries provide their import responses, which indicate if they are willing to import a chemical. It indirectly contributes to mitigating chemical pollution by regulating the movement of dangerous chemicals globally.

Like the Stockholm Convention, there is a mechanism to add new chemicals to the Rotterdam Convention. The subsidiary body, the Chemical Review Committee, considers the final regulatory actions that countries take to ban or restrict a chemical. If two countries, from two different PIC regions (defined in the Convention), act, it could lead to a listing in the Rotterdam Convention. The Committee also prepares information for countries on the chemical’s risks and management options. Unlike the Stockholm Convention’s POPRC, the CRC does not evaluate a chemical’s properties. It considers countries’ regulations to inform decisions on whether the chemical’s international trade should be part of the PIC procedure.



International Maritime Organization (IMO)

View Article Online
DOI: 10.1039/D4VA00369A

The IMO (35) has several international treaties related to international shipping. The MARPOL Convention is vital in addressing concerns related to cruise ship activities. The IMO recently agreed to phase out PFAS from fire-fighting foams in ships by 2026. Additionally, the Convention on the Prevention of Marine Pollution by Dumping of Wastes and Other Matter (commonly known as the London Convention (1972)) and its 1996 Protocol prohibits the dumping of several materials. The Protocol restricts marine dumping, permitting only a shortlist of materials, including sewage sludge and dredged material. However, there has not yet been an assessment of the extent to which CEAC may be present in the materials permitted for dumping under the London Protocol.

More relevant to the Arctic, the IMO's Polar Code aims to enhance the environmental safety of the polar regions concerning pollution from marine operations. The IMO's regulatory framework, including the Polar Code, MARPOL, and other related instruments, provides adaptive mechanisms that could potentially address CEAC. MARPOL and the London Convention have mechanisms to update the treaties in the light of new scientific or economic realities. For example, the London Convention took steps via an amendment to regulate carbon dioxide storage in sub-sea geological formations (36). Through these mechanisms, the IMO aims to prevent the release of harmful chemicals into Arctic waters, ensure proper emergency preparedness, and promote regional cooperation to protect the Arctic environment from chemical pollution.

Strategic Approach to International Chemicals Management (SAICM) and the Global Framework on Chemicals

SAICM is a multi-stakeholder platform that fosters voluntary actions to achieve the sound management of chemicals throughout their life cycle. SAICM adopted resolutions related to emerging policy issues. Relevant to the Arctic, these include chemicals in products, hazardous substances in electrical and electronic products, environmentally persistent pharmaceutical pollutants, perfluorinated chemicals, and highly hazardous pesticides. These resolutions led to projects focused on capacity building or governance strengthening, to name a few. Its goal was for chemicals to be produced and used in ways that minimize significant adverse impacts on the environment and human health by 2020. This goal was not met, prompting negotiations for a post-2020 framework. The result was the Global Framework for Chemicals, which sets out targets for chemical management. Some targets, such as phasing out highly hazardous pesticides or working on perfluorinated chemicals, may be relevant to CEAC. Adopted only in 2023, much work remains to identify and enact strategies and projects to realize these targets. It will also use a multi-stakeholder approach, and decisions are not legally binding. It is expected that the Global Framework on Chemicals (37) will be able to respond to emerging issues.



Regional Chemical Regulations

View Article Online
DOI: 10.1039/D4VA00369A

Beyond the Arctic Council and the work of AMAP, we highlight three regional efforts. Here too, we find that several do not (yet) address pollution from CEAC specifically. But, like the global mechanisms above, there is a potential for these bodies to consider these pollutants. Although not exclusively for the Arctic, the Convention for the Protection of the Marine Environment of the North-East Atlantic (OSPAR) covers parts of the Arctic Ocean and addresses preventing and eliminating pollution from land-based and offshore sources and dumping and incineration. Relevant work is conducted by OSPAR's Hazardous Substances & Eutrophication Committee (HASEC) along with its subsidiary working groups including Monitoring and Trends and Effects of Substances in the Marine Environment (MIME) and Inputs to the Marine Environment (INPUT). OSPAR aims to minimize, supported by HASEC's monitoring some chemicals of concern in the Arctic, including PCBs, PBDEs, and organotins.

European Chemicals regulation

In the EU, as in many other countries, there are regulatory frameworks for different uses of chemicals. The REACH Regulation ((EU) 1907/2006), acts as an overarching regime in the EU and applies to all chemical substances, industrial and others. It requires companies to identify and manage risks linked to substances they manufacture and place on the market in the EU. EU member state authorities and ECHA's scientific committees assess whether the risks of substances can be managed and can take action in case the intended use causes risk. In the REACH assessments, Arctic environmental conditions are not specifically considered, although the EU geographic area covers also Arctic territories.

One of the many CEAC found in the Arctic, agricultural pesticides, can only be approved for use in plant protection products if they fulfil the approval criteria that are laid down in Regulation (EC) 1107/2009. The Member States, the European Food Safety Authority (EFSA) and the Commission evaluate active substances and synergists for safety before they can be placed on the market and used in plant protection products. Pesticide formulations, I.e., the ingredients added to enhance the end product, are approved on the national level, and it is thus possible for a member state to not approve the use of pesticide formulations due to the risks identified (38). The fate assessment under pesticide regulation is based on the use of models and five different scenarios, none of which reflect the environmental conditions in the Arctic. On the other hand, biocidal products, such as non-agricultural pesticides, also need to be authorised before they can be placed on the market. Under Biocidal Products Directive (EC) 98/8 (BPD) state-level restrictions (non-approvals) are possible e.g. based on Article 37 of the Regulation. It is not possible to restrict the use of a pesticide or biocide sub-nationally.



Pollution caused by pharmaceuticals has been identified as an emerging problem in the EU as demonstrated in the EU Strategic Approach to Pharmaceuticals in the Environment (39). View Article Online
DOI: 10.1039/D4VA00369A

Pharmaceuticals as products are exempt from most provisions under the Union's general chemicals legislation, though not from restriction provisions. EU legislation on veterinary medicinal products (Regulation (EU) 2019/6) and Directive 2001/83/EC on the Community code relating to medicinal products for human use are the primary means for ensuring the safety of pharmaceuticals for the environment. The legislation is relatively recent and (EU) 2019/6 stresses the decisions to be made on the Union level based on overall benefit-risk assessment. The Arctic environmental conditions are not specifically considered in any EU chemical assessments. Sensitive environments are considered with assessment factors. Although chemicals are generally regulated on the EU level to harmonize the EU market, individual member states can set tighter restrictions where necessary. For example, Denmark has prohibited the use of a specific type of PFAS in food packaging (in 2020) as well as in fire-fighting foams (in 2024), which goes further than the existing REACH restrictions (40). Yet, there is no experience in regulating chemicals on sub-national levels such as the Arctic regions. It is worthwhile noting that although not EU member states, Iceland and Norway also follow the EU legislation. Meanwhile, Greenland and the Faroe Islands have not formally adopted EU REACH regulations, however they may be considered to voluntarily follow them under other global conventions such as the Stockholm Agreement (41).

The Convention on Long-range Transboundary Air Pollution (CLRTAP)

The CLRTAP is a regional treaty that plays a role in addressing air pollutants across most Arctic states. The Convention has several Protocols, including a POPs Protocol, which aims to eliminate or restrict the international production and use of POPs. The Protocol addresses similar POPs to the Stockholm Convention, creating regulatory overlap for the states that are a party to both. While all Arctic Council member states are signatories, except for Russia, not all have ratified the agreement, which leaves gaps in regulatory enforcement and highlights the need for improved collaboration.

National level

Regulating chemicals at both the national and sub-national levels present distinct challenges and opportunities. National-level governance typically oversees chemical management, concentrating expertise and resources within federal agencies. This more centralised role can lead to effective risks assessments and regulatory frameworks that work uniformly across the country. However, sub-national governance, including local or municipal regulations too plays a critical role in addressing environmental concerns such as CEAC. Local authorities can not only monitor pollution, but municipalities are also in general responsible for waste management, which is critical to help reduce chemical releases into the local environments. The interplay between these two levels of governance –



and more so the inclusion of regional and global governance can increase complications to risks assessments. When our multiple levels of governance arrangements diverge between each other they create inconsistencies that typically are firstly taken up at the national level. The integration between both levels is essential for effective chemicals management, yet it requires careful coordination to enhance how they are done in practice. This includes the communication of an identified risk to vulnerable populations, in particular Arctic Indigenous Peoples AMAP Human Health Assessment (2021) and (42). The section below presents national level Arctic chemical regulation followed by a summary of the main gaps throughout the entire multi-level governance of CEAC.

View Article Online
DOI: 10.1039/D4VA00369A

US chemicals regulations

The first chemical regulations, called the Toxic Substances Control Act (TSCA) were adopted in 1976. The Act was the result of pressure from a coalition of more than 450 organizations ranging from NGOs, health professionals, businesses and local communities. In 2016, TSCA was updated to create the Lautenberg Chemical Safety for the 21st Century Act (LCSA), which received wide bi-partisan acceptance. The new law was created to evaluate chemical risks in commerce and mitigate said risks- however, some studies find this is an ineffective way and underestimates health risks by not considering exposure and accumulation (43). It is important to note that the TSCA does not include pesticides, food additives or pharmaceuticals and only applies to industrial chemicals. Within the TSCA, the Environmental Protection Agency (EPA) evaluates the safety of new and existing chemicals under the TSCA through a three-step process: prioritisation, risk evaluation, and risk management. First, chemicals are categorised as either high-priority or low-priority. High-priority chemicals move forward to risk evaluation, where their hazards and exposure potential are analysed without considering non-risk factors, such as costs. This stage involves gathering data from manufacturers, processors, importers, users, and end-of-life stakeholders, and can take up to three years. Finally, if a chemical is found to present unreasonable risks, the EPA implements risk management measures. These measures may include labeling requirements, use restrictions, phase-outs, or bans to eliminate the identified risks. The responsibility for assessing and mitigating these risks rests on the government.

Like the Canadian system described below, chemicals are first prioritised, and further evaluation is conducted on those determined to be a high priority. The risk evaluation includes hazard and exposure information and does not consider non-risk factors such as costs. The evaluation process can take up to three years to gather data from all sectors (i.e., manufacturers, processors, importers, users, and end-of-life). In the management process, the EPA is required to undertake a management process, that could include several regulatory options to reduce the risk (i.e., labelling, restrictions, phase-outs, and bans). The burden falls upon the government to evaluate, manage, and regulate risks associated with hazardous chemicals. Since the last AMAP report on CEAC was released, there have been several new requirements from the EPA with a focus on pollution from PFAS pollution. The concentrations of



PFAS in Alaska are a cause for concern, with numerous known contaminated sites across 16 lakes near Anchorage and Fairbanks (44). A recent study tested the two largest cities of Anchorage and Fairbanks waterways and found extremely high and toxic levels of PFAS pollution over previous thresholds (45). Although the United States has begun to strengthen its regulations regarding many CEAC, there is no evidence that the Arctic is specifically taken into consideration when setting chemical restrictions.

Russian Chemicals Regulations

As recently as 2021 Russia has established and implemented a regulatory framework for its chemical management through the adoption of the Technical Regulation on the safety of chemical projects (46). Although it has proven difficult to access information to how it works in practice, this regulation requires manufacturers and importers of chemicals to comply with strict requirements on registration, labelling, and conformity assessment of chemical products. This aims to strengthen the existing regulations and environmental protection in handling chemicals of concern. However, when it comes to the implementation of chemical regulations there are concerns around compliance, and effectiveness in the Russian Arctic. Due to the increasing challenges and expansion of industrial activities from oil and gas extraction the new chemicals regulation in Russia has a lack of specific mitigation efforts. Targeting the Arctic region should be included in future updates to the regulation (47). Moreover, Russia is not a signatory to the Protocol on POPs under the CLRTAP, and under the Stockholm Convention has limited itself to eliminating or restricting production and use of the original Dirty Dozen. Additionally, the non-existing co-operation within the Arctic Council further exacerbates its isolation from collaborative initiatives that could enhance chemical regulation and environmental protection of the Russian Arctic.

Canadian chemicals regulations

Traditionally, protecting the Arctic and Indigenous Peoples has been a motivating factor in Canadian chemical regulation (12). The economic costs of chemical pollution in Canada can be significant, exceeding CAD 30 billion (48). There are various laws in Canada related to chemicals management, that are administered by various government departments notably Health Canada and Environment and Climate Change Canada. These include the Pest Control Products Act (2002), the Canada Consumer Products Safety Act (2010), the Food and Drugs Act (1985), and the Controlled Drugs and Substances Act (1996). Below, we focus on the Canadian Environmental Protection Act, 1999 (CEPA) as the main legislation governing chemicals management. Neither of these instruments, have specific requirements to consider Arctic conditions or specifically look at LRET in their assessments. They consider available information, which may include information related to the Arctic.



The assessment and management of chemical substances under CEPA relies on a risk-based approach. It does not specifically outline a requirement to consider the Arctic regions in the assessment of chemicals, although a recent amendment highlighted a need to consider vulnerable environments. CEPA has several key elements that may be relevant for assessing the impacts of chemicals in the Arctic environment. The Act includes the application the precautionary principle, interpreted as the lack of full scientific certainty should not preclude cost-effective measures to prevent environmental degradation. Yet some argue that, in practice, the principle is interpreted to mean that chemicals are safe until they are proven unsafe due to the lengthy timelines for assessing and regulating substances (49).

View Article Online
DOI: 10.1039/D4VA00369A

New provisions in CEPA may be useful to raise the inclusion of the Arctic region including the consideration of vulnerable populations and cumulative effects, but only when data is available. CEPA also requires setting priorities for assessing chemicals and establishing a Watch List of chemicals that are considered capable of becoming toxic under CEPA. Recent proposals for setting priorities under CEPA consider a list of factors, including “substances with the potential to contribute to cumulative risks; very hazardous substances that are capable of long-range transport (VH-LRT)”. These criteria may be relevant for the Canadian Arctic regions but more details on what this data will capture is needed. For example, LRET is not a criterion under CEPA. Canadian regulation as long taken an approach to shortlisting the many substances of potential concern. The Domestic Substances List (DSL) was initially compiled under the original CEPA in 1988. The 1999 CEPA required the federal government to complete the categorization of the 23,000 substances in the DSL by 2006. The categorization process required that the Departments of Health and Environment identify those substances that were persistent and/or bioaccumulative and inherently toxic, and also substances that have the greatest potential for exposure. The 2006 categorization identified 4300 substances for further evaluation to determine if they posed a risk to human health or the environment. The Chemical Management Plan (CMP) was introduced in 2006 to outline Canada’s strategy to assess and manage, where needed, 4300 substances identified for further evaluation from the 2006 categorization of the 23,000 substances listed on Canada’s Domestic Substances List. It has taken almost 20 years to complete the assessment of those 4300 substances identified from the categorization.



In addition to creating a framework to conduct screening assessment of the high-priority substances from categorization, the CMP also establishes a biomonitoring program and supports assessments of active ingredients used in pesticides and coordinate management approaches under the different legislation for those substances found to be toxic under the CEPA. It too refers to the precautionary principle and uses safety factors to address unknowns and uncertainties for assessments.

In practice, information specific to the Arctic has been considered in assessments, notably around flame retardants. CMP Monitoring and Surveillance works with the Northern Contaminants Program, and uses its data when assessing substances, when available. Arctic monitoring data environmental and biomonitoring in Arctic species is, in practice if not by the letter of the legislation, informs many ecological assessments as evidence of long-range transport potential. Again, this data is considered when it is available, although modelling can be used. The CMP has played a key role in the chemicals management regime in Canada, especially to coordinating the various pieces of legislation and monitoring efforts in Canada's fragmented governance framework for chemicals.

The Canadian chemicals management focuses on regulating substances that are assessed as toxic, rather than products. This approach can create differences from other countries. For example, in pharmaceuticals management, Canada's substance-based approach differs from the EU and the US, which regulate the products (37). Under CEPA, research has focused on endocrine-disrupting chemicals and contributed to innovations in considering impacts of endocrine-disrupting chemicals. Canada is part of a global network working to build confidence in New Approach methodologies that can identify, prioritize, and assess potential risks using more efficient methodologies and tools (38). Implementation of recent CEPA amendments is ongoing and a new commitment to support the CMP is in place. This offers some opportunities to consider the data that should be collected or required to consider the impacts of chemicals in the Arctic regions. In particular, the new requirement to consider available information on "vulnerable environments" at present is not defined in CEPA¹. To take these steps further consideration should be made to how the government implements the amendments to CEPA and what priority considerations are given to the Arctic environment and the Indigenous Peoples living in these regions.

Multi-level Gaps

The above overview provides a cursory look at the various regulations that exist at global, regional, and national levels. It shows that many countries and global bodies are making considerable efforts, but these regulations also leave gaps, particularly related to CEAC.

¹ Approaches are under development at time of publication



At the global level, there is no overarching chemicals treaty (unlike the climate change or biodiversity governance regimes). There is the new, untested and voluntary Global Framework for Chemicals. But otherwise, only the Stockholm Convention, through the implementation of its parties, regulates production and use of POPs (not all chemicals). Other major global treaties address specific issues, such as trade in hazardous chemicals or wastes. Regionally, there are sporadic efforts related to the Arctic. Many of these involve marine dumping, except for CLRTAP's focus on air pollutants. While global treaties have shown the ability to add new chemicals to their, rather niche, mandates, it's unclear how often regional agreements will do so. The CLRTAP does indeed have a protocol for adding new pollutants, however, the frequency of this mechanism's use, as well as those in other regional agreements vary, and many parties have switched their focus on global treaties instead.

There is a Transatlantic divide between the EU and North American countries regarding chemical regulation. While the EU puts the onus on producers, the US and Canada faces the uphill battle to conducting risk assessments after chemicals are in use. There are two additional challenges that we identify to effectively manage CEAC in the Arctic. Both relate to activities or their legacies within the region itself. The transboundary nature of many chemicals requires multi-level efforts, to avoid, for example, a POP released in one part of the globe to end up in the Arctic (50). The increased industrial activity of the Arctic in and of itself is posing additional problems that national and regional governments may need to further attend to.

Products and articles currently fall into a regulatory gap at the global level. The Basel Convention involves prior informed consent from developed countries to developing countries. Therefore, it would not apply to products imported to Arctic countries. The World Customs Organization's Harmonized System codes may not apply to many products and can be slow to respond to products and articles of concern. It can take up to seven years for a code to be assigned. Ongoing negotiations for the legally binding plastics treaty may be able to address this gap, but this would be valid for plastics only.

The Arctic Council has actively engaged in waste management initiatives in the Arctic, including the Sustainable Development Working Group (SDWG) and Arctic Contaminants Action Program (ACAP) project focusing on waste management in remote communities in Alaska, Canada, and Finland (51,52) and an Aleut International Association (AIA) study focusing on 24 remote communities (53). Efforts to enhance wastewater treatment are crucial in reducing releases by promoting degradation and binding contaminants in the sludge. However, it is noted that many Arctic communities lack adequate wastewater treatment, leading to potentially significant impacts on the local marine environment (19). Additionally, in regions where wastewater treatment processes do exist, the management of sludge presents its own challenges especially in the Arctic. Incineration can lead to air deposition of contaminants while land disposal may introduce further risks. More details on wastewater treatment in the Arctic are explored by Jensen et. al., 2025 (17).



There are potential resources that could assist with clean-up and remediation, but none were designed with the Arctic in mind. The Basel Convention prepared technical guidelines for a wide range of wastes. These technical guidelines represent global consensus on how to manage wastes in an environmentally-sound manner. BAT/BEP guidance, including for contaminated sites, are developed for the Stockholm Convention POPs. All these resources are widely available, but the extent to which they are useful in Arctic conditions may be largely untested and understudied.

Governing a Changing Arctic Region

This first-of-its-kind review examines chemical regulations in, and pertaining to, the Arctic to prevent pollution from long-range and local sources. There are three key takeaways. Firstly, there is a need for a more holistic and proactive approach, involvement of vulnerable populations (particularly Indigenous Peoples), and further holistic research on chemicals governance (3). There is a lack of peer-reviewed studies on chemical regulatory regimes, including their design, development, and effectiveness. This holds at international and national levels. Comparative studies could help identify the benefits and dynamics apparent across national systems that may hinder effective regulation. There is an even greater need for detailed, holistic studies conducted in a co-production approach that utilizes both, science and Indigenous Knowledge, and that consider the local conditions in the Arctic, including multiple stressors, socioeconomic pressures, cultural heritage and understandings, and efforts to cope with climate change and rising pollution. Political ecology, for example, could be a useful framework to help understand how marginalization, cultural practices, and other socioeconomic realities shape pollution trends in the Arctic and vice versa.

Second, global and national governance is extremely fragmented, and many chemicals of concern in the Arctic fall between the cracks. Current approaches have so far been unable to address existing problems, pointing to the need for additional and multifaceted approaches. Global treaties and voluntary initiatives do not address the full scope of chemical pollution. Most have narrow mandates that largely ignore production (except the Stockholm Convention, which only addresses POPs). Following the ongoing UN global plastic treaty negotiations highlight this gap, as some countries argue against addressing chemicals separately within the plastics treaty, claiming that other MEAs cover chemicals, despite this not being the case. This reflects a broader unwillingness by certain nations to address chemical management proactively (54).

At the national level, our review often required researching numerous different pieces of legislation. These spanned health and consumer safety, agriculture, industrial planning, and other discrete areas of government control. Information was often fragmented across these government departments. In some cases, such as Canada and the US, subnational territories and states assume some limited responsibilities that could influence chemical use and disposal.



Thirdly, this review finds that few, if any, global or national-level regulatory or voluntary efforts consider the Arctic's unique vulnerabilities. The Stockholm Convention may be an outlier, in that it considers the presence of chemicals in remote regions, which includes the Arctic, as a key criterion for determining if the chemical is a POP. National-level legislation was often construed to consider risks to the population or environment, broadly construed, without particular attention to Arctic conditions, and the unique vulnerabilities of the Indigenous Peoples living there.

The Arctic's unique geographic and socioeconomic status further complicates the challenges associated with regulating and managing these substances effectively. The Arctic is undergoing rapid changes. Changing industrial and consumption patterns complicate efforts to discern what chemicals originate from the Arctic. It is likely to become increasingly difficult to discern whether a chemical's presence in the Arctic is due to local sources, LRET, or both. The varied picture of environmental releases will require cooperation between all levels. National levels will have to work with regional and global efforts to address local and transboundary sources.

Finally, while this review primarily focuses on CEAC and POPs, we recognise the broader scope of chemical risks in the Arctic, including the transformation of products and chemical mixtures resulting from known pollutants. Given the complexity and significance of these emerging concerns, future reviews could benefit from a more in-depth exploration of the impacts of transformation products and the challenges they pose to chemical management and ecosystem protection in the Arctic.

Dynamics specific to the Arctic further illustrate the limitations of national and local efforts. The persistent issue of products in use serving as long-term sources of unknown or “old” chemicals poses significant regulatory challenges, emphasising the limitations in controlling substances caught in ice formations. Waste and wastewater management emerge as crucial focal points, with local initiatives playing a significant role, as exemplified by the dedicated review of wastewater in the Arctic (17,55).

Moving forward, a holistic understanding of Arctic conditions, coupled with innovative solutions and effective governance, is crucial for mitigating the impact of chemical pollution in this unique and vulnerable ecosystem. It is not too late to adapt our regulations to the changing climate; however, we must start with the precautionary principle and a proactive approach, both of which are not yet sufficiently used in global chemical regulation.

Funding

The publication is part of a project that has received funding from The Research Council of Norway under project number 315402 - GOMPLAR. This publication reflects the views of the authors, and the Research Council of Norway can be held responsible for any use which might be made of the information contained therein.



Competing interest

View Article Online
DOI: 10.1039/D4VA00369A

The authors declare that they have no known competing financial interests or personal relationships that could have appeared to influence the work reported in this article.

Acknowledgements

We would like to express our gratitude to Cindy de Wit, Derek Muir, Katrin Vorkamp and Roland Kallenborn for leading the work in this special issue and for sparking the initial ideas and discussions. We also give our deepest gratitude to Ramon Guardans who contributed and provided invaluable support and expertise to this article and more so to global chemical management and knowledge.

References

1. Cowan E, Oftebro TL, Kallenborn R, Gabrielsen GW, Overjordet IB, Tiller R. Global governance in Arctic waters – New times. New stressors. Catching up with pharmaceuticals. *The Polar Journal*. 2022;
2. Wit CA de, Vorkamp K, Muir D. Influence of climate change on persistent organic pollutants and chemicals of emerging concern in the Arctic: state of knowledge and recommendations for future research. *Environmental Science: Processes & Impacts*. 2022;24(10):1530–43.
3. Fernández-Llamazares Á, Garteizgoeasoa M, Basu N, Brondizio ES, Cabeza M, Martínez-Alier J, et al. A State-of-the-Art Review of Indigenous Peoples and Environmental Pollution. *Integr Environ Assess Manag*. 2020 May;16(3):324–41.
4. Wong C, Ballegooyen K, Ignace L, Johnson MJ (Gùdia), Swanson H. Towards reconciliation: 10 Calls to Action to natural scientists working in Canada. *FACETS*. 2020 Jan;5(1):769–83.
5. Kankaanpää P, Young OR. The effectiveness of the Arctic Council. *Polar Research*. 2012;31(1):17176.
6. D. C. G. Muir, M. J. Gunnarsdóttir, K. Koziol, F. A. von Heppel, D. Szumińska, N. Ademollo, S. Corsolini, A. De Silva, G. W. Gabrielsen, R. Kallenborn, Ż. Polkowska, E. Kruemmel and K. Vorkamp, Local versus long range transport of POPs in the Arctic: Future developments related to climate change. *Environ. Sci. Advances*. In review, 2025.
7. Christensen K. Thawing Permafrost Releases Industrial Contaminants into Arctic Communities. *Environmental Health Perspectives*. 2024 Mar;132(3):032001.
8. Borgå K, McKinney MA, Routti H, Fernie KJ, Giebichenstein J, Hallanger I, et al. The influence of global climate change on accumulation and toxicity of persistent organic pollutants and chemicals of emerging concern in Arctic food webs. *Environ Sci: Processes Impacts*. 2022 Oct 19;24(10):1544–76.
9. Young OR. Governing the arctic ocean. *Marine Policy*. 2016;72:271–7.
10. Barry T, Daviðsdóttir B, Einarsson N, Young OR. The Arctic Council: an agent of change? *Global Environmental Change*. 2020 Jul 1;63:102099.



11. Houde M, Krümmel EM, Mustonen T, Brammer J, Brown TM, Chételat J, et al. Contributions and perspectives of Indigenous Peoples to the study of mercury in the Arctic. *Science of The Total Environment*. 2022 Oct 1;841:156566. New Article Online
DOI: 10.1016/j.scotot.2022.156566
12. Selin H. Global environmental law and treaty-making on hazardous substances: the Minamata Convention and mercury abatement. *Global Environmental Politics*. 2014;14(1):1–19.
13. Selin H, Selin NE. *Mercury Stories: Understanding Sustainability through a Volatile Element* [Internet]. The MIT Press; 2020 [cited 2025 Jan 13]. Available from: <https://direct.mit.edu/books/oa-monograph/4968/Mercury-StoriesUnderstanding-Sustainability>
14. Kohler PM. *Science Advice and Global Environmental Governance: Expert Institutions and the Implementation of International Environmental Treaties*. Anthem Press; 2019. 228 p.
15. Liboiron M, Lepawsky J. *Discard Studies: Wasting, Systems, and Power* [Internet]. The MIT Press; 2022 [cited 2025 Jan 13]. Available from: <https://direct.mit.edu/books/oa-monograph/5337/Discard-StudiesWasting-Systems-and-Power>
16. Rantanen M, Karpechko AY, Lipponen A, Nordling K, Hyvärinen O, Ruosteenoja K, et al. The Arctic has warmed nearly four times faster than the globe since 1979. *Commun Earth Environ*. 2022 Aug 11;3(1):1–10.
17. Jensen P, Gewurtz S, Hanson M, Rossi P, Velmitskaya M, Øverjordet I, et al. The importance of wastewater as source of POPs and CEACs in the Arctic environment. In Press. *Environmental Sciences: Advances*. 2025;
18. J. Gunnarsdottir M. Ongoing legacy contamination from a military radar station in Iceland: a case study. *Environmental Science: Advances*. 2024;3(7):972–82.
19. AMAP. *Adaptation Actions for a Changing Arctic: Perspectives from the Barents Area*. Arctic Monitoring and Assessment Programme (AMAP) [Internet]. 2017 [cited 2023 Jun 7]. Available from: <https://www.amap.no/documents/doc/adaptation-actions-for-a-changing-arctic-perspectives-from-the-barents-area/1604>
20. Kallenborn R, Gabrielsen GW, Vorkamp K. Industrial and public infrastructure as local Arctic pollutant sources. In Prep. *Environ Sci Advances*. 2025;
21. Wang Z, Walker GW, Muir DCG, Nagatani-Yoshida K. Toward a Global Understanding of Chemical Pollution: A First Comprehensive Analysis of National and Regional Chemical Inventories. *Environ Sci Technol*. 2020 Mar 3;54(5):2575–84.
22. Diamond ML, de Wit CA, Molander S, Scheringer M, Backhaus T, Lohmann R, et al. Exploring the planetary boundary for chemical pollution. *Environment International*. 2015 May 1;78:8–15.
23. Persson L, Carney Almroth BM, Collins CD, Cornell S, de Wit CA, Diamond ML, et al. Outside the Safe Operating Space of the Planetary Boundary for Novel Entities. *Environ Sci Technol*. 2022 Feb 1;56(3):1510–21.
24. Mondou M, Maguire S, Pain G, Crump D, Hecker M, Basu N, et al. Envisioning an international validation process for New Approach Methodologies in chemical hazard and risk assessment. *Environmental Advances*. 2021 Jul 1;4:100061.
25. Rotter S, Beronius A, Boobis AR, Hanberg A, van Klaveren J, Luijten M, et al. Overview on legislation and scientific approaches for risk assessment of combined exposure to multiple chemicals: the potential EuroMix contribution. *Crit Rev Toxicol*. 2018 Oct;48(9):796–814.



26. Podder A, Sadmani AHMA, Reinhart D, Chang NB, Goel R. Per and poly-fluoroalkyl substances (PFAS) as a contaminant of emerging concern in surface water: A transboundary review of their occurrences and toxicity effects. *J Hazard Mater*. 2021 Oct 1;419:126361. Article Online DOI: 10.1039/D4VA00369A
27. Cousins IT, Johansson JH, Salter ME, Sha B, Scheringer M. Outside the Safe Operating Space of a New Planetary Boundary for Per- and Polyfluoroalkyl Substances (PFAS). *Environ Sci Technol*. 2022 Aug 16;56(16):11172–9.
28. Nielsen E, Ostergaard G, Larsen JC. *Toxicological Risk Assessment of Chemicals: A Practical Guide*. CRC Press; 2008. 450 p.
29. Stockholm Convention. Stockholm Convention website [Internet]. 2023. Available from: <https://www.pops.int/>
30. Downie D, Fenge T. *Northern Lights Against POPs. Combatting Toxic Threats in the Arctic*. McGill-Queens University Press. 2003;347.
31. Prabhu RN, Lakshmipraba J. Persistent Organic Pollutants (Part I): The “Dirty Dozen” – Sources and Adverse Effects. In: Vasanthi M, Sivasankar V, Sunitha TG, editors. *Organic Pollutants: Toxicity and Solutions* [Internet]. Cham: Springer International Publishing; 2022 [cited 2024 Jun 5]. p. 1–27. Available from: https://doi.org/10.1007/978-3-030-72441-2_1
32. Breivik K, S. McLachlan M, Wania F. Added value of the emissions fractions approach when assessing a chemical’s potential for adverse effects as a result of long-range transport. *Environmental Science: Advances*. 2023;2(10):1360–71.
33. Basel Convention. Basel Convention - Home Page [Internet]. 2025 [cited 2025 Jan 20]. Available from: <https://www.basel.int/>
34. Rotterdam Convention. Rotterdam Convention - Home page [Internet]. 2025 [cited 2025 Jan 20]. Available from: <https://www.pic.int/>
35. IMO. International Maritime Organization [Internet]. 2025 [cited 2025 Jan 20]. Available from: <https://www.imo.org/>
36. Vivian C, Savio LD. The London Convention and Protocol: Adapting to Address the Ocean-Climate Crisis. 2024 Aug 15 [cited 2025 Jan 20]; Available from: https://brill.com/view/journals/estu/39/3/article-p519_13.xml
37. UNEP. Global Framework on Chemicals | UNEP - UN Environment Programme [Internet]. 2025 [cited 2025 Jan 20]. Available from: <https://www.unep.org/global-framework-chemicals>
38. Kalyabina VP, Esimbekova EN, Kopylova KV, Kratasyuk VA. Pesticides: formulants, distribution pathways and effects on human health – a review. *Toxicology Reports*. 2021 Jan 1;8:1179–92.
39. European Parliament. Texts adopted - Strategic approach to pharmaceuticals in the environment - Thursday, 17 September 2020 [Internet]. 2020 [cited 2025 Jan 20]. Available from: https://www.europarl.europa.eu/doceo/document/TA-9-2020-0226_EN.html
40. Miljø- og Ligestillingsministeriet. Bekendtgørelse om forbud mod import, salg og anvendelse af PFAS-holdigt brandslukningskumkoncentrat på brandøvelsespladser [Internet]. Nov 27, 2023. Available from: <https://www.retsinformation.dk/eli/lta/2023/1360>



41. Bastmeijer K, Johnstone RL. Chapter 19 Environmental protection in the Antarctic and the Arctic: the role of international law. In 2021 [cited 2025 Jan 20]. Available from: <https://china.elgaronline.com/edcollchap/edcoll/9781786439703/9781786439703.00030.xml>
42. Krümmel EM, Boyd AD, Brandow D, Brubaker M, Furgal CM, Gerlach R, et al. Updated review on contaminant communication experiences in the circumpolar Arctic. *Int J Circumpolar Health*. 2024 Dec;83(1):2371623.
43. Rayasam SDG, Koman PD, Axelrad DA, Woodruff TJ, Chartres N. Toxic Substances Control Act (TSCA) Implementation: How the Amended Law Has Failed to Protect Vulnerable Populations from Toxic Chemicals in the United States. *Environ Sci Technol*. 2022 Sep 6;56(17):11969–82.
44. ACAT. Alaska Community Water Quality Report: PFAS contamination of municipality of anchorage and fairbanks north star borough waters [Internet]. 2023. Available from: <https://www.akaction.org/publications/pfas/alaska-community-water-quality-report-pfas-contamination-of-municipality-of-anchorage-and-fairbanks-north-star-borough-waters/>
45. Rosen Y. Alaska lakes' levels of 'forever chemicals' revealed as officials ponder actions to reduce risks • Alaska Beacon [Internet]. Alaska Beacon. 2023 [cited 2024 Jun 6]. Available from: <https://alaskabeacon.com/2023/02/27/alaska-lakes-levels-of-forever-chemicals-revealed-as-officials-ponder-next-actions-to-reduce-risks/>
46. Enhesa. Enhesa. [cited 2024 Sep 18]. In Russia, technical regulation on safety of chemical products adopted. Available from: <https://www.enhesa.com/resources/article/in-russia-technical-regulation-on-safety-of-chemical-products-adopted/>
47. Reihlen A, Ruut J. The Russian system of chemicals management [Internet]. Baltic Environmental Forum Group; 2010. Available from: https://www.umweltbundesamt.de/sites/default/files/capchemru_chemmgmtru_final.pdf
48. Basu N, Lanphear BP. The challenge of pollution and health in Canada. *Can J Public Health*. 2019 Apr;110(2):159–64.
49. Abelkop ADK, Bergkamp L, Bergeson LL, Auerbach B. Chemical Risk Governance. Edward Elgar Publishing; 2023. 651 p.
50. Kallenborn R, Hung H, Brorström-Lundén E. Chapter 13 - Atmospheric Long-Range Transport of Persistent Organic Pollutants (POPs) into Polar Regions. In: Zeng EY, editor. *Comprehensive Analytical Chemistry* [Internet]. Elsevier; 2015 [cited 2025 Jan 21]. p. 411–32. (Persistent Organic Pollutants (POPs): Analytical Techniques, Environmental Fate and Biological Effects; vol. 67). Available from: <https://www.sciencedirect.com/science/article/pii/B9780444632999000132>
51. SDWG. Arctic Council. 2025 [cited 2025 Jan 21]. Sustainable Development Working Group. Available from: <https://arctic-council.org/about/working-groups/sdwg/>
52. SDWG. Best Waste Management Practices for Small and Remote Communities. 2019 Mar [cited 2025 Jan 21]; Available from: <http://hdl.handle.net/11374/2297>
53. AIA. Solid Waste Management – Aleut International Association [Internet]. 2023 [cited 2025 Jan 21]. Available from: <https://aleut-international.org/projects/solid-waste-management/>
54. Tiller R, Cowan E, Ahlquist IH, Tiller T. Standoff at the four-way stop sign: late-night diplomacy at the fourth session of negotiations (INC-4) on the global treaty to end plastic pollution. *J Environ Stud Sci* [Internet]. 2024 Dec 20 [cited 2025 Jan 13]; Available from: <https://doi.org/10.1007/s13412-024-00999-x>



55. Gunnarsdóttir R, Jensen PD, Jensen PE, Villumsen A, Kallenborn R. A review of wastewater handling in the Arctic with special reference to pharmaceuticals and personal care products (PPCPs) and microbial pollution. *Ecological Engineering*. 2013;50:76–85.

View Article Online
DOI: 10.1039/D4VA00369A



- No primary research results, software or code have been included and no new data were generated or analysed as part of this review.

[View Article Online](#)

DOI: 10.1039/D4VA00369A

